Form G-2 (Rev. 7/03)

Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test (See Instructions on Reverse Side)

| ype rest: | | | | | (29 | e instruct | ions or | n Keverse | S100) | | | | | | | |
|---|--|---|--------------------------------------|-------------------------------------|-------------------------------------|-----------------------------------|-----------------------------|--|-----------------------|--|------------------------|---------------------------|--|--------------------|------------------------------|--|
| · | Open Flow Oellverability | | | | Test Date: 03/29/2012 | | | | | API No. | | | 15129203780000 | | | |
| ompany OXY USA | Inc | | | | | Lease POSI | EY A 2 | 2 | | | | | We | ell Nu | ımber | |
| County Location | | | S | Section TWP | | | | | RNG (E/W) | | | Acres Attributed | | | | |
| lorton 1322 FSL & 1300 FEL | | | L | 24 | | | 338 | | | 43W | | 640 | | | | |
| ield VINTER | | | | | Reservoir Marmaton/Morrow | | | | | Gas Reg | Connectio | n | | | | |
| mpletion 3/27/197 | | | | | lug Back 1 4,956 ' | Total Depi | lh | - | | Pac | er Set at | | | | | |
| ising Size | | | | tn | Internal Diameter 5.012" | | | Set at 5,013 ' | | | Perforations 3,592' | | To 4,471 ' | | | |
| bing Size 7/8" | Size Weight 4.7# | | | | Internal Diameter Set at 1.995" 4,5 | | | | Perforations | | | | То | | | |
| ype Completion (Describe) COMMINGLED-GAS | | | | | Type Fluid Production WATER | | | | | Pump Unit or Traveling Plu Yes - Beam F | | | | | | |
| oducing Thru (Annulus / Tubing) Annulus | | | | % Carbon Dioxide 0.113% | | | | • | % Nitrogen 23.272% | | | Gas Gravity - Gg 0.785 | | | | |
| rtical De 4,032 | . , . | | | | | | ure Ta _l ange | ps | | | _ | | (Meter Rur 4 | n) (Pr .068 | | |
| essure B | uildup: | Shut In | 03/2 | 8 2 | 0 12 | at 9:00 | _ | | Taken | | 03/29 | 20 12 | at 9 : | 00 | | |
| il on Lin | e: | Shut in | | 2 | 0 | at | _ | | Taken | | | 20 | at | | | |
| | | | | | | OBSERV | /ED SL | JRFACE | DATA | | | Ouration of | Shut-in | 24 | Hours | |
| | | Circle one: | | Pressure | | | | Casing | | Tubing | | | | 一 | | |
| Static / lynamic | Orifice Size | Ortfice Meter | | Differential Flowing in Temperature | | | | Wellhead Pressure (P _w) or (P _t) or (P _c) | | Wellhead Press | | Pressure | | | Liquid Produce | |
| roperty | (inches) | | lg (Pm) | Inches H ₂ C | | | | psig psia | | | | psia | | | (Barrels) | |
| hut-in | | | | | | | 61.0 | 61.0 75.4 | | · | | 24 | | | | |
| Flow | | | | | | | | | | | | | | \perp | | |
| | | | | | | FLOW ST | rean. | A ATTRIE | BUTES | | | | | | | |
| Plate | | lircle one: | | 389 | Gravity | | gniwo | Devi | ation | Ι, | vietered Flow | | | | Flowing | |
| Coefficient (F_b) (F_p) | | Meter or Prover Pressure | | nsion | Factor F _a | F | erature actor | Factor F _{pv} | | R (Mcfd) | | | GOR (Cubic Feet/Barrel) | | Fluid Gravity | |
| Mcfd | | psia | | xh | • • | | Fa | | | () | | | | | G _m | |
| | | | | | | | | <u> </u> | | | | | | Ļ | | |
|) ² = | | (P _w) |) ² = 0.0 | | OPEN FLO | OW) (DEL | | • | | | IONS | | (P∎ |) ² =_ | 0.207 | |
| | - | (Fw/ | | | Pd = _ | | _% T === | ckpressure (| 1.4) + 1 | 1.4 - | | | (174 |) ² = _ | 0 | |
| (P _a) ² - (P _a) ² | 1 | , ,,,,, | Choose Forms 1, P. ² - | P.² | formula | 01 01 | | Slope = "n" | | - ×100 | | | | | Open Flow Deliverability | |
| (P _a) ² - (P _a) ² | ((| (P _e) ² - (P _w) ² | | P, ² | 1, or 2. and divide | P,2 - P,2 | | Assigned | | n x LOG | | - l - ′ | Antilog | | Equals R x Antilog (Mcfd) | |
| - | | | divided by: F | • • • • | by: | | | Standard Sto | ppe | | | + | · | - | () | |
| | | | | \dashv | | | \vdash | | | | | | | - | | |
| n Flow | Flow 0 Mcfd @ 14.65 psia | | | | | Deliverability | | | Mcfd @ | | | 14 65 0010 | | | | |
| | ··· | | | - | | | | - | | | | | 14.65 psia | | | |
| facts stated | l therein, and | | Igned authority port is true and | | | ry, states that cuted this the | _ | _ | to make y of | the abo | ove report and Ju | | owledge of | : | 2012 | |
| | | | | | | | | _ | | | | XY USA | | | > < | |
| | | | Witness | | | | | | :N/E== | ` | | For Compa | ' (| | | |
| | | · F. | Commission. | | | | | RECE | IVEL | <u> </u> | David C | gden Ox | y USA Inc | : | <u> </u> | |
| | | For | Commission | | | | | 4444 | 0.00 | 140 | | | | _ | | |

JUN 2 8 2012

| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator OXY USA Inc. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. |
|--|
| I hereby request a one-year exemption from open flow POSEY A 2 for the gas well on the grounds that |
| said well: |
| (Check one) |
| is a coalbed methane producer |
| is cycled on plunger lift due to water |
| is a source of natural gas for injection into an oil reservoir undergoing ER |
| is on a vacuum at the present time; KCC approval Docket No. |
| is not capable of producing at a daily rate in excess of 250 mcf/D |
| I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing. |
| Date: June 26, 2012 |
| |
| |
| |
| |
| |
| |
| David Ogten Signature: OXY USA Inc |
| Title: Gas Business Coordinator |

Instructions: If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
JUN 2 8 2012
KCC WICHITA