KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	l;					('See Instru	ıct	tions on Re	verse Sid	ie)						
✓ Op	en Flov	٧				T D						451	Ala 45				
Deliverability			Test Date: 3/10/2012				API No. 15 15-077-21305										
Company PINTAIL PETROLEUM, LTD					Lea				ease IARRISON B					Well Number			
County Location HARPER SW SW				,	Section # 2.2						RNG (E/W) SW			Acres Attributed			
Fleid STOHRVILLE					Reservoir MISSISSIPPI				Gas Gathering Conn				n				
Completion Date 7/27/1996				Plug Bac	k Total De	h	Packer Set at										
Casing Size Weight 4 1/2" 10.5#					Internal Diameter			Set at 4479			Perforations 4437			To 4447			
Tubing Size Weight 2 3/8"			Internal Diameter				Set at 4400			Perforations			То				
Type Cor PERF/A						Type Flui WATE	d Product	ior				ump Un PUMP	it or Traveling	Plur	nger? (Yes)	/ No	
Producing Thru (Annulus / Tubing) TUBING				.274	Carbon Dic	de	% Nitrogen 5.1369			en	Gas Gravity - G						
Vertical C)	<u> </u>				Pro	es	sure Taps							łun) (P	rover) Size
4480									-						,		,
Pressure	Buildup): <u> </u>	Shut in 3/9	1	2	0_12 at_8	:00	_((AM) (PM)	Taken 2	3/10)	20	12	8:00	((AM) (PM)
Well on L	ine:	;	Started		21	0 at			(AM) (PM)	Taken _			20	_	at		(AM) (PM)
				т			OBSER\	/E	D SURFAC					Dura	ation of Shut-i	<u>n</u>	Hours
Static / Dynamic Property	c Size		Circle one: Meter Prover Pressure psig (Pm)		Pressure Differential in Inches H,0	Flowing Temperature t	Well Head Temperature t		Casing Welthead Pressure (P _*) or (P ₁) or (P ₆)			Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Duration (Hours)		Liquid Produced (Barrels)	
Shut-in	in 1/2"		paig (r m)						100#	psia	- 5	psig psla 50#		24 HR		65 BWPD	
Flow																	
							FLOW S	TR	EAM ATTR	IBUTES							
Plate Coefficient (F _b) (F _p) Mcfd		Circle one: Mater or Prover Pressure psia			Press Extension P _m x h	Gravity Factor F _s		ī	Flowing Temperature Factor F ₁₁		Deviation Factor F _{pv}		Metered Flow R (Mcfd)		w GOR (Cubic Fee Barrel)		Flowing Fluid Gravity G _m
													. <u>—</u>				
(P _e)² =			(P _w)² =	_		-	OW) (DEL		ERABILITY	•					(P _a) ² (P _a) ²	= 0.2	207
$(P_a)^2 - (P_a)^2$ or $(P_a)^2 - (P_a)^2$		(P _e) ² - (P _w) ²		Ghoose farmula 1 or 2: 1. P _c ² - P _a ² 2. P _a ² · P _a ² divided by: P _a ² - P _w ²		LOG of formula 1, or 2, and divide	P.2. P.2	<u>-</u> '	Backpressure Curve Slope = "n"		/ 0	nxL	og [: Antilog		Open Flow Deliverability Equals R x Antilog (Mcfd)	
					-										-		
Open Flo	w 50				Mcfd @ 14.	65 psia			Deliverat	oility 50				Mofd	© 14.65 psi	a	
The	undersi	_	d authority, o		ehalf of the	Company, a			e is duly a	uthorized	,		e above repo		<u>. </u>	s know	riedge of
				_	F			-		A			auis				RECEIVE
			Witness (if e rry	()			•	•		است		For	ompa	Ty		
			For Comm	nissic	on .				-				Che	ked by	/	M	AR 16-2

	inder penalty of perjury under the laws of the state of Kansas that I am authorized to request under Rule K.A.R. 82-3-304 on behalf of the operator PINTAIL PETROLEUM, LTD
and that the fo correct to the b of equipment in I hereby re	regoing pressure information and statements contained on this application form are true and est of my knowledge and belief based upon available production summaries and lease records istallation and/or upon type of completion or upon use being made of the gas well herein named. quest a one-year exemption from open flow testing for the HARRISON B 1-22 grounds that said well:
I further ag	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D pree to supply to the best of my ability any and all supporting documents deemed by Commission cary to corroborate this claim for exemption from testing.
Date: <u>3/15/201</u>	2
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

MAR 1 6 2012

KCC WICHITA