## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test   |                    | «  | 16T.                 |  | (                          | See Ins                       | tructio                                       | ons on Rev                               | verse Side   | <i>)</i>  |                           |                                |  |  |   |
|---|--------------------|--|----------------------|--|----------------------------|-------------------------------|---|--|--|---|---------------------------|--------------------------------|--|--|---|
| Open Flow Test Date:  |                    |  |                      |  |                            | <b>)</b> :                    | API No. 15                                    |  |  |   |                           |                                |  |  |   |
| Deliverability 5/5/2011   |                    |  |                      |  |                            |                               | 181-20386-00 -00                              |  |  |   |                           |                                |  |  |   |
| Company<br>Rosewoo  |                    | soui   | rces, Inc.           |  |                            |                               |   | Lease<br>Caldwel                         | ı  |   |                           |                                | 24-32                                  | Well Nu                                | mber  |
| County Location Sect Sherman SESW/4 32  |                    |  |                      |  | Section<br>32              |                               |   |  |  | RNG (E/W)<br>40W  |                           |                                |  | Acres Attributed                       |   |
| Field<br>Goodand  | <br>d              |  |                      |  | Reservoir                  | Reservoir                     |   |  |  | Gas Gathering Connection Branch Systems Inc.              |                           |                                |  |  | <del></del>                                   |
| Completic<br>1-9-2006   |                    | е  |                      |  | Plug Bac<br>1370'          | Plug Back Total Depth         |   |  |  | Packer  |                           |                                |  | <del></del>                            |   |
|   | Casing Size Weight |  |                      |  | Internal Diameter<br>4.052 |                               |   | Set at<br>1368.95'                       |  | orations  | _                         | To 1214'                       |  |  |   |
| Tubing Si   | ize                |  | Weigh                |  | <del></del>                | Internal Diameter             |   |  | Set at   |   | 1192<br>Perforations      |                                |  | То                                     |   |
| Type Con<br>Single (  |                    |  |                      |  | Type Flui<br>Dry Ga        |                               | ction   |  |  | Pump U  | nit or Traveling          | Plui                           | nger? Yes                              | (No)                                   |   |
| Producing   | Thru               |  | rulus / Tubing       | <del>)</del>   |                            | % Carbon Dioxide              |   |  |  | % Nitrogen  |                           |                                | _                                      | Gas Gravity - G                        |   |
| Annulus<br>Vertical D   | _                  | <u>.</u>   |                      |  |                            |                               | Prace   | ure Tone                                 |  |   |                           |                                |  | .6<br>(Meter Run) (Prover) Size        |   |
| 1368'   | ,epuilt            | ''   |                      |  |                            | Pressure Taps Flange          |   |  |  |   |                           |                                | 2"                                     | 1011) (1                               | 104617 0126                                   |
| Pressure  | Bulldu             | p:   | Shut in 5-4          | 2  | 11. at 1                   | 11. at 1:25 (AM) (PM) Taken 5 |   |  |  | -5  | 20                        | 11                             | at 1:50 (AM) (PM)                      |  | (AM) (PM)                                     |
| Well on L   | lne:               |  | Started 5-5          | 2  | 10 11 at 1                 | _                             |   |  | -6   | 20 <u>11</u> at 2   |                           |                                | at 2:25 (AM)(PM)                       |  |   |
|   |                    |  |                      |  |                            | OBSE                          | AVEC  | SURFACE                                  | E DATA   |   |                           | Dura                           | ation of Shul-                         | in 24                                  | Hours   |
| Static / Orilice Dynamic Size Property (inches)                               |                    | Meter Differential   Prover Pressure in            |                      | Flowing<br>Temperature<br>t  | Temporature Temperature    |                               | Casing Wellhead Pressure (P,) or (P,) or (Pc) |  | Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>e</sub> ) |   | Duration<br>(Hours)       |                                | Liquid Produced<br>(Barrels)           |  |   |
| Shut-In   |                    |  | psig (Pm)            | Inches H <sub>2</sub> 0  |                            |                               |   | psig<br>2                                | psta<br>16.4   | psig  | psia                      |                                |  | -                                      |   |
| Flow  |                    |  |                      |  |                            |                               |   | 1  | 15.4   | <del> </del>  |                           | 24                             | ,                                      | 0                                      |   |
|   |                    |  |                      |  |                            | FLOW                          | STRI  | EAM ATTR                                 | IBUTES   |   | ·                         |                                |  |  |   |
| Plate Coeffleciant (F <sub>b</sub> ) (F <sub>p</sub> ) Mold                   |                    | Circle one:<br>Meter or<br>Prover Pressure<br>pala |                      | Press<br>Extension<br>Pxh  | Extension Factor           |                               | Te  | Temperature Fa                           |  | riation Metered Flov<br>actor R<br>F <sub>pv</sub> (Mcfd) |                           | w GOR<br>(Cubic Fee<br>Barrel) |  | ot/                                    | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub> |
|   |                    |  |                      |  |                            |                               |   |  |  |   | 8                         |                                |  |  |   |
| (P <sub>a</sub> ) <sup>2</sup> = _  |                    |  | (P <sub>w</sub> )² = |  | •                          | OW) (DI                       | ELIVE   | RABILITY                                 | ) CALCUL<br>P <sub>a</sub> - 14.4) +   |   |                           |                                | (P <sub>a</sub> )<br>(P <sub>s</sub> ) | °= 0.2                                 | 07  |
| (, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,                                      | T                  | •  | 1                    | Choose formula 1 or a  | · 1                        | 1                             | <del>= ^</del>                                | T  | ssure Curve  |   |                           |                                | (, 4)                                  | $\overline{}$                          | oen Flow                                      |
| $(P_a)^2 \cdot (P_a)^2$ $(P_a)^2 \cdot (P_w)^2$<br>or $(P_a)^2 \cdot (P_a)^2$ |                    |  | 1. P. 2. P. 2. P. 3  | 1. P <sup>2</sup> -P <sup>2</sup> LOG of formula 2. P <sup>2</sup> -P <sup>2</sup> and divide p <sup>2</sup> -P <sup>2</sup> |                            |                               | Slope = "n"                                   |  |  | n x LOG   |                           | Antilog                        |  | iverability<br>I R x Antilog<br>(McId) |   |
|   |                    |  |                      | divided by: P.* P.   | , by:                      |                               | <u> </u>                                      | J. J |  |   |                           |                                |  |  |   |
|   |                    |  |                      | 11.11.1  | 05                         |                               |   |  |  |   |                           |                                |  |  |   |
| Open Flo  |                    |  | - خاد مافری ا        | Modd @ 14  | ·                          |                               |   | Deliverab                                |  | ha ma-li  | ha abawa                  |                                | 1 <b>6</b> 14.65 ps                    |  | dadaa of                                      |
|   |                    | •  | •                    | n behalf of the<br>aid report is tru   | •                          |                               |   | _  | _  |   | ne above repo<br>December | JI ( BI                        | iu uiai ne na                          |  | 20 <u>11 .</u> .                              |
|   |                    |  |                      |  |                            |                               |   |  |  | ser   | 11                        | (                              | èw                                     | ()                                     |   |
|   |                    |  | Witness (i           | f any)   |                            |                               |   | -  | 7  |   |                           | Compa                          | ny                                     | F                                      | RECEIVED                                      |
|   |                    |  | For Comm             | rission  |                            |                               | _   | -  |  |   | Chi                       | cked b                         | y .                                    |  | PR 2 4 201                                    |

|  | er penalty of perjury under the laws of the state of Kansas that I am authorized to request ler Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.   |
|--|---|
| and that the foregone correct to the best of equipment insta | oing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Caldwell 24-32 bounds that said well:  |
| _  | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing. |
| Date: 12/28/11   |   |
|  | Signature:  |

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

APR 2 4 2012

KCC WICHITA

W395

Caldwell 24-32

South Goodland

Goodland

None

May-11

|           | Casing |            | H | RS  | REMARKS                         |
|-----------|--------|------------|---|-----|---------------------------------|
| DATE      | PSI    | STATIC MCF | D | OWN | (Maximum length 110 characters) |
| 5/1/2011  |        | 1 14       | 8 | 0   |                                 |
| 5/2/2011  |        | 1 14       | 8 | 0   |                                 |
| 5/3/2011  |        | 1 14       | 8 | 0   |                                 |
| 5/4/2011  |        | 1 14       | 8 | 0   | shut in                         |
| 5/5/2011  |        | 1 14       | 0 | 24  | opened up, bp                   |
| 5/6/2011  |        | 2 15       | 8 | 0   |                                 |
| 5/7/2011  |        | 1 14       | 8 | 0   |                                 |
| 5/8/2011  |        | 1 14       | 8 | 0   |                                 |
| 5/9/2011  |        | 1 14       | 8 | 0   |                                 |
| 5/10/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/11/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/12/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/13/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/14/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/15/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/16/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/17/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/18/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/19/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/20/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/21/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/22/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/23/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/24/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/25/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/26/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/27/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/28/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/29/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/30/2011 |        | 1 14       | 8 | 0   |                                 |
| 5/31/2011 |        | 1 14       | 8 | 0   |                                 |

Total 240

RECEIVED
APR 2 4 2012
KCC WICHITA

W395 Cáldwell 24-32

South Goodland

Goodland

None

June-11

|           | Casing |             | HF | us | REMARKS                         |
|-----------|--------|-------------|----|----|---------------------------------|
| DATE      | PSI    | STATIC MCF  | DC | WN | (Maximum length 110 characters) |
| 6/1/2011  | -      | 14          | 8  | 0  |                                 |
| 6/2/2011  |        | 14          | 8  | 0  |                                 |
| 6/3/2011  |        | l 14        | 7  | 0  | •                               |
| 6/4/2011  | ,      | 1 14        | 8  | 0  |                                 |
| 6/5/2011  |        | 1 14        | 8  | 0  |                                 |
| 6/6/2011  |        | 1 14        | 7  | 0  |                                 |
| 6/7/2011  |        | 1 14        | 7  | 0  |                                 |
| 6/8/2011  |        | 1 14        | 8  | 0  |                                 |
| 6/9/2011  |        | 1 14        | 8  | 0  |                                 |
| 6/10/2011 |        | <b>l</b> 14 | 8  | 0  |                                 |
| 6/11/2011 |        | 1 14        | 8  | 0  |                                 |
| 6/12/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/13/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/14/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/15/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/16/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/17/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/18/2011 |        | 1 14        | 8  | 0  |                                 |
| 6/19/2011 |        | 1 14        | 8  | 0  |                                 |
| 6/20/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/21/2011 |        | 1 14        | 8  | 0  |                                 |
| 6/22/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/23/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/24/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/25/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/26/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/27/2011 |        | 1 14        | 7  | 0  |                                 |
| 6/28/2011 |        | 1 14        | 8  | 0  |                                 |
| 6/29/2011 |        | i 14        | 7  | 0  |                                 |
| 6/30/2011 |        | 2 15        | 6  | 5  |                                 |
| 7/1/2011  |        | 0 0         | 0  | 0  |                                 |

Total 221

RECEIVED

APR 2 4 2012

KCC WICHITA

W395

Caldwell 24-32 F

South Goodland

Goodland

None

July-11

|           | Casing |           | HR    | s T | REMARKS                         |
|-----------|--------|-----------|-------|-----|---------------------------------|
| DATE      | PSI    | STATIC MO | CF DO | )WN | (Maximum length 110 characters) |
| 7/1/2011  |        | 2 15      | 7     | 2   |                                 |
| 7/2/2011  | :      | 2 15      | 7     | 0   |                                 |
| 7/3/2011  |        | 2 15      | 7     | 0   |                                 |
| 7/4/2011  |        | 2 15      | 7     | 0   |                                 |
| 7/5/2011  |        | 2 15      | 7     | 2   |                                 |
| 7/6/2011  | ;      | 2 15      | 7     | 0   |                                 |
| 7/7/2011  |        | 2 15      | 7     | 0   |                                 |
| 7/8/2011  |        | 2 15      | 7     | 0   |                                 |
| 7/9/2011  |        | 2 15      | 7     | 0   |                                 |
| 7/10/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/11/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/12/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/13/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/14/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/15/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/16/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/17/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/18/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/19/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/20/2011 |        | 2 15      | 7     | 2   |                                 |
| 7/21/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/22/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/23/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/24/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/25/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/26/2011 |        | 3 16      | 6     | 3   |                                 |
| 7/27/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/28/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/29/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/30/2011 |        | 2 15      | 7     | 0   |                                 |
| 7/31/2011 |        | 2 15      | 7     | 0   |                                 |

Total 216