

T6: 1  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION S/2  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

API NUMBER 15- 135-22,974-00-00  
SE NE, SEC. 10, T 19 S, R 25 W/EX  
2970 feet from S section line  
660 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 9067  
Operator: DaMar Resources, Inc.  
Name & Address: P. O. Box 70  
Hays, KS 67601

Lease Name Schlaegel Well # 1  
County Ness  
Well Total Depth 4500 Mississippi 146.25 feet  
Conductor Pipe: Size \_\_\_\_\_ feet  
Surface Casing: Size 8 5/8 feet 370

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D&A X

Other well as hereinafter indicated \_\_\_\_\_

Plugging Contractor Emphasis Oil Operations License Number 8241  
Address P. O. Box 506, Russell, KS 67665

Company to plug at: Hour: 7:00 pm Day: 12 Month: December Year: 19 85

Plugging proposal received from Kyle Brannon

(company name) Emphasis (phone) 913-483-3518  
Elevation N/A

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1736-1756'  
1st plug at the base of the Anhydrite with 50 sx cement

2nd plug 50' below the base of the Cheyenne with 80 sx cement

3rd plug 30' below the base of the surface pipe with 40 sx cement  
solid bridge

4th plug hulls- plug at 40' -- cement to surface with 10 sx cement

6th plug to circulate rat hole with 15 sx cement, 7th plug to circulate mouse hole with  
10 sx cement Plugging Proposal Received by Steve Durrant  
(TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None X

Operations Completed: Hour: 9:15 pm Day: 12 Month: December Year: 19 85

ACTUAL PLUGGING REPORT 1st plug at 1750' with 50 sx cement, 2nd plug at 1085' with 80 sx  
cement, 3rd plug at 400' with 40 sx cement, 4th & 5th plugs - solid bridge - hulls - plug  
at 40' -- cement to surface with 10 sx cement, 6th plug to circulate rat hole with 15 sx cement.

Remarks: Used 60/40 Pozmix 6% gel by Allied.  
(If additional description is necessary, use BACK of this form.)

Observe this plugging.

DATE DEC 20 1985

INV. NO. 11667

STATE COPY

Signed Steve Durrant  
(TECHNICIAN)  
DEC 20 1985

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

2

Starting Date 12 02 85 month day year

API Number 15- 135-22,974-00-00

OPERATOR: License # 9067
Name DaMar Resources, Inc.
Address P. O. Box 70
City/State/Zip Hays, KS 67601
Contact Person Daniel F. Schippers
Phone (913) 625-0020

S/2 SE/4 NE/4 Sec. 10 Twp. 19 S, Rg. 25 East
2970 West
660 Ft. from South Line of Section
660 Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # 2241, 913-483-3518
Name Unknown Engineer - Coil Operations
City/State Box 506 Russell, 67665

Nearest lease or unit boundary line 330 feet

County Ness Well # 1

Lease Name Scblagel

Ground surface elevation N/A feet MSL

Domestic well within 330 feet: yes X no

Municipal well within one mile: yes X no

Surface pipe by Alternate: 1 2 X 0

Depth to bottom of fresh water 100

Depth to bottom of usable water 500-650

Surface pipe planned to be set 350

Projected Total Depth 4475 feet

Formation Mississippi

Well Drilled For: Well Class: Type Equipment:
X Oil SWD Infield X Mud Rotary
Gas Inj X Pool Ext Air Rotary
OWWO Expl Wildcat Cable

If OWWO: old well info as follows:

Operator
Well Name
Group Date Old Total Depth

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.

cementing will be done immediately upon setting production casing.

Date 11/22/85 Signature of Operator or Agent James T. Schipper Title President

For KCC Use:

Conductor Pipe Required feet; Minimum Surface Pipe Required feet per Alt. 1 2

This Authorization Expires 5-25-86 Approved By 11-25-85

Spud 12-3-85 late
Set 350'

1st Base Run w/ 50x

2nd 50' B.O. Base elevation set w/ 80x

3rd 30' B.O. B. sp w/ 40x

4th 50' w/ 40' => 0' w/ 10x

6th C-R w/ 15

C-127 w/ 10x 4 1/2" pipe 6' to 4' - Hauler from road

STATE CORP. REG. NO.

DEC 20 1985
12-20-1985