



KANSAS CORPORATION COMMISSION 1082702  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
June 2009

Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 34586  
Name: ST Petroleum, Inc.  
Address 1: 18800 Sunflower Rd  
Address 2: \_\_\_\_\_  
City: Edgerton State: KS Zip: 66021 + \_\_\_\_\_  
Contact Person: Rick Singleton  
Phone: ( 913 ) 980-5036  
CONTRACTOR: License # 33715  
Name: Town Oilfield Service  
Wellsite Geologist: NA  
Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well     Re-Entry     Workover
- Oil     WSW     SWD     SLOW
- Gas     D&A     ENHR     SIGW
- OG     GSW     Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD

Conv. to GSW

Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_

Commingled    Permit #: \_\_\_\_\_

Dual Completion    Permit #: \_\_\_\_\_

SWD    Permit #: \_\_\_\_\_

ENHR    Permit #: \_\_\_\_\_

GSW    Permit #: \_\_\_\_\_

5/22/2012    5/23/2012    5/23/2012  
Spud Date or    Date Reached TD    Completion Date or  
Recompletion Date    Recompletion Date

API No. 15 - 15-091-23669-00-00

Spot Description: \_\_\_\_\_  
NE NE NW NE Sec. 29 Twp. 14 S. R. 22  East  West

5005 Feet from  North /  South Line of Section

1550 Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:  
 NE     NW     SE     SW

County: Johnson

Lease Name: Thomas A Well #: I-38

Field Name: Gardner South

Producing Formation: Bartlesville

Elevation: Ground: 1043 Kelly Bushing: 0

Total Depth: 950 Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: 22 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_  
feet depth to: 22 w/ 4 sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: 1500 ppm Fluid volume: 80 bbls

Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: Deanna Carrico Date: 06/06/2012



1082702

Operator Name: ST Petroleum, Inc. Lease Name: Thomas A Well #: I-38
Sec. 29 Twp. 14 S. R. 22 [X] East [ ] West County: Johnson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [ ] Yes [X] No
Samples Sent to Geological Survey [ ] Yes [X] No
Cores Taken [ ] Yes [X] No
Electric Log Run [X] Yes [ ] No
Electric Log Submitted Electronically [X] Yes [ ] No
List All E. Logs Run: GammaRay/Neutron/CCL

CASING RECORD [X] New [ ] Used
Report all strings set-conductor, surface, intermediate, production, etc.
Table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD
Table with columns: Purpose, Depth Top Bottom, Type of Cement, # Sacks Used, Type and Percent Additives

PERFORATION RECORD - Bridge Plugs Set/Type
Specify Footage of Each Interval Perforated
Table with columns: Shots Per Foot, PERFORATION RECORD, Acid, Fracture, Shot, Cement Squeeze Record, Depth

TUBING RECORD: Size: Set At: Packer At: Liner Run: [ ] Yes [ ] No
Date of First, Resumed Production, SWD or ENHR. Producing Method: [ ] Flowing [ ] Pumping [ ] Gas Lift [ ] Other (Explain)
Estimated Production Per 24 Hours: Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity

DISPOSITION OF GAS: [ ] Vented [ ] Sold [ ] Used on Lease
METHOD OF COMPLETION: [ ] Open Hole [ ] Perf. [ ] Dually Comp. [ ] Commingled
PRODUCTION INTERVAL:



**CONSOLIDATED**  
Oil Well Services, LLC

TICKET NUMBER 39794

LOCATION Ottawa KS

FOREMAN Fred Maden

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT**  
**CEMENT**

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
5/23/12	7232	Thomas # I-38	NE 29	14	22	Jo
CUSTOMER						
ST Petroloun						
MAILING ADDRESS						
18800 Sunflower Rd						
CITY						
Edgerton		STATE	ZIP CODE			
		KS	66021			

TRUCK #	DRIVER	TRUCK #	DRIVER
506	FREMADEB	Safety	hddy
368	ARLMCD		
367	DERMAS		
548	MIKAAA		

JOB TYPE Longstring HOLE SIZE 5 7/8 HOLE DEPTH 950' CASING SIZE & WEIGHT 2 7/8 50E  
 CASING DEPTH 929' DRILL PIPE Baffle in tubing @ 925' OTHER \_\_\_\_\_  
 SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING 4' + 2 1/2" plug  
 DISPLACEMENT 538B DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE 4.13 PM

REMARKS: Establish pump rate. Mix Pump 100 \* Premium Gel Flush. Mix Pump 120 sks 50/50 Por Mix Cement 2 7/8 Gal 1/2" Flo Seal/sk. Cement to surface. Flush pump & lines clean. Displace 2 1/2" Rubber plug to Baffle in casing. Pressure to 200\* PSI. Hold & Monitor pressure for 30 min MIT. Release pressure to set float valve. Shut in casing.

TOS Drilling. - Chad

Fred Maden

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	368	1030 <sup>00</sup>
5406	30 mi	MILEAGE	368	120 <sup>00</sup>
5402	929'	Casing footage		N/C
5407	Minimum	Ten Miles	548	350 <sup>00</sup>
5502C	2 hrs	80 BBL Vac Truck	369	180 <sup>00</sup>
1124	120 sks	50/50 Por Mix Cement		1314 <sup>00</sup>
1118B	302 <sup>#</sup>	Premium Gel.		63 <sup>42</sup>
1107	60 <sup>#</sup>	Flo-Seal		141 <sup>00</sup>
4402	1	2 1/2" Rubber Plug		28 <sup>00</sup>
				<b>SCANNED</b>
			7.525%	SALES TAX
				ESTIMATED
				TOTAL
				116 <sup>37</sup>
				3342 <sup>79</sup>

Havn 3737

AUTHORIZATION [Signature]

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

Johnson County, KS  
Well: Thomas A 1-38  
Lease Owner: ST Petroleum

Town Oilfield Service, Inc.  
(913) 837-8400

Commenced Spudding:  
5/22/2012

WELL LOG

Thickness of Strata	Formation	Total Depth
10	Soil-Clay	10
12	Sandstone	22
48	Shale	74
6	Lime	80
3	Shale	83
16	Lime	99
9	Shale	108
9	Lime	117
7	Shale	124
18	Lime	142
19	Shale	161
21	Lime	182
5	Shale	187
55	Lime	242
23	Shale	265
4	Lime	269
2	Shale	271
2	Lime	273
16	Shale	289
7	Lime	296
7	Shale	303
9	Lime	312
43	Shale	355
25	Lime	380
8	Syh	388
22	Lime	410
4	Shale	414
2	Lime	416
6	Shale	422
7	Lime	429
46	Shale	475
10	Sandy Shale	485
120	Shale	605
2	Lime	607
3	Shale	610
1	Lime	611
8	Shale	619
8	Lime	627
15	Shale	642
3	Lime	645



# Short Cuts

## TANK CAPACITY

BBLs. (42 gal.) equals  $D^2 \times 14 \times h$

D equals diameter in feet.

h equals height in feet.

## BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals  $BPH \times PSI \times .0004$

BPH - barrels per hour

PSI - pounds square inch

## TO FIGURE PUMP DRIVES

\* D - Diameter of Pump Sheave

\* d - Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

\*C - Shaft Center Distance

D -  $RPM \times d$  over  $SPM \times R$

d -  $SPM \times R \times D$  over RPM

SPM -  $RPM \times D$  over  $R \times d$

R -  $RPM \times D$  over  $SPM \times d$

$$BELT LENGTH - 2C + 1.57(D + d) + \frac{(D-d)^2}{4C}$$

\* Need these to figure belt length

$$TO FIGURE AMPS: \frac{WATTS}{VOLTS} = AMPS$$

746 WATTS equal 1 HP

# Log Book

Well No. 1-58

Farm Thomson

KS Johnson  
(State) (County)

25 14 22  
(Section) (Township) (Range)

For ST P. A. Johnson  
(Well Owner)

## Town Oilfield Services, Inc.

1207 N. 1st East

Louisburg, KS 66053

913-710-5400

1100  
DIB



Thickness of Strata	Formation	Total Depth	Remarks
7	shale	10	
12	shale	22	
48	shale	74	locate -
6	Lime	80	
3	shale	83	
16	Lime	99	
9	shale	108	
9	Lime	117	
7	shale	124	
18	Lime	142	
19	shale	161	
21	Lime	182	
5	shale	187	
55	Lime	242	
23	shale	265	
4	Lime	269	
2	shale	271	
2	Lime	273	
16	shale	289	
7	Lime	296	
7	shale	303	
9	Lime	312	
43	shale	355	
25	Lime	380	
8	shale	388	
22	Lime	410	
4	shale	414	



414

Thickness of Strata	Formation	Total Depth	Remarks
2	Lime	416	
6	shale	422	
7	Lime	429	
46	shale	475	
10	sandy shale	485	
120	shale	605	
2	Lime	607	
3	shale	610	
1	Lime	611	
8	shale	619	
8	Lime	627	
15	shale	642	
3	Lime	645	
6	shale	651	
3	Lime	654	
110	shale	764	
11	sand	775	don, slt + bleed, oil sand
104	shale	879	
2	sand	881	5% oil - sand bleed
6	sand	887	slit
3	sand	890	5% oil
1	sandy shale	891	5% oil
2	sand, shale	893	
57	shale	950	TD