

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

(See Instructions on Reverse Side)

15-017-20310-00-00

Type Test:

- Open Flow
 Deliverability

Test Date:

~~API No. 15-017-20310-0000~~

Company Mull Drilling Company, Inc.		Lease Robinson			Well Number 2
County Harper	Location NE NE NW	Section 27	TWP 31	RNG (E/W) 9W	Acres Attributed 40
Field Spivey-Grabs-Basil		Reservoir Mississippian	Gas Gathering Connection Spivey Gas Plant		
Completion Date 2-1960		Plug Back Total Depth 4500	Packer Set at		
Casing Size 4 1/2"	Weight 14#	Internal Diameter 5.012	Set at 4520	Perforations 4434, 4427, 4464, 4474, 4469	To
Tubing Size 2"	Weight 4.7#	Internal Diameter 1.995	Set at 4426	Perforations	To
Type Completion (Describe) Single	Type Fluid Production Oil & Water		-Pump Unit or Traveling Plunger? Yes / No		
Producing Thru (Annulus / Tubing) Annulus		% Carbon Dioxide	% Nitrogen	Gas Gravity - G _s	
Vertical Depth(H)		Pressure Taps		(Meter Run) (Prover) Size	

Pressure Buildup: Shut in 9-8-2011 at 12:00 (AM) (PM) Taken 2-9-2011 at 12:00 (AM) (PM)
Well on Line: Started _____ 19 _____ at _____ (AM) (PM) Taken _____ 19 _____ at _____ (AM) (PM)

OBSERVED SURFACE DATA

Duration of Shut-in _____ Hours

Static / Dynamic Property	Orifice Size inches	Circle one: Meter or Prover Pressure psig	Pressure Differential in (h) Inches H ₂ O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-in	1.125					235				211	
Flow											

FLOW STREAM ATTRIBUTES

Plate Coefficient (F _s) (F _p) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension $\sqrt{P_m \times H_w}$	Gravity Factor F _g	Flowing Temperature Factor F _t	Deviation Factor F _{pv}	Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G _m

(OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P_e)² = _____ : (P_w)² = _____ : P_d = _____ % (P_c - 14.4) + 14.4 = _____ : (P_e)² = 0.207
(P_e)² = _____

(P _e) ² - (P _w) ² or (P _e) ² - (P _d) ²	(P _e) ² - (P _w) ²	Choose formula 1 or 2: 1. P _e ² - P _d ² 2. P _e ² - P _w ² divided by: P _e ² - P _w ²	LOG of formula 1. or 2. and divide by: $\frac{P_e^2 - P_w^2}{P_e^2 - P_w^2}$	Backpressure Curve Slope = "n" ----- Assigned Standard Slope	n x LOG []	Antilog	Open Flow Deliverability Equals R x Antilog Mcfd

Open Flow Mcfd @ 14.65 psia Deliverability Mcfd @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the Sept. 9th day of 2011.

Witness (if any)

For Commission

Mull Drilling

For Company
RECEIVED
OCT 05 2011

Checked by

KCC WICHITA

I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Mull Drilling Company, Inc. and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named.

I hereby request a permanent exemption from open flow testing for the Robinson #2 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. _____
- is incapable of producing at a daily rate in excess of 150 mcf/D

Date: 9-9-2011

Signature: Zimi Noso

Title: Prod. Foreman

Instructions: All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.