**KCC WICHITA** 

## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  | t:                            |   |                                |   | (                                 | See Instruct   | ions on Rev   | erse Side  | )               |  |                             |                              |   |  |
|--|-------------------------------|---|--------------------------------|---|-----------------------------------|--|---|--|-----------------|--|-----------------------------|------------------------------|---|--|
| Op   | en Flo                        | N   |                                |   | Toot Date                         |  |   |  | A D1            | No 15                                  |                             |                              |   |  |
| Deliverabilty  |                               |   |                                | Test Date:<br>11/9/2011   |                                   |  |   | No. 15<br>145-21480-0  | 0000            |  |                             |                              |   |  |
| Company<br>Clute Oil Corporation                                     |                               |   |                                |   | Lease<br>Skelton                  |  |   |  | · ·             | 1-18                                   | Well Number<br>1-18         |                              |   |  |
| County Location Pawnee NWSWNW  |                               |   | Section<br>18                  |   | TWP RNG (E<br>22S 17W             |  |   | /W) Acres Attribute<br>160   |                 |  | tributed                    |                              |   |  |
| Field  |                               |   |                                | , , ,   | Reservoi                          | 7  |   |  | Gas Gat         | nering Conn                            | ection                      |                              |   |  |
| Eddy   |                               |   | Kinderh                        | Kinderhook  |                                   |  |   | Pawnee Western   |                 |  |                             |                              |   |  |
|  |                               |   | Plug Bac<br>4208               | Plug Back Total Depth<br>4208   |                                   |  |   | et at  |                 |  |                             |                              |   |  |
| Casing Size Weight 5 1/2 14.00                                       |                               |   | Internal E<br>4.95             | Diameter  | Set at<br>4216                    |  | Perforations<br>4174                                |  | то<br>7180      | то<br>7180                             |                             |                              |   |  |
| Tubing Size Weight   |                               |   | Internal [                     | Diameter  | Set at                            |  | Perforations  |  | То              |  |                             |                              |   |  |
| 2 3/8  |                               |   |                                | 1.95  | 1.95 4188                         |  |   |  |                 |  |                             |                              |   |  |
| Type Cor<br>single   | mpletion                      | (Describe)  |                                | _   |                                   | d Production<br>altwater   | 1   |  | Pump Un<br>Pump | it or Traveling<br>Unit                | Plunger? Yes                | / No                         |   |  |
|  | -                             | (Annulus / Tut  | ing)                           |   |                                   | % Carbon Dioxide   |   |  |                 | en                                     |                             | Gas Gravity - G <sub>g</sub> |   |  |
| tubing and annulus   |                               |   | .1                             |   |                                   |  | 9.5   |  | .65             |  |                             |                              |   |  |
| Vertical E   | Depth(H                       | )   |                                |   |                                   | Pres   | sure Taps   |  |                 |  | (Meter F                    | Run) (Pro                    | over) Size                                    |  |
| Pressure   | Buildu                        | p: Shut in 1  | 1/8                            | 2   | 0_11_at_1                         | 1 AM   | (AM) (PM)   | Taken 11   | /9              | 20                                     | 11 <sub>at</sub> 11 AM      | (/                           | AM) (PM)                                      |  |
| Well on L  | _ine:                         | Started   |                                | 2   | 0 at                              |  | (AM) (PM)   | Taken  |                 | 20                                     | at                          | (                            | AM) (PM)                                      |  |
|  |                               |   |                                |   |                                   | OBSERVE  | D SURFACE   | DATA   |                 |  | Duration of Shut-           | in 24                        | /<br>Hours                                    |  |
| Static /<br>Dynamic  | Orifice Meter Diffe           |   | Pressure<br>Differential<br>in | Flowing Well Head Temperature   |                                   | Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> ) |   | Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> ) |                 | Duration<br>(Hours)                    | Liquid                      | Liquid Produced<br>(Barrels) |   |  |
| Property (inch   |                               | psig (Pm)   |                                | Inches H <sub>2</sub> 0   | t                                 | t t  |   | psig psia  |                 | (F <sub>1</sub> ) or (F <sub>c</sub> ) | (riours)                    | (50.1013)                    |   |  |
| Shut-In  |                               |   |                                |   |                                   | 46 F   | 45  |  | 75              |  | 24                          | .5                           |   |  |
| Flow   |                               |   |                                |   |                                   |  |   |  |                 |  |                             |                              |   |  |
|  | r                             |   | <del></del>                    |   | ·                                 | FLOW STR   | EAM ATTRI   | BUTES  | · · · · ·       |  |                             |                              |   |  |
| Plate<br>Coeffiecient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mctd |                               | Circle one:<br>Meter or<br>Prover Pressur<br>psia               |                                |   | Press Grav Extension Fact Pmxh Fo |  | Flowing<br>Temperature<br>Factor<br>F <sub>f1</sub> | Deviation<br>Factor<br>F <sub>pv</sub>   |                 | Metered Flov<br>R<br>(Mcfd)            | GOR<br>(Cubic Fe<br>Barrel) | et/                          | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub> |  |
|  |                               |   |                                |   |                                   |  |   | <u> </u>   |                 |  |                             |                              |   |  |
| /D \2 =  |                               | · (P.)  | 2 _                            |   | `                                 |  | ERABILITY)<br>% (P                                  |  |                 |  | -                           | 2 = 0.20                     | 7   |  |
| $(P_c)^2 = $   | P_)2                          | (P <sub>e</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> | Cho                            | ose formula 1 or 2:<br>1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup><br>2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> |                                   |  | Backpress<br>Slope                                  | sure Curve<br>e = "n"  | 14.4 =          | ГЛ                                     | (P <sub>d</sub> )           | Ope<br>Deliv                 | en Flow<br>verability                         |  |
| (P <sub>c</sub> )²-(   | P <sub>d</sub> ) <sup>2</sup> |   | divi                           | sed by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   | and divide                        | P <sub>c</sub> <sup>2</sup> · P <sub>*</sub> <sup>2</sup>                            |   | igned<br>rd Slope  |                 |  |                             |                              | R x Antilog<br>Mcfd)                          |  |
|  |                               |   |                                |   |                                   |  |   |  |                 |  |                             |                              |   |  |
|  |                               | · · ·   |                                |   |                                   |  |   |  |                 |  | <del></del>                 |                              | · · · · · · · · · · · · · · · · · · ·         |  |
| Open Flo   | w                             |   |                                | Mcfd @ 14.  | 65 psia                           |  | Deliverabil   | lity   |                 |  | Mcfd @ 14.65 psi            | а                            |   |  |
|  |                               | -   |                                |   | •                                 |  |   |  |                 | •                                      | rt and that he ha           |                              |   |  |
| the facts s  | stated th                     | nerein, and tha   | said                           | report is true  | and correc                        | t. Executed  | this the 29   | <u>u1</u>  | day of M        | the L                                  | 16.4                        |                              | o <u>12</u><br>EIVED                          |  |
|  |                               | Witne   | ss (il an                      | у)  |                                   | <del></del>  | _   |  | <u> </u>        | <i>U   C</i>                           | 100                         |                              | 2 2012  |  |
|  |                               | For Co  | mmissi                         | on  |                                   |  |   |  |                 | Chec                                   | ked by                      | •                            |   |  |

|                      | penalty of perjury under the laws of the state of Kansas that I am authorized to request Rule K.A.R. 82-3-304 on behalf of the operator Clute OII Corporation |
|----------------------|---|
|                      | ng pressure information and statements contained on this application form are true and  |
| _                    | my knowledge and belief based upon available production summaries and lease records   |
|                      | tion and/or upon type of completion or upon use being made of the gas well herein named.  |
| , ,                  | a one-year exemption from open flow testing for the Skelton 1-18  |
|                      |   |
| gas well on the grou | ius trat said well.   |
| (Check or            | ne)   |
| `                    | a coalbed methane producer  |
|                      | s cycled on plunger lift due to water   |
| <del></del>          | a source of natural gas for injection into an oil reservoir undergoing ER   |
|                      | on vacuum at the present time; KCC approval Docket No   |
|                      | not capable of producing at a daily rate in excess of 250 mcf/D   |
| <b>(V</b> ) 10       | The capable of producing at a daily rate in excess of 200 months  |
| _                    | supply to the best of my ability any and all supporting documents deemed by Commission corroborate this claim for exemption from testing.                     |
| Date: March 29, 20   |   |
|                      | Signature:  |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.