

Kansas Corporation Commission Oil & Gas Conservation Division

1085703

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #8210	API No. 15 - 15-031-23172-00-00
Name: Birk, Edward E.	Spot Description:
Address 1: 302 S 16TH ST	NW NE_SW_SW Sec. 28 Twp. 22 S. R. 17 Fast West
Address 2:	
City: BURLINGTON State: KS Zip: 66839 + 2329	4455 Feet from 🗗 East / 🗌 West Line of Section
Contact Person:Edward E Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-2745	□ne □nw ☑se □sw
CONTRACTOR: License # 8210	County: Coffey
Name: Birk, Edward E.	Lease Name: West Well #: 19
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1040 Kelly Bushing: 1045
	Total Depth: 980 Plug Back Total Depth: 980
☑ Oil	Amount of Surface Pipe Set and Cemented at: 40 Feet Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 965
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	W. S. Cini.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 0 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: U ppm Fluid volume: U bbls Dewatering method used: Evaporated
Conv. to GSW	Dewatering metriod used.
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	, with m.
O2/13/2012 O2/14/2012 O2/14/2012 Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regutations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☐ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I III Approved by: Deenna Gertiso Date: 06/28/2012

Side Two



Operator Name: Birk	, Edward E.	-		Lease	Name: _	West		Well #:1	9		
Sec. 28 Twp.22	s. R. <u>17</u>	✓ East	☐ West	Coun	ty: Coffe	<u> </u>					
INSTRUCTIONS: She time tool open and clo recovery, and flow rate line Logs surveyed. A	sed, flowing and shues if gas to surface to	it-in pressi est, along v	ures, whether si vith final chart(s	hut-in pre	ssure read	ched static level	, hydrostatic p	ressures, bottom	hole temp	perature, fluid	
Drill Stem Tests Taken		Y	es 📝 No			og Formatio	n (Top), Dept	h and Datum	Ø	Sample	
Cores Taken		_ Yı	es 📝 No		Nam Squirre	e el Sand		Тор 970		Datum +70	
		□ Y	_								
Electric Log Run Electric Log Submitted (If no, Submit Copy,	•	<u></u>	=								
List All E. Logs Run:											
		Pone		RECORD			ion ste				
Purpose of String	Size Hole	Siz	e Casing	w	eight	ermediate, product Setting	Type of			and Percent	
Surface Casing	9.875	7.0	t (In O.D.)	17	s. / Ft.	Depth 40	Portland	Used 14	Catciu	Additives	
Long String	6.125	2.875		6.50		965	Portland	120	1	<u>- · · · · · · · · · · · · · · · · · · ·</u>	
	0.120	2.0.0		0.00			, or saine	1.20			
		<u>] </u>	ADDITIONAL	CEMEN ¹	TING / SOL	l JEEZE RECORD	1				
Purpose: Perforate	Depth Top Bottom	Туре	of Cement	T	ks Used		•	and Percent Additive	35		
Protect Casing Plug Back TD	-							<u> </u>	•		
Plug Off Zone	-				•				•		
	- · · · · · · · · · · · · · · · · · · ·	l		<u> </u>		!				т	
Shots Per Foot			RD - Bridge Plug Each Interval Peri		9			ment Squeeze Rec of Material Used)	ord	Depth	
0	Open hole 965-9	80				Frac w/40 sx sand				965-980	
			·					,			
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes [] No			
Date of First, Resumed 04/07/2012	Production, SWD or EN	IHR.	Producing Meth	nod:	oing [Gas Lift (Other (Explain)				
Estimated Production Per 24 Hours	Oil 1	Bbis.	Gas	Mcf	Wat		bls.	Gas-Oil Ratio		Gravity	
DISPOSITIO	ON OF GAS:	$\overline{}$		METHOD (OF COMPLE	ETION:		PRODUCT	ION INTER		
Vented Sold			_	Perf.	Dually	Comp. Co	mmingled				
(If vented, Sub	omit ACO-18.)		Other (Specify)		(Submit a	400-5) (Sub	mit ACO-4)				

EDWARD E BIR 302 SOUTH 16TH BURLINGTON, 1 620-364-1311 - OI CHARGE TO	WELL CEMENTING KS 66839 FFICE, 620-364-6719 - CELL COUNTY DATE: 02/14/ CITY ST ZIP CONTRACTOR	<u>12</u>
QUANTITY	MATERIAL USED	SERV. CHG
12().Sx	Portand Coment	
1777		
.:		
	BULK CHARGE	
	BULK TRK. MILES	
	PUMP TRK. MILES	
	PLUGS	
	TOTAL	
T.D. 98	0' CSG. SET AT 965' VOLUME	
	1/2 1/2 11	·
SIZE HOLE (7 /S TBG SET AT VOLUME VOLUME	· · · · · · · · · · · · · · · · · · ·
MAX. PRESS	SIZE PIPE 2 1/8"	
PLUG DEPTH	PKER DEPTH PLUG USED	
TIME FINISHED		
REMARKS: //	most to pipe. Pump Cement into Well, Good Co	irc. to
NAME	Edward M. I.	

CEMENTER OR TREATER

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



BBØØ1 B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON KS

B11720 B & B COOPERATIVE VENTURES 58 W TO WAYSIDE N 1 MI TO STH E ON DIRT RD N SD

LEASE: WEST # 19

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	W COL	DRIVER/IRUCK	* AIR	PLANT/TRANSACTION #
02:28:48p	WELL	12.00 yd	12.00 yd	0.00	34	0.00	COECO
DATE	To Date	LOAD#	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
02-14-12	Today	2	24.00 yd	19710	G/yd 0.0	4.00 in	31051

WARNING

IRRITATING TO THE SKIN AND EYES

Portland Cereert, Weer Rubber Boots and Sloves, PROLONGED CONTACT MAY

BURNS, "Synd, Contact, With Eyes, and Proncinged Contact, With Ston in Case of
With Skin of Eyes, Salast Thoroughly With Water It Instruor Persists, Get Medica

CONCRETE II IN PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undecayined promises to pay all costs, including reasonable attorneys' sees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Rescrive Apprepare or Color Quality. No Claim Allowed Unless Made at Time Material in Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSOE CURB LINE)

as Customen The driver of this thick in presenting this RELEASE to
a few your adjusture, is of the opition that the size and weight of his

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

Excess Dealy Time Line/ged (E-BOSEN.		N	A summing the state of the	and the second second second second	No. of the last of
QUANTITY	CODE	DESCRIPTION			UNIT PRICE	EXTENDED PRICE
12.00	WELL	WELL 710 9	ACKS PER UNIT)	24.00	51.00	612.00
12.00	MIXSHAUL	MIXING & H		24.00	25,00	300.00
2.50.	TRUCKING	TRUCKING 6	HARGE	5.00	50.00	125.00
ETURNED TO PLANT	LEFT-JOB	WELL #	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal &	1037.00
			1. JOB NOT READY 2 6. TRUCK BROKE DOWN 2 SLOW POUR OR PUMP 7. ACCIDENT 8. TRUCK AREAD DIV JOB 8. TOTATION		Tax × 6.300	65.33
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. CTHER 6. ADDED WATER	THE DIE	Order \$	2204.68
14:41	15:10	1550			ADDITIONAL CHARGE 1	
OTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAKTIME	ADDITIONAL CHARGE 2	
		C IN THE RESERVE TO T	STATE OF THE PARTY	Total Photo X 1	THE RESERVE OF THE PARTY OF THE	