

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

OR

FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

Ellis County, Sec. 4 Twp. 11s Rge. 19w (W)

11 W NORTH

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines. NE NE

Lease Owner Three Way Drilling Company

Lease Name McCauley Well No. 1

Office Address Union Natl Bank Bldg, Wichita, Kansas.

Character of Well (completed as Oil, Gas or Dry Hole) Dry hole

Date, well completed June 12, 1942 19

Application for plugging filed July 3, 1942 19

Application for plugging approved July 7, 1942 19

Plugging Commenced July 7, 1942 19

Plugging Completed July 10, 1942 19

Reason for abandonment of well or producing formation Dry hole

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well C. T. Alexander

Producing formation Depth to top Bottom Total Depth of Well 3662 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8 1/2"	157	cemented
				5-3/16"	3657	2881

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Filled with mud 3662 to 3490 (P B) Filled with cement 3490 to 3464; Filled with mud to 275 feet, a permanent bridge placed at 275 feet and cement to 255 feet, filled with mud to 26 feet, cement to 1 foot and mud to top of surface.

9-22-42

4 11 19W  
40 21

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Three Way Drilling Company, Address Union Natl Bank Bldg, Wichita, Kansas.

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.

Marion Bell (employee of owner or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God. Three Way Drilling Company

(Signature) Marion Bell casing puller & plugger

(Address)

SUBSCRIBED AND SWORN to before me this 14th day of July, 1942.

My commission expires February 5, 1945

W. R. Geyer

Notary Public.



THREE WAY DRILLING CO.  
 McCauley No. 1


SEC. 4 T. 11 R. 19 W.  
 NEc NE

Total Depth. 3662  
 Comm. 5-22-42 Comp. 6-12-42  
 Shot or Treated.  
 Contractor. Crow Drilling Co.  
 Issued. 6-20-42

County Ellis.

CASING.

8" 157'  
 5" 3657' cemented.



Elevation.

Production DRY.

Figures Indicate Bottom of Formations.

surface sand and rock	90	Shot back and Perforated Kansas-
shale and shells	310	City 3490-3500 HFW - slight sh oil
shale and sand streaks	545	
red bed	602	
sand and shells	720	
shale and shells	905	
sand	1104	Tops - Anhydrite 1448
sand and shells	1154	Kansas City 3315 -sh oil
shale and shells	1278	Conglomerate 3579 -sh oil
shale	1448	Simpson 3597 -sh oil
anhydrite	1482	Arbuckle 3655 -sh oil
shale and shells	1507	
shale	1648	
shale and shells	1806	
salt	1965	
shale and shells	2023	
shale and lime	2099	
shale and shells	2219	
shale and lime	2294	
lime broken	2364	
shale	2379	
lime broken	2455	
shale	2545	
lime	2573	
shale and lime streaks	2599	
shale	2684	
shale sticky	2739	
shale and lime streaks	2860	
lime and sand	2882	
shale	2916	
lime	2932	
shale	2961	
shale and lime streaks	3080	
shale	3102	
lime	3113	
sd'y lime	3117	
lime	3276	
lime broken	3307	
lime hard	3314	
lime	3580	
shaly chert	3600	
sand and shale	3627	
lime	3652	
shale	3658	
lime	3660	
chatty lime	3662 HFW	
Total Depth.		

4 11 19W  
 40 21