KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:				('Se e Instruct	tions on Rev	erse Side	·)						
✓ Open Flow				Test Date	٠.			ΔΡΙ	No. 15						
Deliverability				3/5/201			API No. 15 15-145-21295 - 🔿 🗗 🗢								
Company PINTAIL PETROLEUM, LTD						Lease . HAS FARMS (SHOOP)					1	Well Nu	mber		
County Location PAWNEE SE SE			I	Section 33	-	TWP RNG (E/ 23S 15W		W)			Acres A	ttributed			
Field HERN				Reservoir VIOLA			Gas Gathering Co LUMEN		-	ection			•		
Completion Date 4/7/1989			Plug Back Total Depth 4118			h		Packer S	et at				_		
5			eight .5#		Internal Diameter 4.052		Set at 4112		Perforations 3989			To 4074	-		
Tubing Size 2 3/8"			Weight 4.6#		Internal Diameter 1.996		Set at 3967		Perfor		То				
Type Completion (Describe) SINGLE GAS				Type Flui WATE	d Production	1	Pump Unit PUMP		it or Traveling Plunger? Ye			No.			
Producing		(Annulus / Tu	bing)	· - ·	% C	arbon Dioxi	de		% Nitrog	en		Gas G	ravity - C	3,	
Vertical E 4031	Depth(H)	,—				Pres: FLAI	sure Taps VGE			· _ ·		(Meter 2"	Run) (Pi	rover) Size	
Pressure	Buildup	: Shut in .	3/4	2	0 12 at 8	:00	(PM)	Taken 3/	5	20	12 at	8.00	(ÂM) (PM)	
Well on L	ine:	Started		2	0 at		(AM) (PM)	Такел		20	at	. =	(AM) (PM)	
						OBSERVE	D SURFACE	DATA			Duratio	n of Shut	-in	Hours	
Static / Orifice Dynamic Size Property (inches)		e Mete Prover Pr	Circle one Meter Prover Pressure psig (Pm)		Flowing Well Head Temperature t 1		Casing Wellhead Pressure (P _x) or (P _i) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Ouration (Hours)		Liquid Produced (Barrels)		
Shut-In	Shut-In 3/8"		parg (Fill)				psig 81#	psia	56#	psia	24		2 BV	2 BW/MONTH	
Flow															
					1	FLOW STR	EAM ATTRI	BUTES							
Plate Coefficcient (F _b) (F _p) Mcfd		Circle and Meter or Prover Pressu psia	Meter or rover Pressure		Press Grav Extension Fac ✓ P _m x h F		Flowing Femperature Factor F _{tt}	e Deviation Factor F _{pv}		Metered Flow R (Mcfd)		GOR (Cubic Feet Barrel)		Flowing Fluid Gravity G	
		 	_		.										
(P _c) ² =		: (P_)² =	:	(OPEN FL	- '	ERABILITY) % (P	CALCUL - 14.4) +		:		(P <u>.</u> (P.) ² = 0.2	07	
(P _e) ² - (P _a) ² (P _e) ² - (P _d) ²		(P _e) ² - (P _w) ²		2. P _e ² - P _e ²	LOG of tormula 1 or 2. and divide p 2. p 2 by		Backpressure Curve Slope = "n"		n x LOG		Antilog		Op Del Equals	Open Flow Deliverability Equals R x Antilog (Mcfd)	
Open Flo	w 42		Mcfd ② 14.65 psia					lity 42	1	Mcfd @ 14.65 psia					
		ned authorit	v. on l		· · ·	states that h		-	o make th	e above repo				ledge of	
		erein, and th								ARCH		inat ito II		20 12	
		Witn	ess (il ar	ny)				H	she &	Jaucs For	Company		_RE	CEIVE	
		Enri	Commiss	ios									-MAI	R-2-8-20	
		ror	A THE STREET	1011						Che	cked by		17174	1 4 4 41	

	er penalty of perjury under the laws of the state of Kansas that I am authorized to request ler Rule K.A.R. 82-3-304 on behalf of the operator PINTAIL PETROLEUM, LTD
and that the foregone correct to the best of equipment insta	going pressure information and statements contained on this application form are true and tof my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. Best a one-year exemption from open flow testing for the HAS FARMS (SHOOP) #1 Counds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D eto supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
Date: 3/26/2012	Signature: Davis Title: PRODUCTION & COMPLIANCE MANAGER

Instructions: If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

> At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results. RECEIVED

MAR 2 8 2012

KCC WICHITA