

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1087443

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #6766	API No. 15 - 15-037-22215-00-00				
Name: N & W Enterprises, Inc.	Spot Description:				
Address 1: 1111 S MARGRAVE	<u>E2_W2_Sec33Twp28_SR22</u>				
Address 2:					
City: FORT SCOTT State: KS Zip: 66701 + 2834	3300 Feet from 🗹 East / 🗌 West Line of Section				
Contact Person: Thomas Norris	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 223-6559	□ne □nw ☑se □sw				
CONTRACTOR: License # 33286	County: Crawford				
Name; Lorenz, Barton T.	Lease Name: Walsh/Meyer Well #: 21				
Wellsite Geologist: NA	Field Name: Walnut SE				
Purchaser:	Producing Formation: Bartlesville				
Designate Type of Completion:	Elevation: Ground: 996 Kelly Bushing: 3				
▼ New Well Re-Entry Workover	Total Depth: 430 Plug Back Total Depth: 423				
✓ Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: 20 Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt				
If Workover/Re-entry: Old Well Info as follows:	sx cm.				
Operator:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth	Chloride content: 0 ppm Fluid volume: 0 bbls Dewatering method used: Evaporated Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:	Quarter Sec TwpS. R East West				
GSW Permit #:	County: Permit #:				
6/13/2012 6/14/2012 6/18/2012					
Spud Date or Date Reached TD Completion Date or Recompletion Date					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Oate:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I I III Approved by: Decrease Gardeon Date: 07/20/2012				

Side Two



Operator Name: N &	W Enterprises, I	nc.	Lease	Name: _	Walsh/Meyer		Well #:21		
Sec. 33 Twp.28	s. R. <u>22</u>	✓ East West	County	: Craw	<i>f</i> ord				
INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.									
Drill Stem Tests Taken		•	✓ Log Formation (Top), De		n (Top), Depth	pth and Datum		Sample	
Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)			Name Bartlesville			· F		Datum 14	
List All E. Logs Run:									
Gamma Ray Neutro	n								
		CASING Report all strings set-	RECORD	✓ Ne	_	on atc			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Wei	ght	Setting Depth	Type of Cement	# Sacks Used		and Percent
Casing	11	8	0	774	20	Portland #1	6	Additives	
Production	6.25	2.875	6.4		423	Portland #1 68			
		ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			<u> </u>	
Purpose: Perforate	Depth Top Bottom	Type of Cement # Sacks		s Used	sed Type and Percent Additives				
Periodate Protect Casing Plug Back TD		-							
—— Plug Off Zone									
Shots Per Foot	ts Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record							Depth	
20	Specify Footage of Each Interval Perforated 404-414								404-414
TUBING RECORD:	Size: :.875	Set At: 423	Packer A	At:	Liner Run:	Yes 🗸	No		
Date of First, Resumed	Production, SWD or EN	HR. Producing Met	hod:	 ng 🗆	Gas Lift □ C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat		bls.	Gas-Oil Ratio		Gravity
Dieboertic	ON OF GAS:		METHOD OF	COMO	ETION:		PPOPUOT	ON INTER	2///
	DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL: Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled						WAL:		
(Submit ACO-5) (Submit ACO-4)									

Kepley Well Service, LLC

19245 Ford Road Chanute, KS 66720 Date

Invoice #

6/19/2012

46916

Cement Treatment Report

N & W Enterprise Inc. 1111 S. Margrave Fort Scott, KS 66701 (x) Landed Plug on Bottom at 800 PSI
() Shut in Pressure
(x)Good Cement Returns
() Topped off well with ______ sacks
(x) Set Float Shoe

TYPE OF TREATMENT: Production Casing HOLE SIZE: 6 1/4"
TOTAL DEPTH: 430

Well Name	Terms	Du	Due Date				
	Net 15 days	6/19					
Service or Product		Qty	Per Foot Pricing/Unit Pricing	Amount			
Run and cement 2 7/8" Sales Tax		425	3.00 7.30%	1,275.00 0.00			

6-18-12 Walsh/Myer Prod. #21 Crawford County Section: 33 Township: 28 Range: 22

Total

\$1,275.00

Hooked onto 2 7/8" casing. Established circulation with 4 barrels of water, GEL, METSO, COTTONSEED ahead, blended 68 sacks of 2% cement, dropped rubber plugand pumped 2 barrels of water.

Payments/Credits

\$0.00

Balance Due

\$1,275.00