

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL PLUGGING RECORD  
K.A.R. 82-3-117

Form CP-4  
March 2009  
Type or Print on this Form  
Form must be Signed  
All blanks must be Filled

OPERATOR: License #: 7186  
Name: Docking Development LLC  
Address 1: P.O. Box 928  
Address 2: \_\_\_\_\_  
City: Arkansas City State: KS Zip: 67005 + 0928  
Contact Person: Larry Bartelson  
Phone: (620) 455-3444  
Type of Well: (Check one)  Oil Well  Gas Well  OG  D&A  Cathodic  
 Water Supply Well  Other: \_\_\_\_\_  SWD Permit #: \_\_\_\_\_  
 ENHR Permit #: \_\_\_\_\_  Gas Storage Permit #: \_\_\_\_\_  
Is ACO-1 filed?  Yes  No If not, is well log attached?  Yes  No  
Producing Formation(s): List All (If needed attach another sheet)  
\_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
\_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
\_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

API No. 15 - 191-21313 - 00 - 00  
Spot Description: \_\_\_\_\_  
SE NE SW SE Sec. 17 Twp. 32 S. R. 2  East  West  
981 Feet from  North /  South Line of Section  
1,637 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: Sumner  
Lease Name: Evans Well #: 5  
Date Well Completed: 9/24/1981  
The plugging proposal was approved on: \_\_\_\_\_ (Date)  
by: \_\_\_\_\_ (KCC District Agent's Name)  
Plugging Commenced: 5/22/2012  
Plugging Completed: 6/5/2012

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out
		Surface	8 5/8"	253	0
		Production	4 1/2"	3704	0

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

5/22 - Set CIBP at 2820'. Dump bailed 2 sax common cement on top of plug. Perforate from 300-301.  
5/23 - Run pipe to 300' and circulated 95 sax 60-40 poz 4% gel to surface. 6/5 - Ran pipe and tag cement at 235'. Circulated 75 sax 60-40 poz 4% gel to surface. Job complete.  
Total cement - 172 sax

Plugging Contractor License #: 3004 Name: Gressel Oil Field Service LLC  
Address 1: P.O. Box 438 Address 2: \_\_\_\_\_  
City: Haysville State: KS Zip: 67060 + \_\_\_\_\_  
Phone: (316) 524-1225  
Name of Party Responsible for Plugging Fees: Docking Development LLC  
State of Kansas County, \_\_\_\_\_, ss.  
Larry Bartelson  Employee of Operator or  Operator on above-described well.  
(Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.  
Signature: Larry Bartelson

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED  
JUN 26 2012  
KCC WICHITA



## TREATMENT REPORT

Acid Stage No. RT

Date 5-23-12 District Bureau F. O. No. \_\_\_\_\_  
 Company Dock's Development  
 Well Name & No. Evads #5  
 Location \_\_\_\_\_ Field \_\_\_\_\_  
 County Sumner State Ks

Casing: Size \_\_\_\_\_ Type & Wt. \_\_\_\_\_ Set at \_\_\_\_\_ ft.  
 Formation: \_\_\_\_\_ Perf. \_\_\_\_\_ to \_\_\_\_\_  
 Formation: \_\_\_\_\_ Perf. \_\_\_\_\_ to \_\_\_\_\_  
 Formation: \_\_\_\_\_ Perf. \_\_\_\_\_ to \_\_\_\_\_

Liner: Size \_\_\_\_\_ Type & Wt. \_\_\_\_\_ Top at \_\_\_\_\_ ft. Bottom at \_\_\_\_\_ ft.  
 Cemented: Yes/No \_\_\_\_\_ Perforated from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Tubing: Size & Wt. \_\_\_\_\_ Spung at \_\_\_\_\_ ft.  
 Perforated from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Shen Hole Rise \_\_\_\_\_ T.D. \_\_\_\_\_ ft. P.U. to \_\_\_\_\_ ft.

Type Treatment: Amt. \_\_\_\_\_ Type Fluid \_\_\_\_\_ Sand Blse \_\_\_\_\_ Pounds of Sand \_\_\_\_\_

Breakdown \_\_\_\_\_ Bbl. /Gal. \_\_\_\_\_  
 \_\_\_\_\_ Bbl. /Gal. \_\_\_\_\_  
 \_\_\_\_\_ Bbl. /Gal. \_\_\_\_\_  
 \_\_\_\_\_ Bbl. /Gal. \_\_\_\_\_

Flush \_\_\_\_\_ Bbl. /Gal. \_\_\_\_\_

Treated from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. ft. \_\_\_\_\_  
 from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. ft. \_\_\_\_\_  
 from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. ft. \_\_\_\_\_

Actual Volume of Oil / Water to Load Hole: \_\_\_\_\_ Bbl. /Gal. \_\_\_\_\_

Pump Trucks. No. Used: Std. 323 Sp. \_\_\_\_\_ Twin \_\_\_\_\_  
 Auxiliary Equipment Both Cement Tanks both T. Tank

Packer: \_\_\_\_\_ Set at \_\_\_\_\_ ft.  
 Auxiliary Tools \_\_\_\_\_  
 Plugging or Sealing Materials: Type 95 sand \_\_\_\_\_ lb.

Company Representative \_\_\_\_\_

Treater [Signature]

TIME a.m / p.m.	PRESSURES		Total Fluid Pumped	REMARKS
	Tubing	Casing		
9:15				On loc USA Re entire Job
:				Run up run Poly Pipe to 300'
:				Start mix 4 gal down hole
:			8388	Filled up 4 1/2 could not get 8 5/8 to come down
:				Bleed off casing head tie on 4 1/2
:		500	103	Run 2 Bbl cement locked up pressure up
10:15				500# # held
:				Bleed off wash up by down
:				Go back 4 hrs later fluid down 100'
:				Top out dry
4:00				Left loc

RECEIVED

JUN 26 2012

KCC WICHITA



FIELD ORDER N° C 37940

BOX 438 • HAYSVILLE, KANSAS 67060  
316-524-1225

DATE June 5 20 12

IS AUTHORIZED BY: Docking Development LLC  
(NAME OF CUSTOMER)

Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_

To Treat Well As Follows: Lease Evans Well No. 34,125 Customer Order No. \_\_\_\_\_

Sec. Twp. Range 17 32 S 2 E County Sumner State Ks

CONDITIONS: As a part of the consideration hereof it is agreed that Copeland Acid Service is to service or treat at owners risk, the hereinbefore mentioned well and is not to be held liable for any damage that may accrue in connection with said service or treatment. Copeland Acid Service has made no representation, expressed or implied, and no representations have been relied on, as to what may be the results or effect of the servicing or treating said well. The consideration of said service or treatment is payable. There will be no discount allowed subsequent to such date. 6% interest will be charged after 60 days. Total charges are subject to correction by our invoicing department in accordance with latest published price schedules.

The undersigned represents himself to be duly authorized to sign this order for well owner or operator.

THIS ORDER MUST BE SIGNED BEFORE WORK IS COMMENCED

Well Owner or Operator

By \_\_\_\_\_ Agent

CODE	QUANTITY	DESCRIPTION	UNIT COST	AMOUNT
		Evans # 3		
	1	Pump chg for plug job		650 <sup>00</sup>
	69 sack	60-40-4% Poz @ 9.69/sack		668 <sup>00</sup>
		Evans # 4		
	1	Pump chg for plug job		650 <sup>00</sup>
	45 sack	60-40-4% Poz @ 9.69/sack		436 <sup>05</sup>
		Evans # 1		
	1	Pump chg		650 <sup>00</sup>
	44 sack	60-40-4% Poz @ 9.09/sack		426 <sup>36</sup>
		Evans # 5		
	1	Pump chg		650 <sup>00</sup>
	75 sack	60-40-4% Poz		726 <sup>75</sup>
	2	Bags Calcium Chloride @ 40 <sup>00</sup> /bag		80 <sup>00</sup>
	81 mile	Pump truck @ 4 <sup>00</sup> /mile		324 <sup>00</sup>
	233 sack	Bulk Charge 1.25/sack		291 <sup>25</sup>
	830 1/2	Bulk Truck Miles		913 <sup>45</sup>
		Process License Fee on _____ Gallons		
		<b>TOTAL BILLING</b>		

I certify that the above material has been accepted and used; that the above service was performed in a good and workmanlike manner under the direction, supervision and control of the owner, operator or his agent, whose signature appears below.

Copeland Representative [Signature]

Station Buckner

Remarks \_\_\_\_\_

RECEIVED

Well Owner, Operator or Agent

JUN 26 2012

NET 30 DAYS

KCC WICHITA

## TREATMENT REPORT

Acid Stage No. ....

Date: 6/15/12 District: Bureau F. O. No. ....  
 Company: D&K Development  
 Well Name & No: Evans 1352  
 Location: \_\_\_\_\_ Field: \_\_\_\_\_  
 County: Sumner State: Ks

Casing Size: \_\_\_\_\_ Type & Wt. \_\_\_\_\_ Set at: \_\_\_\_\_ ft.  
 Formation: \_\_\_\_\_ Perf. \_\_\_\_\_ to \_\_\_\_\_  
 Formation: \_\_\_\_\_ Perf. \_\_\_\_\_ to \_\_\_\_\_  
 Formation: \_\_\_\_\_ Perf. \_\_\_\_\_ to \_\_\_\_\_  
 Liner: Size: \_\_\_\_\_ Type & Wt. \_\_\_\_\_ Top at: \_\_\_\_\_ ft. Bottom at: \_\_\_\_\_ ft.  
 Cemented: Yes/No. Perforated from: \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Tubing: Size & Wt. \_\_\_\_\_ Swung at: \_\_\_\_\_ ft.  
 Perforated from: \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Open Hole Size: \_\_\_\_\_ T. I. \_\_\_\_\_ ft. P. I. to: \_\_\_\_\_ ft.

Type Treatment: Amt. \_\_\_\_\_ Type Fluid \_\_\_\_\_ Sand Size \_\_\_\_\_ Pounds of Sand \_\_\_\_\_

Bkdown: \_\_\_\_\_ Bbl./Gal. \_\_\_\_\_  
 \_\_\_\_\_ Bbl./Gal. \_\_\_\_\_  
 \_\_\_\_\_ Bbl./Gal. \_\_\_\_\_  
 \_\_\_\_\_ Bbl./Gal. \_\_\_\_\_

Flush: \_\_\_\_\_ Bbl./Gal. \_\_\_\_\_

Treated from: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. ft. \_\_\_\_\_  
 from: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. ft. \_\_\_\_\_  
 from: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. ft. \_\_\_\_\_

Actual Volume of Oil/Water to Load Hole: \_\_\_\_\_ Bbl./Gal.

Pump Trucks: No. Used: 323 Sp. \_\_\_\_\_ Twin \_\_\_\_\_  
 Auxiliary Equipment: Bulk 135T310 TT 135  
 Parker: \_\_\_\_\_ Set at: \_\_\_\_\_ ft.  
 Auxiliary Tools: 250' 1" pipe, 100' 1" pipe, 105'  
 Plugging or Sealing Materials: Type: 223 sacks 60-40-400

Company Representative \_\_\_\_\_

Treater: [Signature]

TIME a.m./p.m.	PRESSURES		Total Fluid Pumped	REMARKS
	Tubing	Casing		
9:45				Evans #3 Run 185' 1" pipe down 8 5/8 & 4 1/2 Annulus. 15 Bbl. Fill up w/ 60-40-400 used 69 sacks
10:25				Wash up in collar pull 1" out trace down Evans #4 Run 40' 1" down surface 4 1/2 day & 100' down 2 Fill up 4 1/2 cases 2 Bbls Trace 1" pump 6 Bbls to fill up annulus used 45 sacks wash up in pipe Trace down pull 1"
11:40				Evans #1 4 1/2 Full run 1" 195' in & try steam mix slurry 82 Bbls Surface filled up cement used 44 sacks
12:00				Wash up in collar pull 1" trace down Evans #5 4 1/2 Standby full run 235' 1" to top cement pull up 50 mix up 2 Bags CC in 8 Bbls water. Steam mix run down hole
2:40				152 Bbls Surface of 1" full cement wash up in collar 75 sacks used pull 1" out wash up Trades & tools load 1" up left locality Called State

RECEIVED  
 JUN 26 2012  
 KCC WICHITA