Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4 March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

API No. 15. 055-00231 . 00 . 00 OPERATOR: License #: 32864 Spot Description: ____ Name: XTO Energy, Inc. ____. C_SE Sec.9 Twp. 22 S. R. 32 East West Address 1: 210 Park Avenue : Suite 2350 Address 2: ___ City: Oklahoma City State: OK Zip: 73102 + Contact Person: Karen Byers Footages Calculated from Nearest Outside Section Corner: Phone: (405_) 319-3212_ NE NW SE SW Type of Well: (Check one) Oil Well 🗸 Gas Well OG D&A Cathodic County: Finney Water Supply Well Other: SWD Permit #:_____ Lease Name: Erickson, L.H. Gas Unit Well #: 1 ENHR Permit#:_____ Gas Storage Permit #: ____ Date Well Completed: _7/2/1958_ Is ACO-1 filed? 📝 Yes 🗌 No If not, is well log attached? Yes No The plugging proposal was approved on: 6/19/12 Producing Formation(s): List All (If needed attach another sheet) by: Steve Pfeifer (KCC District Agent's Name) Winfield Depth to Top: 2718' Bottom: 2724' T.D. 2724' Plugging Commenced: 6/19/12 ___ Depth to Top: 2663'__ Bottom: 2672'_ T.D. ___ Plugging Completed: 6/21/12 Show depth and thickness of all water, oil and gas formations. Oil, Gas or Water Records Casing Record (Surface, Conductor & Production) Formation Content Setting Depth Pulled Out Casing Surface 8 5/8" 527' NONE 2718' 5 1/2" Production Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set. Winfield previously plugged back to 2702' with pea gravel & 1 sks cement (7/1958). Run tbg set CIBP & set @ 2613', circ hole w/ mud & cap w/ 5 sks cement up to 2565'. Pull up hole @ 2070' & spot 20 sks Class "C" cement up to 1875' to cover Anhydrite . Spot 25 sks Class "C" cement (1250' - 1010') to cover Permian Zone. Cut & pull 5 1/2" csg from 638' (17 jts). Run tbg @ 650' & circulate cement to surface w/ 185 sks cement. Plugging Contractor License #: 33338 Name: Orr Enterprises, Inc. Address 1: P.O. Box 1706 Address 2: _______ State; Oklahoma zip: 73534 + 1706 City: Duncan Phone: (580) 467-0258 Name of Party Responsible for Plugging Fees: XTO Energy, Inc. State of Oklahoma ___ county, Oklahoma _____, ss. Employee of Operator or Operator on above-described well, (Print Name) being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED
JUN 2 9 2012
KCC WICHITA