# For KCC Use:

#### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date: August 29, 2012	Spot Description:
month day year	SW NW NE SE Sec 18 Twp. 16 S. R. 13 EXW
OPERATOR: License# 30705	leet non   N / N 3 Eine of Section
Name: Younger Energy Company	MZ / Line of escalari
Address 1: 453 S. Webb Rd., Suite 100	Is SECTION: X Regular Irregular?
Address 2:  City: Wichita State: KS Zip: 67207 + 1310	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS Zip: 67207 + 1310 Contact Person: Diane Rebstock	County: Barton
Phone:316-681-2542	Lease Name: Luerman-Weeks "Y" Well # 1
	Field Name: Trapp
CONTRACTOR: License# 5929	Is this a Prorated / Spaced Field?
Name: Duke Drilling Co., Inc.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 550'
<u> </u>	Ground Surface Elevation: 1947' feet MSL
X Oil Enh Rec Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage A Pool Ext. Air Rotary  Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:180'
Other:	Depth to bottom of usable water: 400'
	Surface Pipe by Alternate: XI III RECEIVED
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 420'
Operator:	Length of Conductor Pipe (if any): AUG 1 6 2012
Well Name:	Projected Total Depth: 3400'
Original Completion Date: Original Total Depth:	- " " Arbuckle
Ingilial completed Sate.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	
It is agreed that the following minimum requirements will be met:	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disentation of the set of the	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is underlying formation.  It is to ffice on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th.  4. If the well is dry hole, an agreement between the operator and the dis.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the disense of the appropriate district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	in drilling rig;  The drilling rig;  The circulating cement to the top; in all cases surface pipe shall be set  The underlying formation.  The complete shall be set  The underlying formation.  The complete shall be set  The underlying formation is necessary prior to plugging;  The greed or production casing is cemented in;  The driving form below any usable water to surface within 120 DAYS of spud date.  The surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th.  4. If the well is dry hole, an agreement between the operator and the dis.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	in drilling rig;  The drilling rig;  The circulating cement to the top; in all cases surface pipe shall be set  The underlying formation.  The complete shall be set  The underlying formation.  The complete shall be set  The underlying formation is necessary prior to plugging;  The greed or production casing is cemented in;  The driving form below any usable water to surface within 120 DAYS of spud date.  The surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the surface of the statements made herein are true and to the best of the statements made herein are true and to the best of the surface of the surface of the statements made herein are true and to the best of the surface of	in drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Diane Rebstock
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the spud date.	In drilling rig; In all cases surface pipe shall be set In all cases, location recessary prior to plugging; In all cases, location right rig
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the sput shall be completed.  Signature of Operator or Agent:	In drilling rig; In dri
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th.  4. If the well is dry hole, an agreement between the operator and the dis.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the set of	In drilling rig; In all cases surface pipe shall be set In all cases, In
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dise.  5. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the policy.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO9 - 25739-OOO	In drilling rig; In dri
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th.  4. If the well is dry hole, an agreement between the operator and the dis.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the set of	In drilling rig; In dri
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into	In drilling rig; In dri
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disestant of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the set of the set of the statements of the operator of Agent:  For KCC Use ONLY  API # 15 - OS9 - 25739 - OOOO  Conductor pipe required feet	in drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In which was any district office prior to any cementing.  Title:  Executive Vice President  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving of the provided below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the driving of the spud all unconsolidated materials plus a minimum of 20 feet into the driving of the spud and the driving of the spud set of the spud is either plug of the spud date or well is either plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be completed.  If the well is dry hole, an agreement between the operator and the district office will be posted into the days of the spud date or the well shall be completed.  If the well is dry hole, an agreement between the operator and the district office will be posted into the days of the spud date or the well shall be completed.  If the well is dry hole, an agreement between the operator and the district office will be posted into the days of the spud da	In drilling rig; In dri
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into	In drilling rig; In dri
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the population of pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be into the set into the set of the set into the s	in drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In which was any district office prior to any cementing.  Title:  Diane Rebstock  Executive Vice President  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date)
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the population of pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be into the set into the set of the set into the s	An drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  The production of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	in drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In which was any district office prior to any cementing.  Title:  Diane Rebstock  Executive Vice President  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date)
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. In 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In all cases, N

130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY
API # 15 - 009-25739-0000

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Younger Energy Company Lease: Luerman-Weeks "Y" Well Number: 1 Field: Trapp  Number of Acres attributable to well: 160	Location of Well: County: Barton  2090   feet from   N / X S Line of Section  1115   feet from   X E / W Line of Section  Sec. 18   Twp. 16   S. R. 13   E   X W  Is Section:   X Regular or   Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:   NE   NW   X SE   SW		
Number of Acres attributable to well: 10U  QTR/QTR/QTR/QTR of acreage: SW - NW - NE - SE			

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.

•••••	: 				•••••	:	:	O Well Location
•••••	•••••							Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
•••••	•	i			•••••	: 	: :	
			2	<sup> </sup> 7 ——		: '	ease road	EXAMPLE
				Prt	posed W		Batt	
					•••••	Lines		
	· . <b></b> .				•••••	· ·······	· ······· !	1980' FSI
•••••					••••	<b>.</b>		
								SEWARD CO. 3390' FEL RECEIVED
IOTE: In	all cases	locate the	spot of ti	he propos	ed drillin	g locaron.	Centur	y Link phone linei AUG 1 6 2012

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding Section WICHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

### 15-009-25 739-0000

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #30705  Name:Younger Energy Company  Address 1:453 S. Webb Rd., Suite 100  Address 2: City:	Well Location:  SW_NW_NE_SE_Sec. 18 Twp. 16 S. R. 13 Eas West  County: Barton  Lease Name: Luerman-Weeks "Y" Well #: 1  If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Surface Owner Information:  Name: Mr. and Mrs. John H. Luerman, Sr.  Address 1: 203 Hoisington Road  Address 2: City: Hoisington State: KS Zip: 67544 +	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be location of the land upon with this form; 2) if the form I	ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
form; and 3) my operator name, address, phone number, fax, a  I have not provided this information to the surface owner(s). I a  KCC will be required to send this information to the surface owner(s) task, I acknowledge that I am being charged a \$30.00 handling	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
I hereby certify that the statements made herein are true and correct to Date: 8/15/2012 Signature of Operator or Agent:	Diane Rebstock		
Organical of Operator of Agents	RECEIVED		
	AUG 1 6 2012		

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

#### APPLICATION FOR SURFACE PIT

Submit in Duplicate Operator Name: Younger Energy Company License Number: 30705 Operator Address: 453 S. Webb Rd., Suite 100, Wichita, KS 67207-1310 Phone Number: 316-681-2542 Contact Person: Diane Rebstock Lease Name & Well No.: Luerman-Weeks "Y" #1 Pit Location (QQQQ): SW - NW - NE - SE Type of Pit: Pit is: Sec. 18 Twp. 16 R. 13 East X West Emergency Pit Burn Pit Proposed Existing Settling Pit X Drilling Pit If Existing, date constructed: 2090 Feet from North / X South Line of Section Workover Pit Haul-Off Pit 1115 Feet from X East / West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) 5000 Barton (bbls) County Is the pit located in a Sensitive Ground Water Area? X Yes Vo Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? X Yes No Yes X No bentonite & solids from drilling operation 100 100 Length (feet) Pit dimensions (all but working pits): Width (feet) N/A: Steel Pits Depth from ground level to deepest point: No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. 180 Depth to shallowest fresh water Distance to nearest water well within one-mile of pit: NA feet Source of information: KCC measured well owner electric log KDWR \_\_feet Depth of water well. **Emergency, Settling and Burn Pits ONLY:** Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Chemical Mud Producing Formation:\_ Number of working pits to be utilized: \_\_\_\_ Number of producing wells on lease: \_\_ Abandonment procedure: Allow to dry, backfill & level EIVED Barrels of fluid produced daily:\_ Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. AUG 1 6 2012 I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KCC WICHITA 8/15/2012 Signature of Applicant or Agent KCC OFFICE USE ONLY Liner Steel Pit RFAC Permit Date: 8-16-12 Lease Inspection: Yes K No Date Received: \[ \frac{1}{2} - \frac{1}{2} \] Permit Number: