A Correct and

For KCC Use:	8-18-2012
Effective Date:	7
District #	/_
SCA2 Med	1XINo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

ED

Expected Spud Date: 9-15-2012	Spot Description:
month day year	W/2 SE SE NE Sec. 19 Twp. 10 S. R. 21 EXW
_	(Gravara) 2,310 feet from N / S Line of Section
OPERATOR: License#	400 feet from X E / W Line of Section
Name: American Patriot Oil	
Address 1: 1716 N Main Street	Is SECTION: Regular Irregular?
Address 2: Suite A #170	(Note: Locate well on the Section Plat on reverse side)
City: Longmont State: CO Zip: 80501 +	County: Graham 5.0
Contact Person: Doug Stewart	Long Name: APO
Phone: 720-878-2730	Field Name: Nora Wheeler South
CONTRACTOR: License#33493	Is this a Prorated / Spaced Field?
Name: American Eagle Drilling	Tornot Formation(s): BKC and Arbuckle
Name	Nearest Lease or unit boundary line (in footage): 2310
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: est 2286 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic; # of Holes Other	
Other:	
Transaction and well information on fallence:	Surface Pipe by Alternate: 240'
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 240'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 3700'
Original Completion Date: Original Total Depth:	Formation at Total Depth: 3650' Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: TESH
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔀
KCC DKT #.	Will Cores be taken?
twas: Well # 2	If Yes, proposed zone:
IS: Well # / AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plus	
It is agreed that the following minimum requirements will be met:	Alic 10 ans
 Notify the appropriate district office prior to spudding of well; 	
to trough the appropriate district office print to appearing or world	AUG 1 // 2012
2. A same of the consequent potice of intent to drill ehalf he posted on each	drilling rig:
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below. Shall be set to 	drilling rig; by circulating cement to the top; in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in all cases surface pipe significantly in the copy in the copy in the copy in the copy in the case surface pipe significantly in the copy in the
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 	drilling rig; by circulating cement to the top; in all cases surface pipe swift WICHITA underlying formation.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet to the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 	drilling rig; by circulating cement to the top; in all cases surface pipe strong CHITA underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugging the appropriate district office will be notified before well is either plugging. 	drilling rig; by circulating cement to the top; in all cases surface pipe strong CHITA into drice on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "R" - Fastern Kansas surface casing order \$1 	drilling rig; by circulating cement to the top; in all cases surface pipe significantly in underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33.891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be 	drilling rig; by circulating cement to the top; in all cases surface pipe significantly compared to the top; in all cases surface pipe significantly compared to the top; in all cases surface pipe significantly compared to the case of
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be 	drilling rig; by circulating cement to the top; in all cases surface pipe significantly compared to the top; in all cases surface pipe significantly compared to underlying formation. In the compared compared to the compa
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distinction. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of materials. 	drilling rig; by circulating cement to the top; in all cases surface pipe significantly compared to the top; in all cases surface pipe significantly compared to underlying formation. In the compared to the
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be 	drilling rig; by circulating cement to the top; in all cases surface pipe significantly compared to the top; in all cases surface pipe significantly compared to the top; in all cases surface pipe significantly compared to the case of
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distinction. The appropriate district office will be notified before well is either pluggion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of materials. 	drilling rig; by circulating cement to the top; in all cases surface pipe significantly compared to the top; in all cases surface pipe significantly compared to underlying formation. In the compared to the
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distinction. The appropriate district office will be notified before well is either pluggion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of materials. 	drilling rig; by circulating cement to the top; in all cases surface pipe switch that is underlying formation. ict office on plug length and placement is necessary prior to plugging; ict office on plug length and placement is necessary prior to plugging; ict office on plug length and placement is necessary prior to plugging; ict office on plug length and placement is necessary prior to plugging; ict office on plug length and placement is necessary prior to plugging; ict office which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Owner / Operator Remember to:
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials. Date: 7-30-2012 Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe swift the complete surface pipe swift to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. **Title: Owner / Operator** **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggions. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum of the content of	drilling rig; by circulating cement to the top; in all cases surface pipe significant content of the top; in all cases surface pipe significant content of the top; in all cases surface pipe significant content of the top; in all cases are prior to plugging; in the top of the
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggions. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum of the control of	drilling rig; by circulating cement to the top; in all cases surface pipe since WCHITA including formation. underlying formation. including formation.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to the shall unconsolidated materials plus a minimum of 20 feet into the shall be set to the shall be set to the shall unconsolidated materials plus a minimum of 20 feet into the shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be shall	drilling rig; by circulating cement to the top; in all cases surface pipe swift CHITA into drice on plug length and placement is necessary prior to plugging; bed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: OWNEY / Operator Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of module in the control of the co	drilling rig; by circulating cement to the top; in all cases surface pipe significant content of the top; in all cases surface pipe significant content of the top; in all cases surface pipe significant content of the top; in all cases surface pipe significant content of the top; in all cases and placement is necessary prior to plugging; in the top of
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to the shall unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggion. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum surface pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - O O S Signature of Operator or Agent: For KCC Use ONLY API # 15 - O O S Signature of Operator or Agent: For KCC Use ONLY API # 15 - O O S Signature of Operator or Agent: This authorization expires: 8-13-2012 https://www.b-20-2012	drilling rig; by circulating cement to the top; in all cases surface pipe since with CHITA inderlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Owner / Operator Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 7-30-2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	drilling rig; by circulating cement to the top; in all cases surface pipe surface p
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggion. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of modular true and to the best of modular true. Signature of Operator or Agent: Por KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe selections of control of the top; in all cases surface pipe selections. If form below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Owner / Operator Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the how below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 7-30-2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	drilling rig; by circulating cement to the top; in all cases surface pipe selections of control of the top; in all cases surface pipe selections. If form below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Owner / Operator Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the how below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 7-30-2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	drilling rig; by circulating cement to the top; in all cases surface pipe state of the complete of the complet
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 7-30-2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	drilling rig; by circulating cement to the top; in all cases surface pipe selections of control of the top; in all cases surface pipe selections. If form below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Owner / Operator Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the how below and return to the address below.

AUG 1 7 2012



RECEIVED AUG 1 0 2012

KCC WICHITA

For KCC Use ONLY API # 15 - 065 - 23854-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

perator: <u>American Patriot (</u> pase: <u>APO</u>	Dil		Location of Well: County: Graham 2,310 feet from V N / \(\subseteq \) S. Line of Section			
Well Number: 2 1 5.C.		400	- Idet iidii Z it / J d Like di Sectio			
Field: Nora						
umber of Acres attributat		SE - SE - NE	ls Section: XR	Regular or Irregular		
			if Section is irregi Section corner use	ular, locate well from nearest corner boundary. ed: NE NW SE SW		
			PLAT			
Show lo	cation of the well.	Show footage to the nee	arest lease or unit boundary li	line. Show the predicted locations of		
lease roads, ta	nk batteries, pipel			urface Owner Notice Act (House Bill 2032).		
		You may attac	ch a separate plat if desired.			
:	: :	:	: :			
				LEGEND		
···········	· · .	*				
	i i			O Well Location		
				Tank Battery Location		
***************************************	···· · · · · · · · · · · · · · · · · ·			Pipeline Location		
				Electric Line Location		
				Lease Road Location		

		:				
		,	0-11	EXAMPLE : :		
:	::-	<u>-</u>	• • •			
				: : :		
:				: : :		
			: :			
				400015		
				· ()==== 11980 F2		
				1980 FS		
				1980' FS		
				1960 FS		
				1980 F3		

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: in all cases locate the spot of the proposed drilling locaton.

AUG 1 7 2012

KCC WICHITA

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent)	-1 (Cathodic Protection Borehole Intent) T-1 (Trans	fer) CP-1 (Plugging Application)			
OPERATOR: License # 34686	Well Location:				
Name: American Patriot Oil	W/2 SE SE NE Sec. 19 Twp. 10	0 s. R. 21 Eas X West			
Address 1: 1716 N Main Street	County: Graham				
Name: American Patriot Oil Address 1: 1716 N Main Street Address 2: Suite A #170	County: Graham Lease Name: APO				
City: Longmont State: CO Zip: 80501 +	If filing a Form T-1 for multiple wells on a				
Contact Person: Doug Stewart	the lease below:				
Phone: (720) 878-2730 Fax: ()		RECEIVED			
Email Address: Doug@AmericanPatrlotOil.com	-	AUG 1 0 2012			
Surface Owner Information:		KCC WICHITA			
Name: Eris Waller		When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1: 19 N Gracie	— owner information can be found in the rec	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax				
City: Stockton State: KS Zip: 67669 +	_				
Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the for form; and 3) my operator name, address, phone number, fax	e located: 1) a copy of the Form C-1, Form m being filed is a Form C-1 or Form CB-1, the	CB-1, Form T-1, or Form			
I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handle	owner(s). To mitigate the additional cost of	the KCC performing this			
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not receiv P-1 will be returned.	ed with this form, the KSONA-1			
hereby certify that the statements made herein are true and correct	to the best of my knowledge and belief.				
Date: 7-30-2012 Signature of Operator or Agent	Title: Own	er / Operator			
	J	RECEIVED			
		AUG 1 7 2012			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED Form corp. May 2010 AUG 1 0 2012 Form must be Typed

APPLICATION FOR SURFACE PIT

KCC WICHITA

Submit in Duplicate			, NOC WICHIA				
Operator Name: American Patriot Oil			License Number:	34686			
Operator Address: 1716 N Main Street Suite		e A #170	Longmont	СО	80501		
Contact Person: Doug Stewart	V.	***	Phone Number:	720-878-2730			
Lease Name & Well No.: APO	X	1 5.6.	Pit Location (QQC	QQ):	· · · · · · · · · · · · · · · · · · ·		
Type of Pit:	Pit is:		<u>W/2</u> _ SE _ SE _ NE				
Emergency Pit Burn Pit	X Proposed Existing		Sec19Twp.	:. 19 Twp. 10 R. 21 ☐ East 🔀 West			
Settling Pit X Drilling Pit	If Existing, date constructed:		2,310 Feet from X North / South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply AP! No. or Year Drilled)	Pit capacity:		400	et from 🔀 East / 🗌 W		- 1	
	100	(bbis)	Graham County				
Is the pit located in a Sensitive Ground Water Are	a? Yes 🔀	No	Chloride concentra	tion:		mg/i	
Is the bottom below ground level?	Artificial Liner?			Emergency Pits and Settlin			
X Yes No		No	rrow is the pit linea	if a plastic liner is not us	sed?		
Pit dimensions (all but working pits): 30	Length (fe	et) 12	Width (feet)	Пи	I/A: Steel Pi		
Depth from	ground level to dee	epest point:	(feet)		lo Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.							
Heavy Plastic				24/7 during drillir	ng		
Distance to nearest water well within one-mile of pit: Depth to shallow		west fresh waterfeet.					
N/A Source		Source of inform	Source of information:				
Emergency, Settling and Burn Pits ONLY: Marked Marked Mell owner electric log KDWR					K .		
		Type of material	erial utilized in drilling/workover: Dola on 2d a Fresh				
Number of producing wells on lease: Number of		Number of worki	Type of material utilized in drilling/workover: Drlg nod - fresh. Number of working pits to be utilized: 3				
Barrels of fluid produced daily:Ab		Abandonment procedure: Evaporate & backfill					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above statement	s are true and con	ct to the best of m	y knowledge and bel	lief.			
7-30-2012 Date Squature of Applicant or Agent							
	KCC O	FFICE USE ON	<u> </u>				
Date Received: 8-13-12 Permit Number:	**	Permit I	Liner Date: \$-13-1	Steel Pit R		RFAS No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

AUG 1 7 2012

KCC WICHITA