correction

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

| RECEIVE | Dn. |
|--------------|--------------------|
| AUG 1 0 2012 | THECTER |
| KCC MICHITA | Form must be Types |

KCC WICHITA Form must be Types
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing we

| Expected Spud Date: | Spot Description: |
|---|--|
| month day year | NW NE NE SE Sec Twp. 17s. R. 21 XE W |
| OPERATOR: Ucense# 6084 | (Occord) 2545 feet from N / X S Line of Section |
| Name: Douglas S. McMullin | 495 feet from X E / W Line of Section |
| Address 1: 4397 Hwy . K-68 | Is SECTION: X Regular Irregular? |
| Address 2: | |
| City: Wellsville State: KS Zip: 66092 | (Note: Locate well on the Section Plat on reverse side) County: Franklin |
| Contact Person: Doug McMullin | Color |
| Phone: 785–883–4343 | Lease Name: Gelger Well #: / |
| CONTRACTOR: License# 6142 | Is this a Prorated / Spaced Field? |
| Name: Town Oil Company | Target Formation(s): Squirre1 |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 495 |
| | Ground Surface Elevation:feet MSL |
| XIOi Enh Rec X Infield Mud Rotary Gas Storage Pool Ext. X Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of freeh water: 20 |
| Other: | Depth to bottom of usable water: 200 |
| If OWWO: old well information as follows: | Surface Pipe by Alternate: X II |
| TIT CAYANC: Old well information as follows: | Length of Surface Pipe Planned to be set: 20 |
| Operator: | Length of Conductor Pipe (if any): |
| Well Name: | Projected Total Depth: 800 |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Squirrel |
| Directional, Deviated or Horizontal wellbore? | Water Source for Drilling Operations: |
| If Yes, true vertical depth: | Well Farm Pond X Other: |
| Bottom Hole Location: | DWR Permit #:(Note: Apply for Permit with DWR) |
| KCC DKT #: | |
| Lunco Santimo | Will Cores be taken? |
| しんがたいと ことと ていけし フ | If Yes, proposed zone: |
| was: Section 7 | If Yes, proposed zone:RECEWED |
| ts: Soction 12 | RECEIVED |
| IS: Section 18 AFFI | RECEIVED KANSAS CORPORATION COMMISSION |
| ts: Soction 12 | RECEIVED KANSAS CORPORATION COMMISSION |
| TS: Section IB AFFI. The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met: | RECEIVED DAVIT KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. |
| The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of | RECEIVED CANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 Arilling rig: CONSERVATION DIVISION |
| The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by | RECEIVED DAVIT KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION of circulating coment to the top; in all cases surface pipe shall be set. |
| The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the or the set of t | RECEIVED CANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 Conservation division of circulating coment to the top; in all cases surface pipe shall be set. Inderlying formation. |
| The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the united that the well is dry hole, an agreement between the operator and the district | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 Inilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set KS underlying formation. It office on plug length and placement is necessary prior to plugging: |
| The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the determinant to the set in the | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 Inilling rig; CONSERVATION DIVISION Concluding coment to the top; in all cases surface pipe shall be set. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented on the purpose of the plugged of | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 critiling rig; CONSERVATION DIVISION criculating cement to the top; in all cases surface pipe shall be set KS underlying formation. cut office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, afternate it cementing |
| The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented to or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be production. | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 critiling rig; conservation division critical companies of the top; in all cases surface pipe shall be set. conservation division critical companies of the top; in all cases surface pipe shall be set. confice on plug length and placement is necessary prior to plugging; di or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate il cementing. RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION 1 or conservation division 1 or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate il cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 CONSERVATION DIVISION Concluding cement to the top; in all cases surface pipe shall be set. Conservation division Conservation divisio |
| The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the strong of the approved notice of intent to drill shall be posted on each of through all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented to the best of the strong or the strong or the spud date or the well shall be presented to the best of the strong or the | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 CONSERVATION DIVISION Concluding cement to the top; in all cases surface pipe shall be set. Conservation division Conservation divisio |
| The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 Arilling rig; CONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe shall be set. Inderlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, afternate if cementing stugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent |
| The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the strong of the approved notice of intent to drill shall be posted on each of through all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented to the best of the strong or the strong or the spud date or the well shall be presented to the best of the strong or the | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 CONSERVATION DIVISION Concluding coment to the top; in all cases surface pipe shall be set. Inderlying formation. In office on plug length and placement is necessary prior to plugging; do or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing laugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Agent Remember to: |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent of the shall be posted on each of the intent of the inten | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 Conservation division of circulating cement to the top; in all cases surface pipe shall be set. Indicating formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, afternate it cementing stugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent |
| The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the intention of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the life the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and correct to the best post in the contract of the spud shall be pilled. For KCC Use ONLY API # 15 - OS9 - QS347 - OO - OO If an all the statements of the spud shall be completed. The statements of the spud shall be pilled. | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe shall be set. Inderlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate il cementing stugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be designed in the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged hereby certify that the statements made herein are true and correct to the beside in the complete of the spud date or the well shall be plugged. For KCC Use ONLY API # 15 - OSG - QSG - | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; conservation division cliculating coment to the top; in all cases surface pipe shall be set. cliculating coment to the top; in all cases surface pipe shall be set. cliculating coment to the top; in all cases surface pipe shall be set. cliculating coment to the top; in all cases surface pipe shall be set. cliculating coment to the top; in all cases surface pipe shall be set. cliculating coment to the top; in all cases surface pipe shall be set. cliculating coment to plugging; clic |
| The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the uniformal structure of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented for pursuant to Appendix 18 - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the spud date or | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 CONSERVATION DIVISION cliculating coment to the top; in all cases surface pipe shall be set in content on the sequence of complete and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing stugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be designed in the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged hereby certify that the statements made herein are true and correct to the beside in the complete of the spud date or the well shall be plugged. For KCC Use ONLY API # 15 - OSG - QSG - | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; conservation division conservation conse |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the understand the state of the specific of the speci | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 CONSERVATION DIVISION cliculating coment to the top; in all cases surface pipe shall be set in content on the sequence of complete and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing stugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention of the | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; conservation division of circulating cement to the top; in all cases surface pipe shall be set. Inderlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate il cementing laugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the uniformal all unconsolidated materials plus a minimum of 20 feet into the uniformal all unconsolidated materials plus a minimum of 20 feet into the uniformal all unconsolidated materials plus a minimum of 20 feet into the uniformal all unconsolidated materials plus a minimum of 20 feet into the uniformal all unconsolidated materials plus a minimum of 20 feet into the uniformal and the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best placed by the uniformal placed by the placed by | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 Arilling rig; CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVAT |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the unit through all unconsolidated materials plus a minimum of 20 feet into the unit through all unconsolidated materials plus a minimum of 20 feet into the unit through all unconsolidated materials plus a minimum of 20 feet into the unit through all unconsolidated materials plus a minimum of 20 feet into the unit through all unconsolidated materials plus a minimum of 20 feet into the unit through all unconsolidated materials plus a minimum of 20 feet into the unit through all unconsolidated materials plus a minimum of 20 feet into the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet unto the unit through all unconsolidated materials plus a minimum of 20 feet in | RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 CONSERVATION DIVISION conculating coment to the top; in all cases surface pipe shall be set. confice on plug length and placement is necessary prior to plugging; dior production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate 31 cementing slugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

CORRECTED If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API NO. 15 - 059 - 35347-00-00 | |
|---------------------------------------|--|
| Operator: | Location of Well: County: |
| Lease: | |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

correction

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CORRECTE must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate Operator Name: Douglas S. McMullin License Number: 6084 Operator Address: 4397 Hwy K-68 Wellsville, Kansas 66092 Contact Person: Doug McMullin Phone Number: (785) 883-4343 Lease Name & Well No.: Geiger #7 Pit Location (QQQQ): Type of Pit: Pit is: NW - NE - NE - SE ---- Emergency Pit _X_ Proposed ___ Existing . Workover Pit Twp. 17 R. 21 X East West .-... Settling Pit _X_ Drilling Pit If Existing, date constructed: 2545 Feet from North / X South Line of Section ___ Burn Pit _ Haul-Off Pit (if WP Supply API No. or Year Drilled) Pil capacity: _ Feet from X East / West Line of Section 100 Franklin Is the pit located in a Sensitive Ground Water Area? Tyes Chloride concentration: (For Emergency Pits and Settling Pits only) is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? X Yes No Yes X No Pits not lined unless not holding fluid Pit dimensions (all but working pits): __ __8__ Length (feet) 12 --- Width (feet) _ N/A: Steel Pits Depth from ground level to deepest point: If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION JUN 25 2008 Distance to nearest water well within one-mile of pil CONSERVATION DIVISIO Depth to shallowest fresh water ___ Source of information: WICHITA, KS feet Depth of water well ____ _ measured __ well owner __ electric loa _KDWR Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: fresh water Number of producing wells on lease: Number of working pits to be utilized: 2 Barrels of fluid produced daily: Abandonment procedure: Pits filled as soon as well Does the slope from the tank battery allow all spilled fluids to is completed. Drill pils must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 6-23-08 Date KCC OFFICE USE ONLY DIST RITAC 6/25 (05 Permit Number: Permit Date: __ Lease Inspection; Yes No Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 87202 RECEIVED

AUG 1 0 2012

8-059-25347

KCC WICHITA



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

June 27, 2008

Douglas S. McMullin 4397 Hwy K-68 Wellsville, KS 66092 CORRECTED

RE:

Drilling Pit Application Geiger Lease Well No. 7 SE/4 Sec. 07-17S-21E Franklin County, Kansas

Dear Mr. McMullin:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

if production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File