

For KCC Use:	9-9-2012
Effective Date:	1 JOULE
District #	9
SGA? Yes	Mo

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Mode	9/21/2012	Spot Description: SW/4
PERATOR: Leonsel® 3440.5 Semician Semi	Expected Spad Date.	
1.452 Seet India Resources Management Corp.	24405	
Is SECTION Request Images Image	OPERATOR: License#	1452 (at 6 morth) The first of Section
Moter Locate well on the Section Plot on reverse side		
County Elias State CA Zip 93308 County Elias County El	Address 1: 1600Norris Rd	Is SECTION: X Regular I Irregular?
Lease Name: Walters B Well #: 5	Address 2:	(Note: Locate well on the Section Plat on reverse side)
Content Person. Main Process Social Process Social Post Social	City: Bakersfield State: CA Zip: 93308 +	County: Ellis
Field Name	Contact Person: Keith Pickett	Lease Name: Walters B Well #: 5
South Tack Closmose 300000 Is this a Promated Spaced Fleid? Ges No Name: Multin Drilling Co Is the promotion Is	Phone: 661-301-1500	Field Name Remis - Shutts
Note Tribulation Note	CONTRACTOR: License# 30606	
Nearest Lease or unit boundary line (in footage): 330 Section	JOH HOLO TOT. LICENSON	
Sicrepa Sicr	Name.	Negret Large quit houndary line (in feetage): 330
Selsmin:	Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Gas Storage Dool Ext Air Rotary Seismic soft holes Other Other Other Seismic soft holes Other	XOil Enh Rec XInfield XMud Rotary	
Disposal Older Other O		
Depth to bottom of fresh water. 1908 1909 1		
Depth to bottom of usable water. Surface Pipe by Alternate: Surface Pipe Pipe Index Or Depth: 300 Conductor Pipe (if any): 500 Conductor Pipe		Depth to bottom of fresh water: 180
Surface Pipe by Alternate:		Depth to bottom of usable water: 708
Length of Surface Pipe Planned to be set: 250		Surface Pipe by Alternate:
Length of Conductor Pipe (if any): 0	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Formation at Total Depth: Formation at Total Depth: Original Operations: Wall Cores Date Search Wall Farm Pond Other: Haul DWR Permit #: (Note: Apply for Permit with DWR Other: Haul DWR Permit #: (Note: Apply for Permi	Occuptor	Length of Conductor Pipe (if any): 0
Formation at Total Depth: Arbuckle	·	_
Weter Source for Drilling Operations. Weter Source for Drilling Operations. Weter Spore for Drilling Operations. Will Cores be taken? Will Core be taken? Will core be taken? Will core be taken? Wet will mill core drilling operation to special part of the Male Spore to the Male Spore to the Male Spore to the Male Spore to the Male S		
Will Cores be taken? Wes Work Apply for Permit with DWR Wes Will Cores be taken? Wes	Original Completion Date: Original total Depth,	•
If Yes, true vertical depth: DWR Permit #: (Note: Apply for Permit with DWR	Directional Deviated or Horizontal wellbore?	
Note: Apply for Permit with DWR		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the approval notice of intent to drill shall be posted on each drilling rig; 2. A copy of the approval notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of pty knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY Apple required Some feet per ALT I Dill Pil Application (form CDP-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Certification form CDP-1) with Intent to Drill; File Certification form CDP-1 with Intent to Drill; File Certification form CDP-1 with Intent to Drill; File Certification form CDP-1 with Intent to Drill; File certification form ADD-1 when prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60	· · · · · · · · · · · · · · · · · · ·	
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of pty knowledge and belief. For KCC Use ONLY		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,819-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of roly knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 26 385		Will Cores be taken?
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill is <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: File Completion Form ACO-1 within 120 days of spud date; Approved by: 4-4-2-12 Signature of Operator or Agent: File Completion Form ACO-1 within Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File completion Fo		If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill is <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: File Completion Form ACO-1 within 120 days of spud date; Approved by: 4-4-2-12 Signature of Operator or Agent: File Completion Form ACO-1 within Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File completion Fo	AFF	IDAVIT
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall</i> be set by circulating cement to the top; in all cases surface pipe <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in secessary <i>prior to plugging</i> ; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases</i> , <i>NOTIFY district office</i> prior to any cementing. It hereby certify that the statements made herein are true and to the best of rry knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 2 to 385 DODO feet per ALT. I I I I I I I I I		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior</i> to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all</i> cases, <i>NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and to the best of ry knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY API # 15		333
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-70, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 26 385 0000 feet per ALT. Image: Place of the completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or Permit Expired Date: Military approval before disposing or injecting salt water.		
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of pry knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 2 lo 385 - OSI - Feet per ALT. I I I I I I I I I I I I I I I I I I I		delline de
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B": Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of pty knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 2 to 385 - OSI - Eastern Agent: File Conductor pipe required		5 6
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of pty knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 2 to 385 - OSO		
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of pty knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 26 385 - OSOO Feet per ALT. I I I I I I I I I		
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of pty knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 26 385 - OOOO API # 15 - OSI - 26 385 - OOOO ACT (KSONA-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of pty knowledge and belief. Date: 8/31/2012 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 26 385 - OSO		
hereby certify that the statements made herein are true and to the best of pty knowledge and belief. Date: 8/31/2012		
For KCC Use ONLY API # 15	must be completed within 30 days of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY API # 15	I hereby certify that the statements made herein are true and to the best of pr	N knowledge and belief
For KCC Use ONLY API # 15 - OSI - 26385-0000 API # 15 - OSI - 26385-0000 Conductor pipe required	ν .	
For KCC Use ONLY API # 15 - OS 1 - 26 385 - ODO API # 15 - OS 1 - 26 385 - ODO Conductor pipe required	Date: 8/31/2012 Signature of Operator or Agent:	Title: Agent
For KCC Use ONLY API # 15		Pamambar to:
Act (RSONA-1) with Intent to Drill; Conductor pipe required feet Minimum surface pipe required feet per ALT. I File Completion Form ACO-1 within 120 days of spud date; Approved by: Lund 9-4-2012 This authorization expires: 9-4-2013 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Act (RSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	For KCC Use ONLY	
Conductor pipe required	05/-26385-0000	·
Minimum surface pipe required		,
Approved by: **PURE 9-4-2012** This authorization expires: 9-4-2013 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:		
Approved by: **PURE 9-4-2012** This authorization expires: 9-4-2013 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	Minimum surface pipe requiredfeet per ALT. \[\bigcape{\text{II}} \]	in the state of th
This authorization expires: 9-4-2013 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	· · · · · · · · · · · · · · · · · · ·	- File acreage attribution plat according to field proration orders;
 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent:	Approved by Paris Pa	
Spud date: Agent: Well will not be drilled or permit Expired Date: Signature of Operator or Agent:	· / / · · · · · · · · · · · · · · · · ·	Obtain written approval before disposing or injecting self-water.
Spud date: please check the box below and return to the address below m Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	(This authorization void if drilling not started within 12 months of approval date.)	
Signature of Operator or Agent: Well will not be drilled or Permit Expired Date:		
Signature of Operator or Agent:	Spud date: Agent:	
Mail to: KCC - Conservation Division, Signature of Operator or Agent:		Well will not be drilled or Permit Expired Date:
	Mail to LVCC Consequation Division	Signature of Operator or Agent:

130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY
API # 15 - 057-26385-0000

Operator: E&B Natural Resources Management Corp.

Lease: Walters B
Well Number: 5

Field:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: Ellis

Sec. 2

feet from N / S Line of Section

1,452 feet from E / W Line of Section

Twp. 12 S. R. 18

Number of Acres attributable to well:	Is Section: 🔀 Regular or 🔲 Irregular
QTR/QTR/QTR of acreage: SW/4_	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical lines, as requ	_AT ease or unit boundary line. Show the predicted locations of uired by the Kansas Surface Owner Notice Act (House Bill 2032). eparate plat if desired.
	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
C. O. Disposed	EXAMPLE
	1980' FSL SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

15-051-26 385-0000 Kansas Corporation Commission

OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 34405 Name: E&B Natural Resources Management Corp.	Well Location:
Name: E&B Natural Resources Management Corp.	
Address 1: 1600Norris Rd	County: Ellis
Address 2:	County: Ellis Lease Name: Walters B Well #: 5
City: Bakersfield State: CA Zip: 93308 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Keith Pickett	the lease below:
Phone: (661) 301-1500 Fax: ()	
Name: Edb Natural Resources Management Colp. Address 1: 1600Norris Rd Address 2: City: Bakersfield State: CA Zip: 93308 + Contact Person: Keith Pickett Phone: (661) 301-1500 Fax: () Email Address: p1oilman@aol.com	·
Surface Owner Information: Name: Anthony and Sheila Walters Address 1: 14320 NW 62nd Place Address 2:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
If this form is being submitted with a Form C-1 (Intent) or CB-	1 (Cathodic Protection Borehole Intent), you must supply the surface owners and
If this form is being submitted with a Form C-1 (Intent) or CB-the KCC with a plat showing the predicted locations of lease ro.	
If this form is being submitted with a Form C-1 (Intent) or CB-the KCC with a plat showing the predicted locations of lease roare preliminary non-binding estimates. The locations may be e Select one of the following: I certify that, pursuant to the Kansas Surface Owner owner(s) of the land upon which the subject well is or	1 (Cathodic Protection Borehole Intent), you must supply the surface owners and hads, tank batteries, pipelines, and electrical lines. The locations shown on the plat entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Notice Act (House Bill 2032), I have provided the following to the surface will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
If this form is being submitted with a Form C-1 (Intent) or CB-the KCC with a plat showing the predicted locations of lease roare preliminary non-binding estimates. The locations may be estimated on the following: I certify that, pursuant to the Kansas Surface Owner owner(s) of the land upon which the subject well is or CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number I have not provided this information to the surface owner KCC will be required to send this information to the surface.	1 (Cathodic Protection Borehole Intent), you must supply the surface owners and hads, tank batteries, pipelines, and electrical lines. The locations shown on the plat entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Notice Act (House Bill 2032), I have provided the following to the surface will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
If this form is being submitted with a Form C-1 (Intent) or CB-the KCC with a plat showing the predicted locations of lease roare preliminary non-binding estimates. The locations may be estimated on the following: Certify that, pursuant to the Kansas Surface Owner owner(s) of the land upon which the subject well is or CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number	1 (Cathodic Protection Borehole Intent), you must supply the surface owners and bads, tank batteries, pipelines, and electrical lines. The locations shown on the plat entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Notice Act (House Bill 2032), I have provided the following to the surface will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this ter, fax, and email address. er(s). I acknowledge that, because I have not provided this information, the curface owner(s). To mitigate the additional cost of the KCC performing this handling fee, payable to the KCC, which is enclosed with this form. The KSONA-1 thandling fee with this form.
If this form is being submitted with a Form C-1 (Intent) or CB-the KCC with a plat showing the predicted locations of lease roare preliminary non-binding estimates. The locations may be estimated on the following: Certify that, pursuant to the Kansas Surface Owner owner(s) of the land upon which the subject well is or CP-1 that I am filling in connection with this form; 2) if the form; and 3) my operator name, address, phone number KCC will be required to send this information to the surface owner kCC will be required to send this information to the surface owner ask, I acknowledge that I am being charged a \$30.00 of the second option, submit payment of the \$30.00 of the second option, submit payment of the \$30.00 of the second option, submit payment of the \$30.00 of the second option, submit payment of the \$30.00 of the second option, submit payment of the \$30.00 of the second option, submit payment of the \$30.00 of the second option option option option op	1 (Cathodic Protection Borehole Intent), you must supply the surface owners and bads, tank batteries, pipelines, and electrical lines. The locations shown on the plat entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Notice Act (House Bill 2032), I have provided the following to the surface will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this ider, fax, and email address. er(s). I acknowledge that, because I have not provided this information, the surface owner(s). To mitigate the additional cost of the KCC performing this handling fee, payable to the KCC, which is enclosed with this form. thandling fee with this form. If the fee is not received with this form, the KSONA-1 form CP-1 will be returned.

15-051-26385-0000



	11	12	7	Pro	posed	Walte	B-5 N	Vell Lo	ation	8	y	iq			
	14	13	18	17	16	7	14	源	18	収.	16	15	14	27 ₹38 . 13	
	23	24	19	29	- 11S 1 - 21 ∫c	/22	23 /	24	79	20	11S# 25	∑22 <u>≡</u>	23	14,7	X
	26	25	30	29	28	27	26	A	30	29	7 1	27 J	26	225 24	*
	35	36	31	32	33 B,U/Q	KEY [35	38			1 33	CATH	ERINE 35	36°	
	2,	. 1	6	5	1	3 9	- No	ters B-5	6	2-41-A	4		2		
9,0 mi	1,0 mi	2.9 m	i 3.6 m	6 4,9 m	9,0 4	ti 6.0 s	述			P			i in	Y34/7	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: E&B Natural Resource	es Management	License Number: 34405				
Operator Address: 1600Norris Rd		Bakersfield CA 93308				
Contact Person: Keith Pickett		Phone Number: 661-301-1500				
Lease Name & Well No.: Walters B	5	Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	<u>SW/4</u> Sec. 2Twp12R18 East X West			
Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date cor Pit capacity: 7,100	nstructed:(bbls)				
Is the pit located in a Sensitive Ground Water A	Area? Yes XI	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
is the bottom below ground level? XYes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used? Bentonite			
Pit dimensions (all but working pits): Depth from the light of the linduction of the light of the light of the light of the light of t	Width (feet) N/A: Steel Pits 4 (feet) No Pit edures for periodic maintenance and determining including any special monitoring.					
Distance to nearest water well within one-mile 3292 feet Depth of water well	of pit: 49feet	Depth to shalld Source of infor				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Bentonite Mud Number of working pits to be utilized: Abandonment procedure: Allow for evaporation, fill in and cover pits				
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 8/31/2012 Date Drill pits must be closed within 365 days of spud date. Compared to the best of my knowledge and belief.						
CC OFFICE USE ONLY Liner Steel Pit RFAC RFAS Date Received: 8/31/12 Permit Number: Permit Date: 8/31/12 Lease Inspection: Yes No						