Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Test:			(See In	structions on Rev	erse Side)					
Open Fl	ow	•								
✓ Deliverabilty			Test Date: 01/25/2011 - 01/26/2011			API No. 15 15-047-20,878-0001				
Company F.G. Holl Company, L.L.C.			Lease EMBRY "A"			10 047 20,010 0001			Well Number -23	
County Location Edwards NE NE NW		Section 23	TWP 24S	· · · · · · · · · · · · · · · · · · ·		V)		Acres Attributed		
Field Embry			Reservoir Mississippi		:		ering Conne	ction Gas Ga	thering 1	
Completion Da 01/14/1997	te		Plug Back Total 4280'	Depth		Packer Se None) -3		
Casing Size 4-1/2"			Internal Diamete	r Set at 4375		Perforations 4232'- 4242' &		то 4250'-4252'		
Tubing Size 2-3/8"			Internal Diamete		Set at 4210'		Perforations		То	
Type Completic Single (Gas			Type Fluid Produ Water	uction		Pump Uni	t or Traveling	Plunger? Yes	/ No	
Producing Thru Tubing	(Annulus / Tubir	ng)	% Carbon Dioxid	le		% Nitroge	n .	Gas Gr	avity - G _g	
Vertical Depth(H)		P	ressure Taps				(Meter F	Run) (Prover) Size	
Pressure Build			at _8:00	(AM) (PM)	Taken 0	1/25/201	11 19	at 8:00	(AM) (PM)	
Well on Line:	Started 01	1/26/2011 ₁₉	at <u>9:00</u>	(AM) (PM)	Taken 01	/26/201	19	at <u>9:00</u>	(AM) (PM)	
			OBSE	RVED SURFACE	DATA			Duration of Shut	in 24 Hour	
	fice Circle one Meter o Prover Pres psig	r Differential	•	perature Temperature Wellhead Pressure		Tubing Wellhead Pressure (P_w) or (P_t) or (P_c) psig psia		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In				85				24		
Flow					1					
			FLOW	STREAM ATTRI	BUTES	···		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Plate Coefficient (F _b) (F _p) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension Š P _m x H _w	Gravity Factor F _g	Flowing Temperature Factor F _{ft}	Devia Fac F _p	tor	Metered Flov R (Mcfd)	y GOR (Cubic Fe Barrel)	Gravita	
		<u> </u>			<u> </u>					
P _c) ² =	: (P _w) ²		(OPEN FLOW) (D	•	CALCULA - 14.4) + 1		·:	(P _a)	² = 0.207 ² =	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$	(P _c) ² - (P _w) ²	Choose formula 1 or 2: 1. P _c ² - P _a ² 2. P _c ² - P _d ² divided by: P _c ² - P _w ²	LOG of formula 1. or 2. and divide by:	Slope 	sure Curve e = "n" or igned rd Slope	n x LC	og [Antilog	Open Flow Deliverability Equals R x Antilog Mcfd	
	·							4.64.0.44.05		
		34.61 6 44.00		Deliverabilit				//cfd @ 14.65 psi	a	
The unders		Mcfd @ 14.65	mpany, states that	he is duly authoriz			e report and	1001	1	
			mpany, states that	he is duly authoriz				1001	viedge of the facts , 19	
The unders	nd that said repo	on behalf of the Co	mpany, states that	he is duly authoriz			ve report and	1001	1	

	I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator F.G. Holl Company, L.L.C.
	and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named.
	I hereby request a permanent exemption from open flow testing for the EMBRY "A" 3-23
	gas well on the grounds that said well:
	(Check one)
	is a coalbed methane producer is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is incapable of producing at a daily rate in excess of 250 mcf/D
. :	Date: 01/28/2011
	Signature: Laveness Mpfi
	Title: Petroleum Geologist

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.