



KANSAS CORPORATION COMMISSION 1091753  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710  
Name: Laymon Oil II, LLC  
Address 1: 1998 SQUIRREL RD  
Address 2:  
City: NEOSHO FALLS State: KS Zip: 66758 + 7124  
Contact Person: Michael Laymon  
Phone: ( 620 ) 963-2495  
CONTRACTOR: License # 32710  
Name: Laymon Oil II, LLC  
Wellsite Geologist: None  
Purchaser:

Designate Type of Completion:

- ☒ New Well ☐ Re-Entry ☐ Workover  
☒ Oil ☐ WSW ☐ SWD ☐ SIOU  
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW  
☐ OG ☐ GSW ☐ Temp. Abd.  
☐ CM (Coal Bed Methane)  
☐ Cathodic ☐ Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:

Operator:

Well Name:

Original Comp. Date: Original Total Depth:

- ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD  
☐ Conv. to GSW

☐ Plug Back: Plug Back Total Depth

☐ Commingled Permit #:

☐ Dual Completion Permit #:

☐ SWD Permit #:

☐ ENHR Permit #:

☐ GSW Permit #:

07/23/2012 07/27/2012 07/28/2012

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 15-207-28219-00-00

Spot Description:

NE NE NW NW Sec. 35 Twp. 23 S. R. 16 ☒ East ☐ West

5115 Feet from ☐ North / ☒ South Line of Section

4125 Feet from ☒ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☒ SE ☐ SW

County: Woodson

Lease Name: Section 35 Well #: 94-12

Field Name:

Producing Formation: Mississippi

Elevation: Ground: 1027 Kelly Bushing: 1032

Total Depth: 1440 Plug Back Total Depth:

Amount of Surface Pipe Set and Cemented at: 40 Feet

Multiple Stage Cementing Collar Used? ☐ Yes ☒ No

If yes, show depth set: Feet

If Alternate II completion, cement circulated from: 0

feet depth to: 40 w/ 10 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 100 bbls

Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite:

Operator Name:

Lease Name: License #:

Quarter Sec. Twp. S. R. ☐ East ☐ West

County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

☐ Letter of Confidentiality Received

Date:

☐ Confidential Release Date:

☒ Wireline Log Received

☐ Geologist Report Received

☐ UIC Distribution

ALT ☐ I ☒ II ☐ III Approved by: Deanna Garrison Date: 08/29/2012



1091753

Operator Name: Laymon Oil II, LLC Lease Name: Section 35 Well #: 94-12  
 Sec. 35 Twp. 23 S. R. 16 ☒ East ☐ West County: Woodson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey  Cores Taken Electric Log Run Electric Log Submitted Electronically <i>(If no, Submit Copy)</i>  List All E. Logs Run:  Gamma Ray Neutron	<div style="display: flex; justify-content: space-between;"> <span><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</span> <span><input type="checkbox"/> Log      Formation (Top), Depth and Datum      <input type="checkbox"/> Sample</span> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <span>Name Attached</span> <span>Top Attached</span> <span>Datum Attached</span> </div>
---	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10.2500	8.6250	24	40	portland	10	
Production	6.1250	4.5000	10	1440	common	240	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
— Perforate				
— Protect Casing	-			
— Plug Back TD				
— Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR.			Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	--	---

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Section 35 94-12
Doc ID	1091753

#### Tops

Formation	Top	Bottom
Soil	0	9
Shale	9	160
Lime	160	190
Shale	190	200
Lime	200	420
Shale	420	458
Lime	458	592
Shale	592	596
Lime	596	640
Shale	640	815
Lime	815	975
Shale	975	1004
5' Lime	1004	1008
Shale	1008	1010
Upper Squirrel Sand	1010	1020
Shale	1020	1059
Cap Rock	1059	1060
Shale	1060	1345
Mississippi Lime	1345	1440

THE NEW KLEIN LUMBER COMPANY  
201 W. MADISON  
P.O. BOX 885  
IOLA, KS 66749  
PHONE: (620) 365-2201

PAGE NO 1

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447				NET 10TH OF MONTH	DE	4/24/12	4:56

S O L D  T O	LAYMON OIL II 1998 SQUIRREL RD  NEOSHO FALLS KS 66758	S H I P  T O
--------------------------------	--	--------------------------------

DEL. DATE: 4/24/12 TERM#551

DOCH 255131  
\*\*\*\*\*  
\* ORDER \*  
\*\*\*\*\*

TAX : 001 IOLAL IOLA

OROR 255131

SHIPPED	ORDERED	UM	SKU	DESCRIPTION	LOCATION	UNITS	PRICE/PER	EXTENSION
	200	EA	PC	PORTLAND CEMENT		200	9.45 /EA	1,890.00
<p>MJ Jones 1-12 10 sks</p> <p>Keske 19-12 10 sks</p> <p>Keske 18-12 10 sks</p> <p>Keske 17-12 10 sks</p> <p>Keske 27-12 10 sks</p> <p>Keske 26-12 10 sks</p> <p>Keske 25-12 10 sks</p> <p>Dec. 35 94-12 10 racks</p>								

\*\* ORDER \*\* ORDER \*\* ORDER \*\* ORDER \*\* ORDER \*\* ORDER \*

\*\* DEPOSIT AMOUNT \*\*

\*\* BALANCE DUE \*\*

\*\* PAYMENT RECEIVED \*\*

TAXABLE 1890.00

0.00 NON-TAXABLE 0.00

2,051.60 SUBTOTAL 1890.00

0.00

TAX AMOUNT 161.60

TOTAL AMOUNT 2051.60

X

RECEIVED BY

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



## CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

## NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

1A005  
RAYMOND OIL II, L.L.C.  
1994 SOUTHERN RD.

1A112  
RAYMOND OIL  
544 TO HILLMAN TO SOUTH RD  
N TO SQUIRREL RD S E 1/4  
SECTION 35 WELL# 94  
NEOCHO FALLS, KS 66758

NEOCHO FALLS, KS  
66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
07:52:20	WELL	12.00 yd	24.00 yd	% CAI 0.00	DM 34	% AIR 0.00	10000
DATE		LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
07-28-12	o Date nday	1 1	12.00 yd 12.00 yd	2157H	6/yd 0.0	4.00 in	30263

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)  
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.  
SIGNED

X

**Excessive Water is Detrimental to Concrete Performance**  
**H<sub>2</sub>O Added By Request/Authorized By**

GAL X

WEIGHMASTER

**NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.**

LOAD RECEIVED BY:

X *Mike*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
12.00	WELL	WELL (12 BAGS PER UNIT)	12.00	
2.00	TRUCKING	TRUCKING CHARGE	2.00	

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
8:26	8:58			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



## CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

## NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAYMON OIL II, L.L.C.  
1000 SQUIRREL RD.

NEOSHO FALLS, KS  
64758

LAYMON OIL  
50 W TO WILLOW N TO 200TH RD  
W TO SQUIRREL RD S E 1/4  
SEXTON 35 WELL# 94  
NEOSHO FALLS, KS 64758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	PLANT/TRANSACTION #
08:00:00	WELL	24.00 yd	24.00 yd	3 CAL	JH	W0000
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
07/02/10	6 Date today	24.00 yd	21570	0.00	4.00 in	32864

## WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

## PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED

X \_\_\_\_\_

## Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X \_\_\_\_\_

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X \_\_\_\_\_

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
12.00	WELL	WELL (10 SACKS PER UNIT)	24.00	
2.00	TRUCKING	TRUCKING CHARGE	4.00	

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY J 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
8:21	8:55			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

ADDITIONAL CHARGE 1 \_\_\_\_\_

ADDITIONAL CHARGE 2 \_\_\_\_\_

GRAND TOTAL ►