



KANSAS CORPORATION COMMISSION 1091757  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710  
Name: Laymon Oil II, LLC  
Address 1: 1998 SQUIRREL RD  
Address 2:  
City: NEOSHO FALLS State: KS Zip: 66758 + 7124  
Contact Person: Michael Laymon  
Phone: ( 620 ) 963-2495  
CONTRACTOR: License # 32710  
Name: Laymon Oil II, LLC  
Wellsite Geologist: None  
Purchaser:

Designate Type of Completion:

- ☒ New Well ☐ Re-Entry ☐ Workover  
☒ Oil ☐ WSW ☐ SWD ☐ SLOW  
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW  
☐ OG ☐ GSW ☐ Temp. Abd.  
☐ CM (Coal Bed Methane)  
☐ Cathodic ☐ Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:

Operator:

Well Name:

Original Comp. Date: Original Total Depth:

- ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD  
☐ Conv. to GSW

☐ Plug Back: Plug Back Total Depth

☐ Commingled Permit #:

☐ Dual Completion Permit #:

☐ SWD Permit #:

☐ ENHR Permit #:

☐ GSW Permit #:

07/28/2012 07/30/2012 08/01/2012

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 15-207-28220-00-00

Spot Description:

NE NW NE NW Sec. 35 Twp. 23 S. R. 16 ☒ East ☐ West  
5115 Feet from ☐ North / ☒ South Line of Section  
3465 Feet from ☒ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☒ SE ☐ SW

County: Woodson

Lease Name: Section 35 Well #: 95-12

Field Name:

Producing Formation: Mississippi

Elevation: Ground: 1034 Kelly Bushing: 1039

Total Depth: 1430 Plug Back Total Depth:

Amount of Surface Pipe Set and Cemented at: 40 Feet

Multiple Stage Cementing Collar Used? ☐ Yes ☒ No

If yes, show depth set: Feet

If Alternate II completion, cement circulated from: 0

feet depth to: 40 w/ 10 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 100 bbls

Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite:

Operator Name:

Lease Name: License #:

Quarter Sec. Twp. S. R. ☐ East ☐ West

County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

☐ Letter of Confidentiality Received

Date:

☐ Confidential Release Date:

☒ Wireline Log Received

☐ Geologist Report Received

☐ UIC Distribution

ALT ☐ I ☒ II ☐ III Approved by: Deanne Garrison Date: 08/29/2012



1091757

Operator Name: Laymon Oil II, LLC Lease Name: Section 35 Well #: 95-12  
 Sec. 35 Twp. 23 S. R. 16 ☒ East ☐ West County: Woodson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☐ Yes ☒ No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey ☐ Yes ☒ No

Cores Taken ☐ Yes ☒ No

Electric Log Run ☒ Yes ☐ No

Electric Log Submitted Electronically ☒ Yes ☐ No  
 (If no, Submit Copy)

List All E. Logs Run:

Gamma Ray Neutron

☐ Log Formation (Top), Depth and Datum ☐ Sample  
 Name Top Datum  
 Attached Attached Attached

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10.2500	8.6250	24	40	portland	10	
Production	6.1250	4.5000	10	1425	common	220	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing	-			
___ Plug Back TD				
___ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. (Submit ACO-5) <input type="checkbox"/> Commingled (Submit ACO-4) <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	--	--

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Section 35 95-12
Doc ID	1091757

Tops

Formation	Top	Bottom
Soil	0	7
Shale	7	160
Lime & Shale	160	220
Lime	220	480
Shale	480	510
Lime	510	620
Shale	620	815
Lime	815	915
Shale	915	1012
Upper Squirrel Sand	1012	1018
Shale	1018	1067
Cap Rock	1067	1068
Shale	1068	1338
Mississippi Lime	1338	1366
Lime	1366	1430

THE NEW KLEIN LUMBER COMPANY  
201 W. MADISON  
P.O. BOX 805  
IOLA, KS 66749  
PHONE: (620) 365-2201

PAGE NO 1

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447				NET 10TH OF MONTH	DE	4/24/12	4:56

S O L D  T O	LAYMON OIL II 1998 SQUIRREL RD  NEOSHO FALLS KS 66758	S H I P  T O	
--------------------------------	--	--------------------------------	--

DEL. DATE: 4/24/12 TERM#551

DOCH 255131  
\*\*\*\*\*  
\* ORDER \*  
\*\*\*\*\*

TAX : 001 IOLA IOLA

ORDR 255131

SHIPPED	ORDERED	UM	SKU	DESCRIPTION	LOCATION	UNITS	PRICE/PER	EXTENSION
	200	EA	PC	PORTLAND CEMENT		200	9.45 /EA	1,890.00
<i>MJ Jones 1-12 10 sks</i> <i>Keske 19-12 10 sks</i> <i>Keske 18-12 10 sks</i> <i>Keske 17-12 10 sks</i> <i>Keske 27-12 10 sks</i> <i>Keske 26-12 10 sks</i> <i>Keske 25-12 10 sks</i> <i>Dec. 35 94-12 10 sacks</i> <i>Dec 35 95-12 10 sacks</i>								

\*\* ORDER \*\* ORDER \*\* ORDER \*\* ORDER \*\* ORDER \*\* ORDER \*\*

\*\* DEPOSIT AMOUNT \*\*

\*\* BALANCE DUE \*\*

\*\* PAYMENT RECEIVED \*\*

TAXABLE 1890.00  
0.00 NON-TAXABLE 0.00  
2,051.60 SUBTOTAL 1890.00

0.00  
TAX AMOUNT 161.60  
TOTAL AMOUNT 2051.60

X

RECEIVED BY

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



## CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

## NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

10000  
LAWSON OIL CO.  
1900 SOUTHERN RD.

RECORD TOLLS 10/15/78  
00/50

10017  
LAWSON OIL  
54 N 10 WILLOW ST  
W TO SOUTHERN RD  
SECTION 30 WILLOW ST  
RECORD TOLLS 10/15/78

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	YARDS DEL.	DRIVER/TRUCK	WATER TRIM	PLANT/TRANSACTION #
10:12:32	WELL	11.00 yd	22.00 yd	0.00	31	0.00	10000
DATE	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
08-01-17	today	22.00 yd	01610	0.0	4.00 in	20081	

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/Hr.

## PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not tice the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED

X

## Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
11.00	WELL	WELL (10 SACKS PER UNIT)	22.50	
11.00	MIXHAUL	MIXHAUL	22.00	

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
10:00				
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS**  
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allowed time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength lost when water is added at customer's request.

**NOTICE TO OWNER**  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA905  
LAYMON OIL II, L.A.C.  
1998 SQUIRREL RD.

NETTEND FALLS MS  
66758

LA11/2  
LAYMON OIL  
34 1110 WILLOW H TO SOUTH RD  
H TO SQUIRREL RD S E 50  
OCTON 35 WILLOW 90 11  
NETTEND FALLS, MS 66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	DRIVER/TRUCK	PLANT/TRANSACTION #	
10:00:00	WELL	11.00 yd	11.00 yd	34	WOOD	
DATE	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
09 01 11	034	11.00 yd	21000	0.0	4.00	32000

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

## PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it passes the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and the supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED

X

## Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

X Mike

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
11.00	WELL	WELL (10 SACKS PER UNIT)	11.00	
2.00	TRUCKING	TRUCKING CHARGE	2.00	
11.00	MIXING & HAULING	MIXING & HAULING	11.00	

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
10:32	11:00			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL