



KANSAS CORPORATION COMMISSION 1090150
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280
Name: Birk, Brian L. dba Birk Petroleum
Address 1: 874 12TH RD SW
Address 2: _____
City: BURLINGTON State: KS Zip: 66839 + 9255
Contact Person: Brian L Birk
Phone: (620) 364-5875
CONTRACTOR: License # 30567
Name: Rig 6 Drilling Co., Inc.
Wellsite Geologist: None
Purchaser: Coffeyville Resources

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SLOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

<u>05/18/2012</u>	<u>05/23/2012</u>	<u>05/23/2012</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-207-28102-00-00

Spot Description: _____
N2 NW SE SW Sec. 26 Twp. 25 S. R. 15 East West

1155 Feet from North / South Line of Section

3630 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: Woodson

Lease Name: Dale Adams Well #: 14

Field Name: Yates Center

Producing Formation: Squirrel

Elevation: Ground: 1087 Kelly Bushing: 1087

Total Depth: 1471 Plug Back Total Depth: 1450

Amount of Surface Pipe Set and Cemented at: 40 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: 1450

feet depth to: 0 w/ 200 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 0 bbls

Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: Deanna Garrison Date: 08/20/2012



1090150

Operator Name: Birk, Brian L. dba Birk Petroleum Lease Name: Dale Adams Well #: 14
 Sec. 26 Twp. 25 S. R. 15 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No

Electric Log Submitted Electronically Yes No
 (If no, Submit Copy)

List All E. Logs Run:

Gamma Ray/Neutron

Log Formation (Top), Depth and Datum Sample

Name	Top	Datum
Squirrel Sand	1039	+48
Mississippi	1422	-335

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	12.25	8.625	18	40	Portland	12	Calcium
Long String	6.125	2.875	6.5	1450	Portland	200	

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
____ Perforate				
____ Protect Casing	-			
____ Plug Back TD				
____ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
3	1040-1046, 1090-1100	Frac w/80 sx sand	1040-1046, 1090-1100

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. 05/30/2012
 Producing Method: Flowing Pumping Gas Lift Other (Explain) _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	5				

DISPOSITION OF GAS:	METHOD OF COMPLETION:	PRODUCTION INTERVAL:
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled (Submit ACO-5) (Submit ACO-4) <input type="checkbox"/> Other (Specify) _____	_____ _____ _____

802 N. Industrial Rd.
 P.O. Box 664
 Iola, Kansas 66749
 Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, driveway, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength loss when water is added at customer's request.
NOTICE TO OWNER
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

RD001

B & B COOPERATIVE VENTURES
 300 S. FOURTH ST.

BURLINGTON, IOWA

BURLINGTON, IOWA
 B & B COOPERATIVE VENTURES
 300 S. FOURTH ST.
 BURLINGTON, IOWA 52601

DATE	FORMULA	LOAD SIZE	YARDS ORDERED	DRIVER TRUCK	PLANT/TRANS/LOCATION	
05-23-10	WELL	10.00	10.00 yd	2064	WELL	
DATE	LOAD #	YARDS DEL.	BATCH #	WATER TRIM	SUMP	TICKET NUMBER
05-23-10	1	10.00 yd	2064			

WARNING
IRRITATING TO THE SKIN AND EYES
 Contains Portland Cement, Wax, Rubber, Boli, and Grease. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.
 CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.
 The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
 A \$20 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
 Excess Dolly Time Charged @ \$99/Hr.

PROPERTY DAMAGE RELEASE
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it does not move every way that we can, but in order to get the driver it is necessary that you sign this RELEASE relieving the supplier from any responsibility from any damage that may result to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material and that you also agree to sign this release from the wheels of his vehicle so that he will not risk the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and the supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
 GAL X
 WESLEY WEAVER
NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
 LOAD RECEIVED BY: _____

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXPANDED PRICE
10.00	WELL	WELL (10 BAGS PER YARD)	51.00	510.00
10.00	MIXHAUL	MIXING / TRUCKING	20.00	200.00
2.50	TRUCKING	TRUCKING CHARGE	50.00	125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION / CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		ADDITIONAL CHARGE 2
GRAND TOTAL				

802 N. Industrial Rd.
 P.O. Box 664
 Iola, Kansas 66749
 Phone: (620) 366-5588

Payless Concrete Products, Inc.



CONDITIONS

Concrete to be delivered to the nearest accessible point over possible road under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO

88001

B & B COOPERATIVE MEASURES
 200 S. FOURTH ST.

814712

B & B COOPERATIVE MEASURES

24 HWY 100 IOLA, KS 66701

500 WEST 100TH ST

1000 10TH ST

814712

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	WATER	DRIVER/TRUCK	PLANT/TRANSACTION #
08:15:35	WFL	10.00 yd	20.00 yd	0.00	TM	
DATE	LOAD #	YARDS DEL.	BATCH #	WATER TRIM	SLUMP	TRUCK NUMBER
05-23-12	2	20.00 yd	20047	0.0	4.00	

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS

This undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reaction Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/Hr.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the make and weight of the truck may possibly cause damage to the premises or other adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and the supplier from any responsibility from any damage that may occur to the premises, other adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of the material, and that you also agree to hold him harmless from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and the supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

X

Excessive Water is Detrimental to Concrete Performance

H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
10.00	WFL	WELL MIX CONCRETE PER UNIT	30.00	300.00
10.00	MTX	10' DIA & HIGH CURB	25.00	250.00
<i>Truck Charge</i>				

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
		12:00	1. JOBS NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AVOIDS JOBS 4. CONTRACTOR BROKE DOWN 5. EXCESS WATER	
LEFT PLANT	ARRIVED JOB	START UNLOADING	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
4:25	8:44	11:10		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		
GRAND TOTAL				760.00