

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1090715

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34483			API No. 15 - 13-121-29070-00-00		
Name: L & P Enterprises, LLC			Spot Description:		
Address 1: 29975 INDIANAPOLIS RD			NW_NE_SW_NW Sec. 5 Twp. 17 S. R. 22 ▼ East West		
Address 2:		66071	1488 Feet from ☑ North / ☐ South Line of Section		
		:+	Feet from East / West Line of Section		
Contact Person: Kevin			Footages Calculated from Nearest Outside Section Corner:		
Phone: (913) 238	8-0404		□ NE ☑NW □ SE □SW		
CONTRACTOR: License	#_8509		County: Miami		
	Development, Inc.	· · ·	Lease Name:DONNER Well #:		
Wellsite Geologist: NA			Field Name: Paola-Rantoul		
Purchaser:			Producing Formation: Squirrel		
Designate Type of Compl	letion:		Elevation: Ground: 1090 Kelly Bushing: 1100		
✓ New Well	Re-Entry	Workover	Total Depth: .730 Plug Back Total Depth:		
☑ Oil ☐ W	sw 🗌 swd	SIOW	Amount of Surface Pipe Set and Cemented at: 23 Feet		
Gas D	&A 🗌 ENHR	SIGW	Multiple Stage Cementing Collar Used?		
☐ og	☐ GSW	Temp. Abd.	If yes, show depth set:Feet		
CM (Coal Bed Meth	hane)		If Alternate II completion, cement circulated from:		
Cathodic Other (Core, Expl., etc.):			feet depth to:w/sx cmt.		
If Workover/Re-entry: Old	d Well Info as follows:				
Operator:	war and the second				
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)		
Original Comp. Date:	Original To	ital Depth:	•		
	_	ENHR Conv. to SWD	Chloride content: 0 ppm Fluid volume: 50 bbls		
	Conv. to		Dewatering method used: Evaporated		
☐ Plug Back:	Plug	*	Location of fluid disposal if hauled offsite:		
Commingled			OtNo		
Dual Completion	Permit #:		Operator Name:		
SWD	Permit #:		Lease Name: License #:		
ENHR	Permit #:	· · · · · · · · · · · · · · · · · · ·	Quarter Sec TwpS. R		
 ☐ GSW	Permit #:	·	County: Permit #:		
5/1/2012	5/3/2012	8/15/2012			
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

Confidential Release Date:					
☑ Wireline Log Received					
08/21/2012					

1090715

Operator Name: L & P Enterprises, LLC					Name: _	DONNER		Well#: D'	18	
Sec. 5 Twp. 17 S. R. 22										
INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.										
Drill Stem Tests Taker	Ye	es 📝 No			og Formatio	n (Top), Depth an	d Datum		Sample	
Samples Sent to Geo	logical Survey	Ye	es 🔽 No	Nam		ie naRay		Тор		Datum
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		✓ Yes								
List All E. Logs Run:				4						
GammaRay/Neutro	n/CCL						•			
	1	Pana	•	RECORD	√ No	ew Used	ion ata			
Purpose of String	Size Hole	Siz	e Casing	Weig	ht	Setting	Type of	# Sacks		and Percent
Surface	Drilled 9.875	7	(In O.D.)	Lbs. /	FL.	Depth 23	Cement Portland	Used 5	Additives 50/50 POZ	
Completion	5.625	2.875		6.5	-	722	Portland			POZ
	_									
			ADDITIONAL	_ CEMENTIN	1G / SQI	JEEZE RECORD	J.,		<u> </u>	
Purpose: Perforate	Depth Top Bottom	Type of Cement		# Sacks	Used Type and Percent Additives		s	-		
Protect Casing Plug Back TD Plug Off Zone	-									:
Plug Oli Zone				<u> </u>						
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)					Depth				
4	659.0-669.0				2" DML RTG 10			10		
					-			· · · · · · · · · · · · · · · · · · ·		
								•		
							 			
TUBING RECORD:	Size:	Set At:		Packer At	:	Liner Run:	Yes No			ı
Date of First, Resumed	Production, SWD or EN	IHR.	Producing Meti	hod:	·	Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.		Mcf	Water Bbls.			Gas-Oil Ratio		Gravity
							· · · · · · · · · · · · · · · · · · ·			
DISPOSITION Sold	ON OF GAS:		_	METHOD OF	Dually	Comp. Cor	nmingled	PRODUCTI	ON INTER	.VAL:
(Submit ACO-5) (Submit ACO-4)										



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG L & P Enterprises, LLC Donner #D18 API#15-121-29,070 May 1 - May 2, 2012

Thickness of Strata	Formation	Total
10	soil & clay	10
16	lime	26
9	shale	35
51	lime	86
92	shale	178
15	lime	193
6	shale	1 9 9
4	lime	203
11	gr∈y sand	214
-12	shale	226
. 5	lime	231
42	shale	273
7	time	280
16	shale	296
10	lime	306
12	shale	318
5	lime	323
8	shale	331
21	lime	352
5	shale	357
5	lime	362
3	shale	365
4	fime	369
21	shale	390
20	brcken sand	410
5	silty shale	415
65	shale	480
7	broken sand	487
53	shale	540
7	lime	547
6	shale	553
2	lime -	555
65	shale	620
7	lime 🕟	627
20	shale	647
3	' lime	650
2	shale	652
1	lime & shells	653

Donner #D18		Page 2
4	shale	657
2	broken sand	659
8	oil sand.	667
5	broken sand	672
58	grey sand	730 TD

Drilled a 9 7/8" hole to 23.3' Drilled a 5 5/8" hole to 730'

Set 23.03' of 7" surface casing cemented with 5 sacks of cement

Set 722' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe, 1 clamp and 1 baffle



LOCATION O Hawa IKS

PO Box 884, Chanute, KS 66720		ΙĽ
520-431-9210 or 800-467-8676	77	

FIELD TICKET & TREATMENT REPORT

DATE	CUSTOMER#	PUUN	NAME & NUM	BER BER	SECTION	TOWNSHIP	RANGE	COUNTY
5/3/12	4828	Wind		. /8	NW 5	17	20	ļ
USTOMER				T			<u> </u>	ER Mi
L & J	P Enterp	rises, LL	<u> </u>	-	TRUCK#	DRIVER	TRUCK#	DRIVER
		. 1.	~ 1		506	FREMAD	Safet	note
299-	75 Ind.	STATE	IZIP CODE		495	HARBEC	1413	
			66071		369	DERMAS		
Paole	mectury			J NOLE DEST	<u> </u>	RYASIN	<u> 75 </u>	<u></u> _
ASING DEPTH	727	DOLE SIZE	<u> </u>	TUBIAC	73.5	CASING SIZE & V		EUE
		SLUBBY VOI		WATER anti-		CEMENT LEFT In	OTHER	() ()
	T 4.2 BBL	DISPLACEMENT	T PSI	MIX PSI		RATE SBP		Pluc
						ventur Co		
mly	* Pinns	113 5Ks	50 / 5 0	Day A	1.5	nt 2% hel	2 Flosh.	., ,
<u> </u>	the E	luch Duy	20 + /V	45 /Jec	na Dis	ale a of	· Center	* 10
alu	s to car	since TID	Pres	50/e	20 810 B	place 2/2 PSI. Relea	C- Other	<u>~</u>
10	cex Ale	sal valu	e .5 hu	in Cas	·ke	TOP TOTAL	se press	UVE
,					0			
								
						1		
Evan	re Evergi	a Dev. J	Inc.			Fred	Istaclu	
	, ,	7	,					
CODE	QUANITY	or UNITS	DE	SCRIPTION of	SERVICES or PE	RODUCT	UNIT PRICE	TOTAL
5401		^	PUMP CHARG	Ε		495		103000
5406		20mi	MILEAGE			495		28000
5402		22	Casing					N/C
5707	12 Minin		75n V			558		17500
2235C	151	11	8c BB	L Vac 7	ruck.	3 69		13500
								
1127		13 sks	50,50	or Mix	ement			123735
111813	2	904	(rem)	un al			**	6095
4402			<u> 3%." R</u>	ر سطاطن	Olu		·	28 @
					<u> 2</u>			
` _					·			
·					· · ·	9		
_						TO ALL		25/11/20
						SCANA	EN	P. M. L.
	· · · · · · · · · · · · · · · · · · ·			··-			*	
	· · · · · · · · · · · · · · · · · · ·					2		100.13
in 3737	77/		 	0.10-	7.5°57	6796	SALES TAX	100 5
	1/1=	4/2	-and	2495	100	•	ESTIMATED TOTAL	2846-3
THORIZTION	Jun			TITLE			DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this fo.

	Core Times						
	<u>Minutes</u>	Seconds					
657		34					
658	. 1	13					
659	1	1					
660	1	1					
661		35					
662		34					
663		38					
664		56					
665	1	26					
666	1	35					
667	1	47					
66 8	2	0					
669	2	53					
670	2	6					
671		42					
672	4	24					
673	5	11					
674	5	. 5					