



KANSAS CORPORATION COMMISSION 1079141
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CONFIDENTIAL

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34192
Name: SandRidge Exploration and Production LLC
Address 1: 123 ROBERT S. KERR AVE
Address 2: _____
City: OKLAHOMA CITY State: OK Zip: 73102 + 6406
Contact Person: Tiffany Golay
Phone: (405) 429-6543
CONTRACTOR: License # 34464
Name: Lariat Services, Inc.
Wellsite Geologist: William Scott
Purchaser: MV Purchasing, LLC (oil), Oneok (gas)

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth _____
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____
4/12/2012 5/5/2012 5/7/2012
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 15-055-22135-01-00
Spot Description: _____
NE NW NW NW Sec. 36 Twp. 22 S. R. 31 East West
200 Feet from North / South Line of Section
400 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Finney
Lease Name: Isaac Farms Well #: 1-36H
Field Name: _____
Producing Formation: Mississippian
Elevation: Ground: 2888 Kelly Bushing: 1868
Total Depth: 9271 Plug Back Total Depth: 9291
Amount of Surface Pipe Set and Cemented at: 1264 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: _____
feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 10000 ppm Fluid volume: 2100 bbls
Dewatering method used: Hauled to Disposal
Location of fluid disposal if hauled offsite: _____
Operator Name: Weinett Disposal LLC
Lease Name: NW 1/4 section 1079 Block 43 License #: 99999
Quarter NW Sec. 9 Twp. 9 S. R. 9 East West
County: Lipscomb, TX Permit #: 99999

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: 08/10/2012
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Deanna Garris Date: 08/16/2012

Archer Directional Drilling Services

Sandridge Energy, INC.(mid-con.)
 Isaac Farms 1-36H - Archer Survey

Finney County (KS27S)
 Sec 36-T22S-R31W
 Your Ref:

Measured Depth (ft)	Incl.	Azim.	Vertical Depth (ft)	Northings (ft)	Eastings (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)
0	0	0	0	0	0	0	0
284	0.6	328.1	283.99	1.26	-0.79	-1.25	0.21
720	0.3	328.1	719.98	4.17	-2.6	-4.13	0.07
1186	0.8	328.1	1185.96	7.97	-4.96	-7.88	0.11
1391	0.8	328.1	1390.94	10.4	-6.47	-10.29	0
1861	0.9	320.9	1860.89	16.05	-10.53	-15.87	0.03
2327	0.9	294.5	2326.83	20.41	-16.17	-20.14	0.09
2796	0.8	284.7	2795.78	22.76	-22.69	-22.39	0.04
3272	0.5	281.5	3271.75	24.02	-27.94	-23.56	0.06
3749	0.3	283.1	3748.74	24.72	-31.2	-24.2	0.04
3909	0.3	254.9	3908.73	24.7	-32.01	-24.17	0.09
3941	0.3	165.4	3940.73	24.6	-32.07	-24.07	1.32
3973	1.5	153	3972.73	24.15	-31.86	-23.62	3.78
4005	3.6	166.4	4004.7	22.8	-31.43	-22.28	6.78
4037	6.3	172	4036.57	20.08	-30.95	-19.57	8.56
4068	9	172.2	4067.3	15.99	-30.38	-15.49	8.71
4100	11.3	170.6	4098.79	10.42	-29.53	-9.93	7.24
4132	13.4	171	4130.05	3.66	-28.44	-3.19	6.57
4164	15.9	171.5	4161.01	-4.33	-27.21	4.78	7.82
4196	18	170.8	4191.62	-13.55	-25.77	13.97	6.59
4228	20.3	172	4221.84	-23.93	-24.21	24.33	7.29
4260	22.5	174	4251.64	-35.52	-22.8	35.89	7.24
4291	24.7	175.3	4280.04	-47.87	-21.65	48.22	7.29
4323	26.2	176.7	4308.94	-61.59	-20.69	61.92	5.05
4355	27.9	177.8	4337.43	-76.13	-20	76.45	5.54
4387	29.9	178	4365.45	-91.58	-19.43	91.89	6.26
4419	31.7	178.4	4392.93	-107.96	-18.92	108.25	5.66
4451	33.7	178.6	4419.86	-125.24	-18.47	125.52	6.26
4483	35.7	178.7	4446.17	-143.45	-18.04	143.73	6.25
4515	37.1	179.2	4471.92	-162.43	-17.69	162.7	4.47
4547	39.3	178.9	4497.07	-182.22	-17.36	182.48	6.9
4579	42.3	178	4521.29	-203.12	-16.79	203.37	9.55

4611	44.4	177.5	4544.56	-225.07	-15.93	225.3	6.65
4643	46.1	177.3	4567.09	-247.77	-14.9	247.98	5.33
4675	48.2	177	4588.85	-271.2	-13.73	271.39	6.6
4707	50.8	176.5	4609.63	-295.49	-12.35	295.65	8.21
4739	51.6	176.6	4629.68	-320.38	-10.85	320.52	2.51
4771	51.8	176.2	4649.51	-345.44	-9.27	345.55	1.16
4803	52	175.8	4669.26	-370.57	-7.51	370.64	1.17
4835	51.8	176.2	4689	-395.69	-5.76	395.73	1.17
4867	51.9	175.5	4708.77	-420.78	-3.93	420.79	1.75
4899	52	175.8	4728.49	-445.91	-2.02	445.88	0.8
4931	53.5	176.4	4747.86	-471.32	-0.29	471.26	4.92
4963	56	176.7	4766.33	-497.41	1.28	497.32	7.85
4995	58.5	177.8	4783.64	-524.29	2.57	524.17	8.33
5027	61.6	178.1	4799.61	-551.99	3.56	551.86	9.72
5059	66	178	4813.74	-580.68	4.53	580.53	13.75
5091	69.7	177.9	4825.8	-610.29	5.59	610.12	11.57
5123	71.7	177.8	4836.38	-640.47	6.73	640.27	6.26
5155	74	177.9	4845.81	-671.03	7.87	670.81	7.19
5187	77	177.7	4853.82	-701.98	9.06	701.74	9.39
5218	80.4	177.3	4859.9	-732.35	10.39	732.07	11.04
5250	83	177.9	4864.52	-763.98	11.72	763.68	8.33
5282	84.8	178.4	4867.92	-795.78	12.74	795.46	5.84
5310	87.3	178.5	4869.85	-823.7	13.5	823.37	8.94
5379	90.9	177.2	4870.93	-892.63	16.09	892.25	5.55
5411	91.2	177.2	4870.34	-924.59	17.65	924.17	0.94
5443	90.9	178.3	4869.76	-956.56	18.91	956.12	3.56
5474	90	178.8	4869.51	-987.55	19.69	987.09	3.32
5506	89.9	179.4	4869.54	-1019.54	20.19	1019.07	1.9
5538	90.1	179.2	4869.54	-1051.54	20.58	1051.06	0.88
5570	90.3	179.4	4869.43	-1083.54	20.97	1083.04	0.88
5602	90.5	179.4	4869.21	-1115.54	21.31	1115.03	0.62
5634	90.8	179.7	4868.84	-1147.53	21.56	1147.02	1.33
5666	90.9	179.7	4868.37	-1179.53	21.73	1179.01	0.31
5698	91	180.1	4867.84	-1211.52	21.78	1211	1.29
5730	90.9	179.9	4867.31	-1243.52	21.78	1242.99	0.7
5762	91.1	179.7	4866.75	-1275.51	21.9	1274.98	0.88
5794	90.4	180.1	4866.33	-1307.51	21.95	1306.97	2.52
5858	90.8	180.7	4865.66	-1371.51	21.5	1370.96	1.13
5953	91.2	180.3	4864	-1466.49	20.68	1465.95	0.6
6049	90.5	180.5	4862.58	-1562.47	20.01	1561.93	0.76
6144	91.8	181.2	4860.67	-1657.44	18.6	1656.91	1.55
6240	89.8	181	4859.33	-1753.41	16.75	1752.89	2.09
6336	89.6	181	4859.83	-1849.39	15.08	1848.89	0.21
6431	89.8	181.8	4860.33	-1944.36	12.76	1943.89	0.87
6527	89.7	182.1	4860.75	-2040.31	9.49	2039.87	0.33
6623	90.4	182.2	4860.67	-2136.24	5.89	2135.85	0.74
6719	90.6	181.5	4859.83	-2232.18	2.79	2231.83	0.76

6815	90.1	182.2	4859.24	-2328.13	-0.31	2327.82	0.9
6911	90.2	182.3	4858.99	-2424.06	-4.08	2423.79	0.15
7007	90.6	182.9	4858.32	-2519.96	-8.43	2519.75	0.75
7102	89.6	182.9	4858.15	-2614.83	-13.24	2614.69	1.05
7198	90.3	183.4	4858.24	-2710.69	-18.51	2710.62	0.9
7294	90.9	183.6	4857.23	-2806.5	-24.37	2806.52	0.66
7390	89.8	182.7	4856.65	-2902.35	-29.65	2902.45	1.48
7485	89.6	182.6	4857.14	-2997.25	-34.04	2997.4	0.24
7580	88.2	182.3	4858.97	-3092.14	-38.1	3092.35	1.51
7676	88.7	181.4	4861.56	-3188.06	-41.2	3188.3	1.07
7771	90.1	179.3	4862.56	-3283.04	-41.78	3283.28	2.66
7867	91	180.1	4861.64	-3379.03	-41.28	3379.25	1.25
7963	91.6	179.6	4859.46	-3475.01	-41.03	3475.21	0.81
8058	92.2	179.4	4856.31	-3569.95	-40.2	3570.13	0.67
8154	91.7	179.6	4853.04	-3665.89	-39.36	3666.04	0.56
8250	89.7	179.5	4851.87	-3761.88	-38.61	3762	2.09
8345	89.3	179.6	4852.7	-3856.87	-37.86	3856.97	0.43
8441	89.4	180	4853.79	-3952.86	-37.52	3952.94	0.43
8537	89.1	180.2	4855.04	-4048.85	-37.69	4048.92	0.38
8633	90.5	180.2	4855.38	-4144.85	-38.03	4144.91	1.46
8729	90.5	180.6	4854.54	-4240.84	-38.7	4240.91	0.42
8824	90.4	180.5	4853.8	-4335.84	-39.61	4335.9	0.15
8919	90.5	179.6	4853.05	-4430.83	-39.69	4430.88	0.95
9015	91.1	178.6	4851.71	-4526.81	-38.18	4526.82	1.21
9111	91.5	178.4	4849.53	-4622.75	-35.67	4622.71	0.47
9217	91.9	177.3	4846.39	-4728.63	-31.7	4728.51	1.1
9271	91.9	177.3	4844.6	-4782.54	-29.15	4782.37	0

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North. Vertical depths are relative to WELL. Northings and Eastings are relative to Well.

The Dogleg Severity is in Degrees per 100 feet.

Vertical Section is from Slot and calculated along an Azimuth of 180.946° (Grid).

Coordinate System is NAD 1927 (NADCON CONUS) US State Plane 1927 (Exact solution), Kansas South 1 Central meridian is -98.500°.

Grid Convergence at Surface is -1.340°.

Based upon Minimum Curvature type calculations, at a Measured Depth of 9271.00ft., the Bottom Hole Displacement is 4782.63ft., in the Direction of 180.946° (Grid).