5-4 MAY 2 3 1984

ΛΤο:	API NUMBER 15- Completed 3-5-65
STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTIONED 200 COLORADO DERBY BUILDING RECEIVED WICHITA, KANSAS 67202 STATE CORPORATION COMMIS	SION 810 feet from XXX/S section line
TECHNICIAN'S PLUGGING REPORT MAY 1 1 1984	feet from WAS section line
Operator License 5 5447 CONSERVATION DIVISION	, , , , , , , , , , , , , , , , , , , ,
Operator: Cities Service Oil & Gawichita Kansas	County Ness
Address 800 Sutton Place	Well Total Depth 4371 / 42.06 feet
Wichita, KS 67202	Conductor Pipe: Sizefeet
	Surface Casing: Size 8 5/8 feet 509
Abandoned Oll Well X Gas Well Ir	put WellD&A
Other well as hereinafter indicated	
Plugging Contractor Halliburton Services	License Number 5287
Address 6th Floor Colorado Derby Building, V	
Company to plug at: Hour: 11:00 am Day: 4	
Plugging proposal received from Bob Walters	1607:19
	316-265-5624
(company name) Cities Services	•
were: 4 1/2 set at 4371 PBTD 4367 Perfs	
1st plug sand back to 4320 and cement with 4 s	
2nd plug mix and pump 3 sx hulls, 15 sx gel, 5	0 sx cement, 15 sx gel, 1 sack hulls and
release 8 5/8" rubber wiper plug and pump an a	dditional 150 sx cement
Maximum pump pressure was 1000# and shut in pr	essure was 350#
Plugging Proposal	Received by KIST A LUUTTON (TECHNICIAN)
Plugging Operations attended by Agent?: All	X Part None
Operations Completed: Hour: 12:30 pm Day: 4	Month: May Year:19 84
ACTUAL PLUGGING REPORT 4s1/2lsetsat44371% tBB	TD:4367' Perfs 4357-64'
1st plug sand back to 4320 and cement with 4	sx cement through bailer
2nd plug mix and pump 3 sx hulls, 15 sx gel, 5	0 sx cement. 15 sx gel. 1 sack hulls and
release 8 5/8" rubber wiper plug and pump an a	
Maximum pump pressure was 1000# and shut in pr	essure was 350#
Remarks: Use 60/40 Pozmix 2% gel 3% cc by Hall (if additional description is nec	iburton. They recovered 685! 4 1/2! casing. essary, use BACK of this form.)
V(Old () () () () () () () () () () () () ()	signed PSTARULTHOUN

FORM CP-2/3 Rev.01-84