Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Test:					ctions on Re	verse Side			20124-0	00.00	
Open Flo			Test Date	:				•	-0.0.		
✓ Delivera	bilty 		01/25/2	<u> 2011 - 01</u>	/26/2011				<u> </u>		
Company F.G. Holl Company, L.L.C.					Lease ENLO	Lease ENLOW				Vell Number -25	
County Location		Section		TWP			W)	A	cres Attributed		
Edwards C NW SE		25		248							
Field Embry		Reservoir Mississ			Gas Gathering Connection Lumen Energy Corp						
Completion Date				k Total Dept	h -		Packer S		orporation		
07/22/1972		4342'		••	None						
Casing Size			Internal Diameter		Set a	Set at		ations	То		
4-1/2"	- ·				435	4350'		4'-4266' O	A		
ubing Size			Internal Diameter			Set at		ations	То		
2-3/8"	4.7	#			425	90,					
ype Completio Single (Gas			Type Fluid Water	d Production	n		Pump Un	it or Traveling	Plunger? Yes /	No	
	(Annulus / Tubir	ng)	% Carbor	Dioxide			% Nitroge	∍n	Gas Gra	ivity - G	
ubing							_				
ertical Depth(I	1)			Press	ure Taps				(Meter Ru 3"	ın) (Prover) Siz	
594.	OO	1/25/2011 19	8:	00	/ALD (DID	- (1/25/20	11 40	at 8:00		
ressure Buildu								13		(AM) (PN	
ell on Line:	Started 0	1/26/2011 19	at	00	. (AM) (PM)	Taken 0	1/26/201	19	at 9:00	(AM) (PN	
				OBSERVE	D SURFAC	E DATA			Duration of Shut-i	n <u>24</u> H	
Static / Orif	Circle on	1	Flowing	Flowing Well Head		Casing		ubing			
	amic Size Meter or Differential Prover Pressure in (h)		Temperature t		Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia			od Pressure	Duration Lic (Hours)	Liquid Produce (Barrels)	
roperty inch							psig	(P _t) or (P _e)	(110013)	(Daileis)	
Shut-In					95		, , ,	7.55	24		
					-				27		
Flow				<u> </u>							
				FLOW ST	REAM ATTR	RIBUTES					
Plate	Circle one:	Press	Grav	rity	Flowing	Dev	rtation	Metered Flov	GOR	Flowin	
Coeffiecient	Meter or Prover Pressure	Extension	Factor F _g		Temperature Fa		actor R		(Cubic Fee	et/ Fluid	
(F _b) (F _p) Mcfd	psia	š P _m x H _w			F _{fi}	1	pγ	(Mcfd)	Barrel)	Gravity G _m	
			(OPEN EL (OWN (DELIN	/ERABILITY	O CALCIII	ATIONS		<u>.</u> .		
12 -	· (D.)		•	, ,		•				= 0.207	
c) ² =	: (P _*) ²	Choose formula 1 or 2.	P _d =			P _e - 14.4) +		·	(P _d) ²		
(P _c) ² - (P _a) ²	(P _e) ² - (P _w) ²	1. P.2 - P.2	LOG of			issure Curve pe = "n"	ŀ	[]	•	Open Flow	
Or (D. 12 (D. 12		2. P2-P2	formula 1. or 2.			01		.og	Antilog	Deliverability Equals R x Antilog	
(P ₆)-1 (P _d)-	divided by: P _c ²		and divide p2-p2 by: p2-p2		Assigned Standard Slope			LJ	1	Mcfd	
										_	
en Flow		Mcfd @ 14.6	_l 5 psia		Deliverabil	lity		<u>.</u>	Mcfd @ 14.65 psia	<u> </u>	
		on behalf of the Correct is true and corre			s duly autho	rized to ma		ove report and	that he has know	ledge of the fac	
					-	- <u>-</u> -		LOVE	regs s	1 March	
	Witnes	s (if any)			_			For	Сопрапу	EED •	
										FEB 0	

KCC WICHITA

	eclare under penalty or perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator F.G. Holl Company, L.L.C.
	at the foregoing information and statements contained on this application form are true and correct to
he bes	st of my knowledge and belief based upon gas production records and records of equipment installa-
ion and	d/or of type completion or upon use of the gas well herein named.
l he	ereby request a permanent exemption from open flow testing for theENLOW 3-25
gas we	ll on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
	is incapable of producing at a daily rate in excess of 250 mcf/D
)ate: _	01/28/2011
	,
	Signature: Love vest mes

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.