KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | ti | | | 6 | See Instruci | tions on Re | verse Side | 15- | 185-0 | 2941-α | OO-C | |
|--|--------------------------|---|---|--|-----------------------------------|---|---|----------------------|--|--|---|--|
| = ' | en Flow | | | Test Date |); | | | AP | No. 15 | | | |
| | liverabil | iy | | 01/24/1 | 12 | | | 15 | 001-21-44 | | | |
| Company Knighto | | Company | | | | Lease Randle | 9 | | 1 0 0 | 1 | Vell Number | |
| County Stafford | | Location NWNESW | | Section 5 | | TWP 26\$ | | | W) | , | cres Attributed | |
| Field Randle | l | | | Reservoir Lansin | g/Kansas | City | | Gas Gat Oneok | hering Conne | ection | | |
| Completion 1/15/94 | | | | Plug Bad 3930 | k Total Dept | th | | Packer S none | Set at | | | |
| Casing Size 5.5 | | Weight | | Internal Diameter | | Set at 4400 | | Perforations 3912 | | то 3916 | | |
| Tubing Size 2.375 | | Weigh | Weight | | Internal Diameter | | Set at 3912 | | rations | То | | |
| Type Con single | npletion | (Describe) | | Type Flui | d Production | n | | | nit or Traveling Imp unit | Plunger? Yes | / No | |
| • | | Annulus / Tubing |) | | % Carbon Dioxide | | | % Nitrog | en | Gas Gravity - G | | |
| annulus | | | | .045 | .045 Pressure Taps | | | 8.19 | | .718 (Meter Run) (Prover) Size | | |
| Vertical D | Depth(H) | | | | flang | j e | | | | 2" | | |
| Pressure | Buildup | : Shut in 1/2: | 32 | 0 12 at 9 | :30 am | (AM) (PM) | Taken_1/ | 24 | 20 | 12 at 9:30 ar | n (AM) (PM) | |
| Well on L | .ine: | | | 0 at | | (AM) (PM) | Taken | | 20 | at | (AM) (PM) | |
| | | | | | OBSERVE | D SURFAC | E DATA | | | Duration of Shut-i | n_24Hours | |
| Static / Dynamic Property | Orific Size (inche | Meler Prover Pressu | | Flowing Temperature t | Well Head Temperature t | Wellhead | sing Pressure P _t) or (P _c) | Wellhe | Tubling ad Pressure r (P _r) or (P _c) | Duration (Hours) | Liquid Produced (Barreis) | |
| Shut-In | <u> </u> | psig (Pm) | Inchas H ₂ 0 | | | 38.1 | 52.5 | psig | psia | 24 | | |
| Flow | | | | | | | | | | | | |
| | | | | | FLOW STF | REAM ATTE | RIBUTES | | | | 1 | |
| Plate Coeffice (F _b) (F Mcfd | ient ,) | Circle one: Meter or Prover Pressure psia | Press Extension | Grav Fac | tor | Flowing Temperature Factor F ₁₁ | Fa | lation ctor | Metered Flow R (Mcfd) | GOR (Cubic Fe Barrel) | Flowing Fluid Gravity G_ | |
| | | | | | | | | | | | | |
| /D \2 _ | | · /D \2 _ | | • | OW) (DELIV | | r) CALCUL P _e - 14.4) + | | • | (P _a) [;] (P _d) [;] | = 0.207 | |
| (P _e) ² = | T | : (P_)² = | Choose formula 1 or 2 | P ₆ = | | | essure Curve | | <u>·</u> | (' 4) | | |
| (P _c) ² - (or (P _c) ² - (| Ť | (P _c) ² - (P _w) ² | 1. P _e ² - P _e ² 2. P _e ² - P _e ² divided by: P _e ² - P _e ² | LOG of formula 1. or 2. and divide by: | P _a z-P _u z | Sid |)pe = "n" | n x | LOG | Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) | |
| | | | | | | | | | - | | | |
| Open Flo | | | Mcfd © 14. | .65 psia | | Delivera | bility | | | Mcfd @ 14.65 psi | a | |
| | | ned suthering henr | | | states that b | | · · · · · | o maka H | | ort and that he ha | | |
| | | erein, and that sa | | | | · . | 31st | gay of J | anuary | | , 20 12 | |
| | | Witness (i | f any) | | | | _/ | My Ch. | Tella-For | Company | PEOEn :== | |
| | | For Corner | issina | | | | | VII | | cked by | RECEIVED | |

FEB 0 8 2012

| | under penalty of perjury under the laws of the state of Kansas that I am authorized to request under Rule K.A.R. 82-3-304 on behalf of the operator Knighton Oil Company |
|---|--|
| and that the fo correct to the l of equipment i | pregoing pressure information and statements contained on this application form are true and dest of my knowledge and belief based upon available production summaries and lease records installation and/or upon type of completion or upon use being made of the gas well herein named. Equest a one-year exemption from open flow testing for the Randle #1 |
| | e grounds that said well: |
| [[[I further a | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No |
| Date: <u>1/31/12</u> | |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED FEB 0 8 2012

KCC WICHITA