KCC WICHITA

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:					(See Instruc	tions on Re	verse Side))					
Ор	en Flo	w	MSI	-											
∐ De	liverat	ilty	_			Test Date 4/13/11	9:				No. 15 -20497-01	00.			
Company		- esou	rces, Inc	 - ·				Lease Davis					34-071	Well Nu	mber
County Location Sherman SWSE				Section 7		TWP 7S			RNG (E/W) 39W		Acres Attributed 80		Mtthbuted		
Fleid Goodland				Reservoir Niobrara			_	Gas Gathering Connection Branch Systems Inc.							
Completion Date 3/13/2007				Plug Bac 3363'	k Total Dep	th		Packer S	et at						
Casing Size Weight 4 1/2" 10.5#				Internal Diameter 4.000			Set at 3363'		Perforations 3296'		To 3311'				
			eight	Internal Diameter			Set	Set at Pe		Perforations		То			
Type Con Single (Type Flui Dry Ga	d Productio	n		Pump Ur Flowin	nit or Traveling	Plunger	? Yes	No	
	-		nulus / Tu	bing)		% C	arbon Dlox	ide		% Nitrog	-	-	Gas Gr	avity • 0	3,
Annulus	5									J			.6	•	•
Vertical C 3435'	Pepth(H	H)		-			Pres Flan	ssure Taps				(Meter Run) (Prover) Size		rover) Size	
	Buildu	ıp:	Shut in	1-12	2	0_11 at 4		(AM) (PM)	Taken 4-	13	. 20	11 at.	5:10		(AM) (PM)
Well on L			Started _	<u>-13</u>	20	0 <u>11</u> at <u>5</u>	:10	(AM) (PM)	Taken 4	14	20	11 at	5:50	(AM) (M)
							OBSERVE	D SURFAC	E DATA			Duration	of Shut-	in_24	Hours
Static / Orifice Dynamic Size Property (inches)		8	Meter Prover Pressure		Pressure Differential in	Flowing Well Head Temperature		Casing Wellhead Pressure (P ₌) or (P ₁) or (P _c)		Tubing Wellhead Pressure $(P_{\perp}) \propto (P_1) \text{ or } (P_2)$		Duration (Hours)		Liquid Produced (Barrels)	
Shut-In			psig (F	m)	Inches H ₂ 0			psig 8	psla 22.4	psig	peia				
Flow								10	24.4			24		0	
						-	FLOW STE	REAM ATTR	IBUTES						
Plate Coefficient (F _b) (F _p) Mcfd		Pro	Circle one: Meter or Prover Pressure psia		Press Extension P _m xh	Gravity Factor F _g		Flowing Temperature Factor F ₁₁	emperature Fa		viation Metered Flor actor R F pv (Mcfd)		w GOR (Cubic For Barrel)		Flowing Fluid Gravity G _a
											72				
						(OPEN FL	OW) (DELIV	/ERABILITY) CALCUL	ATIONS				²= 0.2	07
(P _c) ² =		<u>:</u>	(P _w		<u> </u>	P _d =		% (1	- 14.4) +	14.4 =	;		(P _d)	² = <u> </u>	- ·
(P _e) ² - (F or (P _e) ² - (F	•	(F	° _c)² - (P _*)²		ose formula 1 or 2: 1. P _c ² - P _d ² 2. P _c ² - P _d ² ted by: P _c ² - P _c ²	LOG of formula 1, or 2, and divide	p2. p2	Slo As	ssure Curve pe = "n" - or signed lard Slope	n x l	.og	Anı	tilog	Del Equals	en Flow iverability I R x Antilog (Mcfd)
Open Flor					Mcfd © 14.	es ania		Dathiasat	- Dia-				44.05		
							.	Deliverat	· · · · ·				14.65 ps		
The	unders	igne	d authority	, on b	ehalf of the	Company, s	states that h	_			e above repo	ort and th	nat he ha		
the facts s	tated t	herei	in, and tha	it said	report is true	and correc	t. Executed	this the 2	8 	day of _D	ecember			, ;	20 11
			Witne	ss (if an	w)) (Q)		Company	V)	بالمهر) Centes
				_									<u>.</u>	- 14-	 ヘア1AED
			For C	ommissi	on						Che	cked by	_	APR	2 4 201

exempt status ur and that the fore	der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. going pressure information and statements contained on this application form are true and statements of my knowledge and belief based upon available production summaries and lease records
l hereby requ	allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Davis 34-07H rounds that said well:
I further agre	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D se to supply to the best of my ability any and all supporting documents deemed by Commission by to corroborate this claim for exemption from testing.
	Signature: Quil College Production Assistant

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
APR 2 4 2012
KCC WICHITA

W2343 Davis 34-07H North Goodland Goodland None April-11

	Casing	<u> </u>			HRS	REMARKS
DATÉ	PSI	STATIC	MCF		DOWN	(Maximum length 110 characters)
4/1/2011			22	73	0	
4/2/2011			22	72	0	
4/3/2011			22	72	0	
4/4/2011		8	21	72	0	
4/5/2011		8	21	72	0	bp
4/6/2011		8	21	72	0	
4/7/2011		8	21	72	0	
4/8/2011		8	21	72	0	
4/9/2011		8	21	71	0	
4/10/2011			21	71	0	
4/11/2011		8	21	71	0	
4/12/2011		8	21	71	0	bp, shut in for test
4/13/2011		8	21	0	24	opened up
4/14/2011		11	24	93	0	
4/15/2011		10	23	102	0	
4/16/2011	•	10	23	95	0	
4/17/2011	•	10	23	91	0	
4/18/2011		10	23	89	0	
4/19/2011		10	23	87	0	bp
4/20/2011		9	22	85	0	
4/21/2011		9	22	84	0	
4/22/2011		9	22	82	0	
4/23/2011		9	22	81	0	
4/24/2011		9	22	80	0	
4/25/2011		9	22	79	0	
4/26/2011		9	22	78	0	bp
4/27/2011		9	22	77	0	
4/28/2011		9	22	76	0	
4/29/2011		9	22	75	0	
4/30/2011		9	22	75	0	
5/1/2011		0	0	0	0	

Total 2290

RECEIVED
APR 2 : 2012
KCC WICHITA

W2343 Davis 34-07H North Goodland Goodland None May-11

	Casing			HRS		REMARKS
DATE	PSI	STATIC	MCF	DOV	1	(Maximum length 110 characters)
5/1/2011		-	22	74	0	
5/2/2011			22	74	0	
5/3/2011			22	73	0	
5/4/2011		9	22	73	0	
5/5/2011			22	73	0	
5/6/2011		9	22	72	0	
5/7/2011		9	22	72	0	
5/8/2011		9	22	71	0	
5/9/2011		10 2	23	72	0	
5/10/2011	•	11 2	24	47	4	bp, replaced bat. (new)
5/11/2011		10 :	23	54	0	
5/12/2011		9	22	74	0	
5/13/2011		9	22	73	0	
5/14/2011		9	22	73	0	
5/15/2011		9	22	72	0	
5/16/2011		9	22	74	0	
5/17/2011		9	22	73	0	rplcd diode - no help, added 2nd ba
5/18/2011		9	22	36	0	•
5/19/2011		9	22	71	0	
5/20/2011		9	22	70	0	
5/21/2011		10 :	23	72	0	
5/22/2011		10 :	23	72	0	
5/23/2011		9	22	74	0	
5/24/2011		10 :	23	71	0	
5/25/2011		10 :	23	71	0	replaced meter
5/26/2011		10 :	23	64	0	•
5/27/2011		10	23	72	0	
5/28/2011	,	10	23	72	0	
5/29/2011			23	71	0	
5/30/2011			23	71	0	
5/31/2011			23	70	1	

Total 2151

RECEIVED
APR 2 1 2012
KCC WICHITA

W2343 Davis 34-07H North Goodland Goodland None June-11

•	Casing	<u>. </u>			RS	REMARKS
DATE	PSI	STATIC	MCF		OWN	(Maximum length 110 characters)
6/1/2011		0 23		71	0	
6/2/2011	1	2 25	6	57	3.5	
6/3/2011	1	0 23	7	72	0	
6/4/2011	1	0 23	7	72	0	
6/5/2011	1	0 23	7	72	0	
6/6/2011	1	3 26	6	54	7	
6/7/2011	1	2 25	7	73	0	
6/8/2011	1	2 25	7	72	0	
6/9/2011	1	1 24	7	74	0	
6/10/2011	1	1 24	. 7	74	0	
6/11/2011	1	1 24	. 7	74	0	
6/12/2011	1		. 7	73	0	
6/13/2011	1	1 24	. 7	73	0	
6/14/2011	1	1 24	7	72	0	bp
6/15/2011	1	0 23	7	73	0	
6/16/2011	1	0 23	7	72	0	
6/17/2011	1	0 23	7	72	0	
6/18/2011	1	0 23	7	72	0	
6/19/2011	1	0 23	7	71	0	
6/20/2011	1	0 23	7	71	0	
6/21/2011	1	0 23	6	59	2	
6/22/2011	1	1 24	6	57	2	
6/23/2011	1	0 23	6	59	0	
6/24/2011	1	0 23	6	68	0	
6/25/2011	1	0 23	6	58	0	
6/26/2011	1	1 24	6	57	0	
6/27/2011	1	1 24	6	56	0	
6/28/2011	1	0 23	6	58	0	
6/29/2011	1	0 23	6	58	0	
6/30/2011	1	1 24	6	66	0	
7/1/2011		0 ()	0	0	

Total 2110

RECEIVED

APR 2 1 2012

KCC WICHITA