

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1088648

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #32834	API No. 15 - 15-121-29132-00-00
Name:JTC Oil, Inc.	Spot Description:
Address 1: PO BOX 24386	NW_SE_SE_SW Sec. 22 Twp. 17 S. R. 22 F East West
Address 2:	
City: STANLEY State: KS Zip: 66283 +	3100 Feet from ✓ East / ☐ West Line of Section
Contact Person: Tom Cain	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 208-7914	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License # 32834	County: Miami
Name:JTC Oil, Inc.	Lease Name: ABC Well #: 11
Wellsite Geologist: na	Field Name:
Purchaser:	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 910 Kelly Bushing: 0
	Total Depth: 398 Plug Back Total Depth:
☑ oil □ wsw □ swd □ slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: sx cmt
If Workover/Re-entry: Old Well Info as follows:	W. C.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: 1500 ppm Fluid volume: 80 bbls
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
ENHR Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
05/28/2012 05/29/2012 06/04/2012	
Spud Date or Pate Reached TD Completion Date or Recompletion Date Completion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Observed Corribor Date: 08/10/2012

Side Two



Operator Name: JTC	Oil, Inc.		<u> </u>	_ Lease	Name: _	ABC		Well #:11			
Sec. 22 Twp. 17	s. R. <u>22</u>	✓ East	West	Count	y: Miam	<u>ni</u>					
INSTRUCTIONS: Shi time tool open and clo recovery, and flow rate line Logs surveyed. A	sed, flowing and shu es if gas to surface te	t-in presso st, along v	ures, whether sl with final chart(s	hut-in pre:	ssure read	ched static level,	hydrostatic pr	essures, bottom	hole temp	perature, fluid	
Drill Stem Tests Taken (Attach Additional S		□ Y	es 🗸 No			og Formatio	n (Top), Depth	and Datum		Sample	
Samples Sent to Geol	•	Y	es √ No		Nam	-		Тор		Datum	
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		⊘ Y	☐ Yes		Guinila						
List All E. Logs Run:											
Gamma Neutron CCL											
		Dane		RECORD		_	ion ata				
Purpose of String	Size Hole Drilled	Siz	ort all strings set-c ze Casing t (In O.D.)	We	sunace, inc eight s. / Ft.	ermediate, product Setting Depth	Type of Cement	# Sacks Used		and Percent Additives	
Surface	9	7	<u> </u>	10		20	Portland	3	50/50	50/50 POZ	
Production	5.625	2.875		8		386	Portland	53	50/50	50/50 POZ	
			ADDITIONAL	CEMENT	ING / SQU	JEEZE RECORD	···				
Purpose: —— Perforate	Depth Top Bottom	Type of Cement			Sacks Used Type and Percent Additives				5		
Protect Casing Plug Back TD	-		· · · · · · · · · · · · · · · · · · ·					· · · · · · · · · · · · · · · · · · ·			
Plug Off Zone	-				<u> </u>						
Shots Per Foot		RD - Bridge Plug Each Interval Per					Cement Squeeze Record d of Material Used)		Depth		
2 344-354						2" DML RTC	3			10	
							· -			ļ	
			····			<u> </u>					
TUBING RECORD:	Size:	Set At	!	Packer	At:	Liner Run:	Yes 📋	No			
Date of First, Resumed	Production, SWD or EN	NHR.	Producing Met	hod:	ing	Gas Lift (Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbis.	Gas	Mcf	Wat	er B	ibls.	Gas-Oil Ratio		Gravity	
DISPOSITI	ON OF GAS:		_	METHOD C	OF COMPLI	у Сотр. 🔲 Со	mmingled	PRODUCT	ION INTER	RVAL:	
(If vented, Su	bmit ACQ-18.)		Other (Cassif !		(Submit)	NOU-0) (SUB	mit ACO-4)				

JTC Oil, Inc.

Drillers Log

Well Name ABC # 11

API# 15 15-121-29132-00-00 Cement Amounts

Surface Date 5/28/12 6.5" 20 ft <u>3 Sacks</u>

Cement Date 6/4/12

Well Depth 398

Casing Depth 386.2

Drillers Log

Formation	Depth Depth	S LOG Formation	Depth
top soil	13		
lime	14		
shale	25		
lime	26		
shale	31		
mix	50		
lime	55		
shale	65		
lime	88		
mix	105		
shale	111		
lime	120		
mix	146		
lime	148		
shale	150		
black shale	151		
lime	153		
shale	178		
black shale	181		
lime	183		
shale	185		
lime	186		
shale	190		
red bed	330		
lime	338		
top oil sand	340-342 10%		
	342-344 10%		
	344-346 80%		
	346-348 80%		
	348-350 35%		
	350-352 38%		
	354-356 80%		
	356-358 50%		

Wbc #11

358-360 80% 360-362 15%

362-364

lime 362 shale 372 stop drilling 398 casing pipe 386.2

CONSOLIDATED ON WORLD SERVICES LLC

LOCATION ON AUGO KS
FOREMAN FYS & Washes

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

620-431-9210	or 800-467-8676			CEMEN	Ţ			
DATE	CUSTOMER#	WE	LL NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
6/4/12- CUSTOMER	4015	ABC	# 0	P-11	いいなると		22	me
<u> </u>	TC oil	Inc			TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE	_	_	-]	500	FREMAD		WY
35	6 6 8 7	STATE	ek Rd		495	NARBEC	から	7
CITY					369	DERMAS	DA	
Con roo		KS.	66067]	510	SETTUC	57	
JOB TYPE_ho	nesetring.	HOLE SIZE	6	_ HOLE DEPTH	400'	CASING SIZE & V	VEIGHT	FEUE
CASING DEPTH		DRILL PIPE		_TUBING			OTHER	
SLURRY WEIGH		SLURRY VOL		WATER gal/s	<u> </u>	CEMENT LEFT in		· Pluy
DISPLACEMENT				Mix PSI		RATE 58PI	Λ	
REMARKS: E	stablish	Pump_	rata 1	11 × + 120	mp 100*			
	<u>Sks o</u>	WC Ca	- tenne	Camen	* * 50	1 face	Flush p	
+ 1	800 # PS	1. Rol	splace	da po	us to cas	SK, 70.	Ax 4550	
	55534	·	eose pr	<u>e ssuve</u>	to Sex	Proof Va	100. S	hr.
	Casin		- · · · · - · · · · · · · · · · · · · ·			 		
							· · · · · · · · · · · · · · · · · · ·	
						70	144	
7	TC DIL	124				Truk	Modern	
		0	·					
ACCOUNT CODE	QUANITY (or UNITS	DE	SCRIPTION of	SERVICES or PRO	DUCT	UNIT PRICE	TOTAL
5401	1		PUMP CHARG	E		495		103000
5406	<u></u>	20m	MILEAGE			495		80.00
5402		75	COENY	Yookoga				N/C
5407	K Minin	LUDAL	 	nilos		510		116 67
55026		·~	FOBA	4 Noc 7	ruck	369		90=
				· -			<u> </u>	
1126	S	3 <u>3 %</u> 3	ا مسد د	count				99649
11188	10	o#	262	1 /2/ W	luemin	Cul		۵۱ وه
4402		•	1 22 Pu	bber Plu				2800
				0				
								- 9
			 					1000
			ļ				C, C.	TO BOX
				.				
							العرا	
		·	 					
			 		~ -	Share To		
svin 3737			1	^~~		- Care	SALES TAX ESTIMATED	7893
`	<i>- >//</i>			201	1335		TOTAL	244100
UTHORIZTION_				TITLE			DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.