

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1088644

Form ACC-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32834	API No. 15 - 15-121-29133-00-00
Name: JTC Oil, Inc.	Spot Description:
Address 1: PO BOX 24386	NW_SE_NE_SW Sec. 22 Twp. 17 S. R. 22 Fast West
Address 2:	
City: STANLEY State: KS Zip: 66283 +	3100 Feet from ✓ East / ☐ West Line of Section
Contact Person: Tom Cain	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 208-7914	□NE □NW Øse □sw
CONTRACTOR: License # 32834	County: Miami
Name: JTC Oil, Inc.	Lease Name: ABC Well #: 14
Wellsite Geologist: na	Field Name:
Purchaser:	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 898 Kelly Bushing: 0
✓ New Well	Total Depth: 400 Plug Back Total Depth:
☑ oil wsw swd slow	Amount of Surface Pipe Set and Cemented at: 371 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to:w/sx cmt
If Workover/Re-entry: Old Well Info as follows:	SX CITE
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: 1500 ppm Fluid volume: 80 bbls
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	·
Dual Completion Permit #:	Operator Name:
SWD	Lease Name: License #:
ENHR Permit #:	Quarter Sec. Twp. S. R. East West
GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Oate:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT 1 VII III Approved by: Dearns Gerrison Date: 08/10/2012

Side Two



Operator Name: JTC	Oil, Inc.		Lease Nam	ne: _/	ABC		_ Well #: <u>14</u>	<u> </u>		
Sec. 22 Twp. 17	s. R. <u>22</u>	✓ East	County: N	/liam	ni					
time tool open and clo	sed, flowing and shu es if gas to surface te	d base of formations pen t-in pressures, whether s st, along with final chart(s well site report.	hut-in pressure	е геас	ched static level,	hydrostatic pres	sures, bottom	hole tem	perature, fluid	
Drill Stem Tests Taken (Attach Additional S		Yes No	1	□ Lo	og Formation	r (Top), Depth a	nd Datum		Sample	
Samples Sent to Geological Survey		Yes No		Name Gamma			Top Datu		Datum	
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes No Yes No Yes No		Gallina						
List All E. Logs Run:										
Gamma Neutron CCL										
		CASING Report all strings set-c		/ Ne						
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	e, inte	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives	
Surface	9	7	10		20	Portland	3	50/50	50/50 POZ	
Production	5.625	2.875	8		371	Portland	53	50/50	50/50 POZ	
	1	ADDITIONAL	CEMENTING /	/ SQL	JEEZE RECORD					
Purpose: Perforate	Depth Top Bottom	Type of Cement # Sad		ed	Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone	-									
Flug Oil 2016										
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per				ture, Shot, Cemer		ord	Depth	
2 340-350					2" DML RTG 10					
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes No)			
Date of First, Resumed	Production, SWD or EN	Producing Meth	nod:		Gas Lift 0	ther (Explain)				
Estirnated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate	er Bt	ols.	Gas-Oil Ratio		Gravity	
DISPOSITION	ON OF GAS:	N	METHOD OF CO	MPLE	ETION:		PRODUCT	ION INTER	RVAL:	
Vented Sold	Used on Lease	Open Hole				nmingled nit ACO-4)				

JTC Oil, Inc.

Drillers Log

Well Name ABC #14

API# 15 15-121-29135-00-00 Cement Amounts

Surface Date 5/30/12 6.5 20 f <u>3 Sacks</u>

Cement Date 6/4/12

Well Depth 400

Casing Depth 371.3

Drillers Log

Drillers Log				
<u>Formation</u>	Depth	<u>Formation</u>	<u>Depth</u>	
top soil	9			
lime	10			
shale	25			
lime	30			
shale	35			
lime	40			
shale	49			
lime	80			
mix	82			
lime	88			
mix	95			
lime	118			
shale	123			
lime	132			
black shale	140			
lime	145			
shale	167			
mix	171			
shale	185			
lime	216 oil smell			
shale	220			
red bed	325			
top oil sand	330-332			
	332-334 5%			
	334-336 20%			
	336-338 30%			
	338-340 50%			
	340-342 75%			
	342-344 80%			
•	344-346 90%			
	346-348 90%			
	348-350 90%			
	350-352 15%			

ObcAH

352-354 15%

shale	369
mix	409
black shale	490
lime	492
stop drilling	400
casing pipe	371.3



TICKET NUMBER FOREMAN Fred Ma

PO Box 884, Chanute, KS 66720

FIELD TICKET & TREATMENT REPORT

DATE CUSTOMER# WELL NAME & NUMBER SECTION TOWNSHIP RANGE 6/4//2 40/5 ABC . # P./4 SW 22 /7 22 CUSTOMER T C Oil Inc TRUCK# DRIVER TRUCK#	COUNTY
CUSTOMER	
CUSTOMER T T C Oil Inc TRUCK# DRIVER TRUCK#	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
MAILING ADDRESS 506 FREMAD So for	DRIVER
	VM-44
CITY STATE ZIP CODE 369 DERMAS DM	
Osawatanie KS 66064 5TU SETTUC ST	
JOB TYPE LONG CASING SIZE & WEIGHT 27/6	EUE
CASING DEPTH 3750 DRILL PIPE TUBING OTHER	
SLURRY WEIGHT SLURRY VOL WATER gal/sk CEMENT LEFT In CASING 22.7	O Lue
DISPLACEMENT 1.2 BAL DISPLACEMENT PSI MIX PSI RATE 53PM	7
REMARKS: Establish sums rate. Mix + Pump 100# Gol Flush. Mix + Pum	<u> </u>
51 CK, DWC Cement: Coment to Surface, Flush pinns +	
I mas clean. Displace 2's Rubber plus to caring TD. Pressure	•
to 800 + BI. Release pressure to set flood Value Shut in Costy	
	
Tre Drilly Fred Molen	
<u> </u>	
ACCOUNT QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE	TOTAL
5401 / PUMP CHARGE 495	10.3000
5406 MILEAGE	NC
5400 375 Casing footage	NC
5407 1/2 Minimum Ton Miles	/73°°
5502C Ihr 60 BBL Vac Truck 369	80°
1124 51 51 50/50 Por Mix Convert	558 45
1118B 100# Premium Gel	2100
4402 1 25" Rubber Plus	7 8 00
	
	. 5
	11/2
	11,72
	.//
7.53 SALES TAX	4589-
Rown 3737 250346 ESTIMATED TOTAL	194931
AUTHORIZTION TITLE DATE	1770

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form