



KANSAS CORPORATION COMMISSION 1089714
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32955
Name: Kenneth & Regina Laymon, LLC
Address 1: 1998 SQUIRREL RD
Address 2:
City: NEOSHO FALLS State: KS Zip: 66758 + 7124
Contact Person: Kenneth Laymon
Phone: (620) 963-2495
CONTRACTOR: License # 32710
Name: Laymon Oil II, LLC
Wellsite Geologist: none
Purchaser:
Designate Type of Completion:

- New Well Re-Entry Workover
 Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
Cathodic Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:

Operator:
Well Name:
Original Comp. Date: Original Total Depth:
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: Plug Back Total Depth
 Commingled Permit #:
 Dual Completion Permit #:
 SWD Permit #:
 ENHR Permit #:
 GSW Permit #:

06/29/2012	07/12/2012	07/26/2012
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-207-28203-00-00
Spot Description:
NW₁ NW₂ NW₃ NE Sec. 34 Twp. 23 S. R. 16 East West
5115 Feet from North / South Line of Section
2365 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

County: Woodson
Lease Name: Keske Well #: 27-12

Field Name:
Producing Formation: Mississippi
Elevation: Ground: 1073 Kelly Bushing: 1078
Total Depth: 1480 Plug Back Total Depth: 1460
Amount of Surface Pipe Set and Cemented at: 40 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from:
feet depth to: w/ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 80 bbis
Dewatering method used: Evaporated
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. East West
County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Deanna Garmao Date: 08/10/2012



1089714

Operator Name: Kenneth & Regina Laymon, LLC

Lease Name: Keske

Well #: 27-12

Sec. 34 Twp. 23 S. R. 16 East West

County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No Log Formation (Top), Depth and Datum Sample
(Attach Additional Sheets)

Samples Sent to Geological Survey Yes No Name attached Top Datum

Cores Taken Yes No

Electric Log Run Yes No

Electric Log Submitted Electronically Yes No
(If no, Submit Copy)

List All E. Logs Run:

Gamma Ray Neutron

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10.25	7	17.4	40	portland	10	
Production	6.75	4.5	10.50	1460	common	240	

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Perforate				
Protect Casing				
Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: Vented Sold Used on Lease
(If vented, Submit ACO-18.)

METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled (Submit ACO-5) Other (Specify)

PRODUCTION INTERVAL: Commingled (Submit ACO-4)

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588



Payless Concrete Products, Inc.

23710

SOLD TO:
LAWRENCE
LAYMON OIL II, L.L.C.
1996 SQUIRREL RD.

L06/22
LAYMON OIL II
54 N TO HILLDA RD N TO 200 RD
WEST TO SQUIRREL RD 50 PAST
1/2 MI S 80
WELL# HESKE 25-12

NEOSHO FALLS KS
66758

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, we assume no responsibility for damages in any manner to sidewalks, curbs, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allowable trucking time per yard is 5 minutes per yard. A charge will be made for loading trucks. We do not assume responsibility for water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of the contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% LAL	DRIVER/TRUCK	PLANT/TRANSACTION #
01:55:08p	WELL	12.00 yd	24.00 yd	0.00	JH 31	
DATE	0 late oday	LOAD #	YARDS DEL	BATCH#	WATER TRIM	TICKET NUMBER
07-12-12		5 1	5.00 yd 12.00 yd	21424	SLUMP	32162
<p>WARNING IRRITATING TO THE SKIN AND EYES Concrete is a PERISHABLE COMMODITY and BECOMES THE PROPERTY OF THE PURCHASER UPON DELIVERY TO THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.</p>						
<p>(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer: The driver of this truck is presenting the RELEASE to you for your signature as of the portion that has been delivered to your property. It is your responsibility to ensure that the driver of this truck may possibly cause damage to the premises and/or adjacent property if it places the material in the load where you desire it. It is your wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and the supplier from any responsibility from any damages that may occur to your property, including property, buildings, sidewalks, driveways, etc., which are at customer's risk. If you do not sign, you also agree to help him remove mud from the wheels of the truck and that you will not later file the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and the supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have been out of delivery of this order. SIGNED</p>						
<p>PROPERTY DAMAGE RELEASE WEIGHMASTER Kuhn 27-12</p>						
<p>EXCESSIVE WATER IS DETRIMENTAL TO CONCRETE PERFORMANCE H₂O Added By Request/Authorized By GAL X</p>						
<p>LOAD RECEIVED BY: X</p>						

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
12.00	WELL	WELL (10 SACKS PER UNIT)	12.00	\$612.00
12.00	MIX & HAUL TRUCKING CHARGE	MIXING & HAULING TRUCKING CHARGE	12.00	\$300.00
1.75			2.00	\$787.50

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
3:52	3:25		1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
LEFT PLANT	ARRIVED JOB	START UNLOADING	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	TIME DUE
2:15	2:50			DELAY TIME
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		
1:16				

ADDITIONAL CHARGE 1
ADDITIONAL CHARGE 2
GRAND TOTAL \$ 1072.46

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588



Payless Concrete Products, Inc.

924.070
L6605
LAYMON OIL, II, L.L.C.
1398 SQUIRREL RD.

L66/28
LAYMON OIL II
54 N TO WILLOW RD N TO 2000 RD
WEST TO SQUIRREL RD 60 PAIST
1/2 MI S 50
WELL# KECKE 25-12

MEDSHO FALLS KS
66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	PLANT/TRANSACTION #
08:11:01p	WELL	12.00 yd	24.00 yd	0.00	JE 32	
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	TICKET NUMBER	
07-12-12	6	72.00 yd	21456	0.00	32163	
	nday	24.00 yd		SLUMP		
				6/7yd		

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, if Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.
CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.
The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
All accounts not paid within 30 days of delivery will bear interest at the rate of 2 1/2% per annum.
Not Responsible for Residue Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
A \$50 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
Excess Delay Time Charged @ \$60/Hr.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-the driver of this truck in presenting this RELEASE to you, for your signature is of the opinion that the size and weight of this truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is the driver's intent to help you in every way that we can, but in order to do this the driver must sign this RELEASE releasing him and this supplier from any responsibility for damage to your premises, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of the vehicle so that the mud will not litter the public street. Further, as additional consideration, the undersigned agrees to promptly and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have occurred at or after the time of delivery of this order.
SIGNED _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
GAL X

WEIGHMASTER
Ruck 27-14

NOTICE MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
LOAD RECEIVED BY: X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
12.00	WELL	WELL (10 SACKS PER UNIT)	24.00	288.00
12.00	MIX&HAUL TRUCKING	MIXING & HAULING TRUCKING CHARGE	24.00	288.00
2.00			4.00	8.00
475				187.50

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
555	325		1. JOB NOT READY 2. SLOW POUR RAMP 3. TRUCK OPERATOR JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
415	250			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
1070				

ADDITIONAL CHARGE 1
ADDITIONAL CHARGE 2
GRAND TOTAL \$ 1072.46

7612.00
7300.00
787.50

MAK 722

THE NEW KLEIN LUMBER COMPANY
 281 W. MADISON
 P.O. BOX 885
 IOLA, KS 66749
 PHONE: (620) 365-2281

PAGE NO 1

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447				NET 18TH OF MONTH	RE	4/24/12	1:56

LAYTON OIL II 1996 SQUIRREL RD WESHO FALLS KS 66754	S H I P T O
-----------------------------------------------------------	----------------------------

DEL. DATE: 4/24/12 TERMS: 51
 TAX : 001 IOLA IOLA
 DOC# 255131

 * ORDER *

 ORDR 255131

SHIPPED	ORDERED	UM	SKU	DESCRIPTION	LOCATION	UNITS	PRICE/PER	EXTENSION
	288	EA	PC	PORTLAND CEMENT		288	9.45 /EA	1,698.00
	MJ Jones	1-12	10	ok				
	Kecke	19-12	10	ok				
	Kecke	18-12	10	ok				
	Kecke	17-12	10	ok				
	Kecke	27-12	10	ok				

** ORDER ** ORDER ** ORDER ** ORDER ** ORDER ** ORDER *

X
 RECEIVED BY _____

** DEPOSIT AMOUNT **
 ** BALANCE DUE **
 ** PAYMENT RECEIVED **

TAXABLE	1898.00
NON-TAXABLE	0.00
SUBTOTAL	1898.00
TAX AMOUNT	161.60
TOTAL AMOUNT	2051.60

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Kenneth & Regina Laymon, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

Keske 27-12
API: 15-207-28203-0000
Spud Date: 06/29/2012
Comp Date: 07/12/2012
34/23/16 WO CO

Formation	From	To
Soil & Clay	0	12
Shale	12	180
Lime & Shale	180	690
Big Shale	690	700
Lime & Shale	700	987
Lime 5'	987	990
Shale	990	998
Upper Sand	998	1005
Shale	1005	1032
Cap Rock 1st	1032	1033
Shale	1033	1034
Cap Rock 2nd	1034	1035
Lower Squirrel	1035	1045
Shale	1045	1380
Mississippi Lime	1380	1390
1st Break	1390	1404
Lime	1404	1406
2nd Break	1406	1416
Lime	1416	1480
Total Depth		1480

Set 40' of 8.6250" surface, cemented w/10 sks.
Ran 1460' 4.5" pipe.

 NATIONAL BUREAU OF STANDARDS 3755 LEE HIGHWAY, WEST GAITHERSBURG, MARYLAND 20898	
DATE: _____ TIME: _____ OPERATOR: _____ INSTRUMENT: _____ SAMPLE NO.: _____ ANALYST: _____	1.0 0.8 0.6 0.4 0.2 0.0 -0.2 -0.4 -0.6 -0.8 -1.0

The following information is required for the proper interpretation of the data presented in this report.

