

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1089706

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32/10	API No. 15 - 15-207-20210-00-00
Name: Laymon Oil II, LLC	Spot Description:
Address 1: 1998 SQUIRREL RD	NW_NW_NE_NW Sec. 34 Twp. 23 S. R. 16 V East West
Address 2:	5115 Feet from North / South Line of Section
City: NEOSHO FALLS State: KS Zip: 66758 + 7124	Feet from ☐ East / ☐ West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-2495	□NE □NW ØSE □SW
CONTRACTOR: License # 32710	County: Woodson
Name: Laymon Oil II, LLC	Lease Name: Keske Well #: 19-12
Wellsite Geologist: none	Field Name:
Purchaser:	Producing Formation: Mississippi
Designate Type of Completion:	Elevation: Ground: 1077 Kelly Bushing: 1082
✓ New Well	Total Depth: 1480 Plug Back Total Depth:
☑ oii ☐ wsw ☐ swb ☐ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes Mo
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: 40 w/ 10 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 120 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used: Evaporated
Conv. to GSW	
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	Totalit #.
06/19/2012 06/21/2012 06/22/2012 06/22/2012	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I III Approved by: Dearns Gartison Date: 08/10/2012

Side Two



Operator Name: <u>Layn</u>	non Oil II, LLC			Leas	e Name: 🚅	Neske		Well #:19-	12	
Sec. 34 Twp.23	s. R. <u>16</u>	✓ East	☐ West	Coun	ty: Woo	dson			·· · · · ·	
INSTRUCTIONS: Show time tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shut- i if gas to surface tes	in pressi t, along v	ures, whether s with final chart(hut-in pre	essure read	ched static level,	hydrostatic p	oressures, bottom h	ole tempe	erature, fluid
Drill Stem Tests Taken (Attach Additional Sh	reets)	Y	es 🗸 No			og Formation	ı (Top), Dept	h and Datum	s	ample
Samples Sent to Geological Survey		□ Y	es 🗸 No		Nam Attach			Top Attached	_	atum ached
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	Electronically	□ Y4 ✓ Y4	es 🗌 No		Allavi	eu		Allacieu	7.11	acrica
List All E. Logs Run:										
Gamma Ray Neutron	ı									
		Repo		RECORD		w Used	on, etc.			
Purpose of String	Size Hole Drilled		te Casing t (In O.D.)		eight s. / Ft.	Setting Depth	Type of Cement			ind Percent
Surface	10.2500	8.6250		24		40	portland	10		
Production	6.1250	4.5000		10		1470	common	240		
			ADDITIONAL	CEMEN	TING / SQL	JEEZE RECORD				
Purpose: Perforate Protect Casing	Depth Top Bottom	Туре	of Cement	# Sac	ks Used		and Percent Additives			
Plug Back TD Plug Off Zone	-									
Shots Per Foot			RD - Bridge Plug Each Interval Per		e			ment Squeeze Record of Material Used)	·	Depth
							 			
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes [] No		
Date of First, Resumed P	roduction, SWD or ENH	IR.	Producing Meth	hod:	oing 🔲	Gas Lift ☐ O	ther (Explain)			
Estimated Production Per 24 Hours	Oil B	bls.	Gas	Mcf	Wat	er Bt	ols.	Gas-Oil Ratio		Gravity
DISPOSITION			_	METHOD (nmingled	PRODUCTIO	N INTERV	'AL:
VentedSold (If vented, Subn	Used on Lease	_	Other (Specify)		(Submit		nit ACO-4)			

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Keske 19-12
Doc ID	1089706

Tops

Soil	0	5
Lime	5	25
Shale	25	100
Lime	100	260
Shale	260	280
Lime	280	510
Shale & Lime	510	690
Shale	690	820
Shale & Lime	820	980
Lime	980	985
Shale	985	990
5' Lime	990	995
Shale	995	1020
Upper Squirrel Sand	1020	1030
Shale	1030	1054
Cap Rock	1054	1055
Shale	1055	1058
Cap Rock	1058	1059
Lower Squirrel Sand	1059	1070
Shale	1070	1400
Mississippi Lime	1400	1418
Lime	1418	1480

THE NEW KLETH LUNBER COMPRHY 201 W. MADISON P.O. 90X 895

IOLA, KS 66749 PHONE: (628) 365-2281

USTOMER NO.	JOB NO.	PURCH	ASE ORDER NO	<u> </u>	REFERENCE	TERM	18	CLERK	DATE TIM
3447				<u>L</u>	N.	T 18TH OF HOM	TH	æ	/24/12 4:56
	OIL II GUINGEL FRLLS	KS 6	6758	S H I P T O		DEL. DATE:	4/24/18 881 10LF		DOCH 255131 *************** * ORDER * ***********************************
SHIPPED	ORDERE		PC SKU		DESCRIPTION	LOCATION	LINETS	S PRICE/PER	EXTENSION
nu Jo Keale	ne <u>n</u> 19-1	- 1 - 1 A	100	po	3				
			# ORDER ## (ORDER	** ORDER ** ORDER ** ORDER ** OR ** DEPOSIT ANGUNT **	•		TAXABLE HON-TAXABLE	1898.89
	_				## BOLANCE DUE ##	•	2,651.60	SUBTOTAL	1899.00
	RECEIVE	D BY			## PAYMENT RECEIVED ##		9.00	TAX ANOUNT TUTAL ANTIMIT	161.68 2951_68

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

Concrete to be delivered to the nearest accessible point over passable road. Concrete to be answered to the nearest accessible point over passaude road, under truck's own power. Due to delivery at diviner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a machanic's lien on the property which is the subject of this contract.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	DM	# AIR	Discriber History
	WELL	12.00 yd	12.00 yd	0.00	34		
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date		12.00 yd				
	Today		12.00 vd	21120	6/yd 0.0	4,00 in	31951

WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Readive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURBLINE)

Dear Customer-The other of this truck in presenting this RELEASE to you to your signature so of the opinion that the size and weight of his truck may possibly cause diemage to the premises and/or adjacent property if it places the material in this load where you desire it. If is our with to help you in every way that we can, but in order to do this the driver is requesting that you right this RELEASE releving him and this supplier from any responsibility from any damage that may occur to the previous adjacent property, buildings, solewaits, driveways, cubs, etc., by the ceivery of this insterial and that you also agree to help him remove mud from the wheels of his vehicle so that he will not little the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold hamiless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED

LOAD RECEIVED BY

QUANTITY DESCRIPTION

EXTENDED PRICE UNITPRICE

RETURNED TO PLANT	LEFT JOB*	B* FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	
			1. JOB NOT READY J		
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN S. ADDED WATER	TIME DUE	
gill 9	9:38				
	1000				
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	
			STATE OF THE PARTY	EXTERNAL PROPERTY.	

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2 _

GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

Concrete to be delivered to the nearest accessible point over passable road. Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, chivaways, buildings, trees, shrubbery, stc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water's added at customer's request.

NOTICE TO OWNER

Failure of this portractor to pay those persons supplying material or services to

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's ilen on the property. which is the subject of this contract.

SANTO WILLOW RD N TO 200 RD MEST TO SOUTRREL RD GO PAST

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	- P.	DRIVER/TBUCK	% AIR	PLANT/TRANSACTION #
08:54:25a	WELL	12.00 yd	12.00 yd	% CAL.	35	0.00	
DATE	V Williams	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
06-28-12	o Date oday	3	24.00 yd 24.00 yd	F 51181	G/yd 0.0	4.00 in	31952

WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS, Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Initiation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys fees, incurred in collecting any sund oned

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HFI.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE QUAB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the son and weight of his truck my processity cause, change to the previous and/or advance, properly if it places the material in this load where you desire it. It is our with to help you in every way that we can, but in order to do this the driver is recursionly that you sign this RELEASE releving here and this supplier from any responsibility from any damage that may occur to the premises and/or edjacent property, buildings, sidewakd, driveways, curbs, etc. by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideraion, the undersigned agrees to incernally and hold harmless the driver of this track and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have antin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

UNIT PRICE

LOAD RECEIVED B

RETURNED TO PLANT	LEFT JOB *	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1, JOB NOT READY J 8. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. GITATION	
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. DTHER 5. ADDED WATER	TIME DUE
9110	934			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
		Market State of the State of th		

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2 _

GRAND TOTAL