KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

RECEIVED
JUL 2 5 2012

| Type Test: | | | (| (See Instruc | tions on Re | verse Side | 9) | | | 1/00 | |
|---|---|----------------------------|-------------------------------|--|----------------------------|--|--|-----------------------------|----------------------------|---|---|
| Open Flow | Test Date: | | | | | | | No. 15 | | KCC | WICH |
| Company | | | 7-17&18-2012 | | | | 15- | 007-22994-0 | | Well No | nuper |
| Raymond Oil Company, Inc. | | Dugan Trus | | | l rust | 5110 /5 | | E-3 | Acres Attributed | | |
| County Sarber | Location 150'E of C SW NE | | Section 33 | | TWP 31S | | RNG (E/W) 13W | | | Acres | Attributed |
| rield Brooks | | | Reservoir Indian Cave | | | | Gas Gat | | | | |
| Completion Date I-17-06 | | | Plug Back Total Depth 4064 | | | | Packer Set at NONE | | | · · - | |
| asing Size .500 | Weight 10.500 | | Internal Diameter 3.927 | | Set at 4094 | | Perforations 2653 | | то 2659 | | |
| ubing Size | Weight 4.70 | | Internal Diameter 1.995 | | Set at 3945 | | Perforations open | | То | | |
| ype Completion (Describe) | | Type Fluid Production | | | | | Plunger? Yes | / No | | | |
| single | | | gas, water | | | | Pump Unit or Traveling Plunger? \\ pumping | | | 03 / 110 | |
| Producing Thru (Annulus / Tubing) | | | % Carbon Dioxide | | | | % Nitrog | Gas G | Gas Gravity - G | | |
| nnulus ertical Depth(H |) | • | | Pres | ssure Taps | | | | (Meter | Run) (F | rover) Size |
| 656 | · | | | | | | | | | | , - |
| ressure Buildup | : Shut in 7-1 | 7-12 2 | 0 at | | . (AM) (PM) | Taken_7- | 18-12 | 20 | at | | (AM) (PM) |
| /ell on Line: | Started | 2 | 0 at | | . (AM) (PM) | Taken | | 20 | at | | (AM) (PM) |
| | | | | ORSERVE | ED SURFACI | F DATA | | | Duration of Shu | t_in | Hou |
| Static / Orific | cifice Circle one: Pressure | | Flowing Well Head | | Casing | | Tubing | | | it-in Hou | |
| ynamic Size Meter Differential Prover Pressure in | | Temperature Temperature | | Wellhead Pressure (P _w) or (P ₁) or (P ₂) | | Wellhead Pressure (P,) or (P,) or (P,) | | Duration (Hours) | Liquid Produced (Barrels) | | |
| psig (Pm) | | Inches H ₂ 0 | t t | | psig psia | | psig | psla | | - | |
| Shut-In | | _ | | | 290 | | ļ | | 24 | | |
| Flow | | | | <u> </u> | | | | | | | |
| | . | | | FLOW ST | REAM ATTR | IBUTES | | | | | , |
| Plate Coefficient (F _b) (F _p) Mcfd Circle one: Meter or Prover Pressu psia | | Press Extension | Grav Fac F | tor Temperature | | Fa | riation actor Pr | Metered Flow R (Mcfd) | W GOR (Cubic F Barre | eet/ | Flowing Fluid Gravity G _m |
| | | | | | | | | i | | | |
| | | | • | - ' | /ERABILITY | • | | | |) ² = 0.2 | 207 |
|) ² = | _: (P _w) ² = | : Choose formula 1 or 2 | P _d = | | | P _c - 14.4) + | ĭ | : | (P _. | ,) ² = | |
| $(P_a)^2 \cdot (P_a)^2$ or $(P_a)^2 \cdot (P_d)^2$ | $ (P_c)^2 - (P_w)^2 $ $ 1. P_c^2 - P_e^2 $ $ 2. P_c^2 - P_d^2 $ $ divided by: P_c^2 - P_w^2 $ | | LOG of formula 1, or 2. | | Backpressu Slope | | n x | roe 📗 | Antilog | Open Flow Deliverability Equals R x Antilog | |
| (P ₀)*- (P _d)- | | | and divide P2 P2 | | Assigned Standard Slope | | <u> </u> | | | (Mcfd) | |
| | | | | | | | | | | | |
| | | | <u></u> | | | | | | | <u> </u> | |
| pen Flow | | Mcfd @ 14. | 65 psia | | Deliverab | oility | | | Mcfd © 14,65 p: | sia | |
| | gned authority, or erein, and that se | | | | | . / | o-make the | ne above reso | irt and that he h | | riedge of 20 12 |
| | Witness (i | any) | | . | (- | VI | NH) L | For | Company)/7 | | |
| | For Comm | ission | | | - | _() | u-/ | Cher | cked by | u | <u> </u> |

JUL 2 5 2012

KCC WICHITA

| MOC WICHTA | | | | | | | |
|---|--|--|--|--|--|--|--|
| er penalty of perjury under the laws of the state of Kansas that I am authorized to request | | | | | | | |
| ler Rule K.A.R. 82-3-304 on behalf of the operator Raymond Oil Company, Inc. | | | | | | | |
| poing pressure information and statements contained on this application form are true and | | | | | | | |
| t of my knowledge and belief based upon available production summaries and lease records | | | | | | | |
| allation and/or upon type of completion or upon use being made of the gas well herein named. | | | | | | | |
| est a one-year exemption from open flow testing for the #3 Dugan Trust 'E' | | | | | | | |
| ounds that said well: | | | | | | | |
| one) | | | | | | | |
| is a coalbed methane producer | | | | | | | |
| is cycled on plunger lift due to water | | | | | | | |
| is a source of natural gas for injection into an oil reservoir undergoing ER | | | | | | | |
| is on vacuum at the present time; KCC approval Docket No | | | | | | | |
| is not capable of producing at a daily rate in excess of 250 mcf/D | | | | | | | |
| e to supply to the best of my ability any and all supporting documents deemed by Commissio y to corroborate this claim for exemption from testing. | | | | | | | |
| | | | | | | | |
| Signature Mary Mall | | | | | | | |
| d g it a se ro | | | | | | | |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.