KCC WICHITA

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | t: | | | | (| See Instruct | tions on Re | everse Side | 9) | | | | | | |
|--|----------|---|--|---|---|-----------------------|--|---------------------------------------|--|---|---------------------|-----------------------------|---|---|--|
| □ Ор | en Flov | V | | | Test Date | a <i>'</i> | | | API N | lo. 15 | | | | | |
| De | liverabi | illy | | | 5/9/12 | . | | | | 24700-000 | 0 | | | | |
| Company L.D. Drill | | Ç. | | | | | Lease Reifsch | neider | | | - | 1 | Well Nu | mber | |
| County Barton | | | Locati SW/SV | | Section 1 | | TWP 19S | | | RNG (E/W) 15W | | Acres Attributed | | | |
| Field Merten NE | | | | | Reservoir Herrington/Krider | | | | Gas Gathering Becker Oil | | ection | | | | |
| Completion Date 4/26/01 | | | | | Plug Bac | Plug Back Total Depth | | Packer Set none | | t at | • | | | | |
| Casing Size 4.5 | | _ | Weigh | t | Internal Diameter | | Set at 2035 | | Perforations 1830 | | то 1879 | | | | |
| Tubing Size 2.375 | | | Weigh | ıt | Internal Diameter | | Set at 1859 | | Perforations | | | То | | | |
| Type Completion (D single | | | escribe) | - | Type Fluid Production oil/sw | | n | | | Pump Unit or Traveling Plun- yes-pump unit | | | inger? Yes / No | | |
| Producing | g Thru | (Anı | nulus / Tubin | g) | % C | arbon Dioxi | ide | | % Nitroge | n | | Gas Gr | avity - C | ì, | |
| annulus Vertical D | |) | | | | Pres | sure Taps | | | · | <u> </u> | (Meter F | Run) (Pr | over) Size | |
| Pressure | Buildur | n: | Shut in 5/8 | | 12 _{at} 1 | 0:30AM | (AM) (PM) | Taken 5/ | 9 | 20 | 12 | at 10:30A | λM , | AM) (PM) | |
| Well on L | · | | | 2 | | | | | | | | | | | |
| | | | | | | OBSERVE | D SURFAC | E DATA | | | Dura | tion of Shut- | in_24 | Hours | |
| Static / Orifice Dynamic Size Property (inches) | | 9 | Circle one: Meter Prover Pressi psig (Pm) | Pressure Oilferential in Inches H ₂ 0 | lemperature Tempera | | I Wellhead Pressure | | Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia | | Duration (Hours) | | Liquid Produced (Barrels) | | |
| Shut-In | | _ | | | | | 32.0 | 46.4 | haid | 24 | | | | | |
| Flow | | | | | | | | | | | | | | | |
| | | | | | • | FLOW STR | REAM ATTE | RIBUTES | | | | | | | |
| Plate Coefficient (F _b) (F _p) Modd | | Pro | Circle one: Meter or over Pressure psia | Press Extension √P _m xh | Grav Fact | tor | Flowing Temperature Factor F ₁ | emperature Factor | | Metered Flo R (Mcfd) | w | GOR (Cubic Fe Barrel) | | Flowing Fluid Gravity G _m | |
| L <u> </u> | | | | <u> </u> | | | | | | | | | | | |
| (P _c) ² = | | _: | (P _w) ² = | <u> </u> | (OPEN FL | OW) (DELIV | | /) CALCUL P _e - 14.4) + | | : | | | 2 = 0.2 2 = | 07 | |
| (P _c) ² - (P _a) ² or (P _c) ² - (P _d) ² | | (P _c)² - (P _w)² | | Choose formula 1 or 2 1. P _c ² - P _a ² 2. P _c ² - P _d ² divided by: P _c ² - P _d | LOG of formula 1. or 2. and divide | b.5. b.5 | Backpressure Ct Slope = 'n' | | 0.00 | og 📗 | Antilog | | Open Flow Deliverability Equals R x Antilog (Mcfd) | | |
| | | | | | | | | | | | | | | | |
| Open Flor | w | | l | Mcfd @ 14 | .65 psia | | Delivera | bility | | | Mcfd | 9 14.65 psi | <u> </u> а | | |
| The | undersi | gned | d authority, o | n behalf of the | Company, s | states that h | ne is duly a | uthorized t | o make the | above repo | ort and | d that he ha | s know | ledge of | |
| the facts s | tated th | nerei | in, and that s | aid report is tru | e and correc | t. Executed | this the g | 9th | day of Ma | iy | , | | , ; | 12 . | |
| | | | Witness (| f any) | | | | | | For | Compan | | 4 | French | |
| | | | | | | | | | | /-/ | W | .sec | | -CEIVE | |
| | | | For Comm | nission | | | | | | Che | icked by | v.c | MΔ | Y 25 | |

| | re under penalty of perjury under the laws of the state of Kansas that I am authorized to request us under Rule K.A.R. 82-3-304 on behalf of the operator L.D. Drilling, Inc. |
|--------------------|---|
| | e foregoing pressure information and statements contained on this application form are true and |
| correct to th | ne best of my knowledge and belief based upon available production summaries and lease records |
| | nt installation and/or upon type of completion or upon use being made of the gas well herein named. y request a one-year exemption from open flow testing for the Reifschneider #1 |
| | the grounds that said well: |
| (| (Check one) |
| | is a coalbed methane producer |
| | is cycled on plunger lift due to water |
| | is a source of natural gas for injection into an oil reservoir undergoing ER |
| | is on vacuum at the present time; KCC approval Docket No |
| | is not capable of producing at a daily rate in excess of 250 mcf/D |
| | r agree to supply to the best of my ability any and all supporting documents deemed by Commission essary to corroborate this claim for exemption from testing. |
| Date: <u>5/9/1</u> | 2 |
| | |
| | Signature: L. D. Cavis |
| | Title |
| | Title: |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

MAY 2 5 2012

KCC WICHITA