



CONFIDENTIAL

OIL & GAS CONSERVATION DIVISION

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34192
Name: SandRidge Exploration and Production LLC
Address 1: 123 ROBERT S. KERR AVE
Address 2:
City: OKLAHOMA CITY State: OK Zip: 73102 + 6406
Contact Person: Tiffany Golay
Phone: (405) 429-6543
CONTRACTOR: License # 34464
Name: Lariat Services, Inc.
Wellsite Geologist: Kathy Gentry
Purchaser: NCRA (oil) DCP Midstream, LP (gas)

Designate Type of Completion:

- Checkboxes for New Well, Re-Entry, Workover, Oil, Gas, OG, CM, Cathodic, WSW, D&A, ENHR, GSW, SWD, SLOW, SIGW, Temp. Abd., and Other (Corr. Expl., etc.)

If Workover/Re-entry: Old Well Info as follows:

Operator:

Well Name:

Original Comp. Date: Original Total Depth:

- Checkboxes for Deepening, Re-perf., Conv. to ENHR, Conv. to SWD, Conv. to GSW

Plug Back: Plug Back Total Depth

Commingled Permit #:

Dual Completion Permit #:

SWD Permit #:

ENHR Permit #:

GSW Permit #:

5/1/2012 5/21/2012 5/25/2012
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 15-033-21632-01-00

Spot Description:

S2 S2 SE SE Sec. 27 Twp. 31 S. R. 20 East West
250 Feet from North South Line of Section
660 Feet from East West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- Checkboxes for NE, NW, SE, SW

County: Comanche

Lease Name: Teal Well #: 1-27H

Field Name:

Producing Formation: Mississippi

Elevation: Ground: 1957 Kelly Bushing: 1977

Total Depth: 9405 Plug Back Total Depth:

Amount of Surface Pipe Set and Cemented at: 562 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: Feet

If Alternate II completion, cement circulated from:

feet depth to: w/ sx cml.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 32000 ppm Fluid volume: 5800 bbls

Dewatering method used: Hauled to Disposal

Location of fluid disposal if hauled offsite:

Operator Name: SandRidge Exploration and Production, LLC

Lease Name: Dixie 1-25 SWD License #: 34192

Quarter SW Sec. 25 Twp. 31 S. R. 20 East West

County: Comanche Permit #: D-30872

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Checkboxes for Letter of Confidentiality Received, Confidential Release Date, Wireline Log Received, Geologist Report Received, UIC Distribution, and Approved by: NAOMI JAMES Date: 08/29/2012

# DIRECTIONAL SURVEY CALCULATION

## MINIMUM CURVATURE METHOD

Well Name		Target Direction	Slot	N / S	E / W	Hole Size	Calculation by	Date			
Teal 1-27H		1.17	Coordinate					8/27/12			
Job Number		Type of Survey	Tie-in Point				Directional Co.				
0											
Measured Depth	Hole Angle	Hole Direction	Course Length	True Vertical Depth	Vertical Section	Total Coordinate		Dogleg Severity	Build Up %/100 ft	Walk/ %/100 ft	
						N + / S -	E + / W -				
0	0	0	0	0.00	0.00						
<< TIE-IN POINT >>											
966	0	330	966	965.99	2.89	2.92	-1.69	0.04	0.04	34.16	
1438	1	334	472	1,437.95	7.95	8.04	-4.33	0.13	0.13	0.78	
1913	0	272	475	1,912.93	11.64	11.80	-7.41	0.19	-0.15	-13.01	
2388	1	345	475	2,387.92	13.65	13.84	-9.19	0.11	0.04	15.43	
2862	1	353	474	2,861.88	18.91	19.12	-10.14	0.07	0.06	1.56	
3337	1	353	475	3,336.83	25.89	26.12	-11.00	0.02	0.02	0.17	
3813	2	333	476	3,812.69	36.57	36.89	-14.96	0.23	0.21	-4.20	
3908	1	6	95	3,907.66	38.88	39.20	-15.57	1.20	-0.84	-344.42	
4003	2	16	95	4,002.61	41.54	41.86	-14.96	1.19	1.16	10.63	
4098	2	18	95	4,097.56	44.73	45.03	-13.99	0.42	-0.42	1.58	
4130	2	15	32	4,128.54	45.70	45.99	-13.71	0.29	0.00	-9.38	
4162	2	14	32	4,161.52	46.68	46.97	-13.46	0.13	0.00	-4.06	
4194	3	7	32	4,193.50	47.90	48.18	-13.26	2.62	2.50	-20.63	
4225	4	8	31	4,224.45	49.70	49.97	-13.03	4.84	4.84	2.26	
4257	5	8	32	4,256.35	52.11	52.38	-12.69	1.57	1.56	2.19	
4289	5	11	32	4,288.25	54.70	54.96	-12.26	0.84	0.63	6.88	
4320	6	10	31	4,319.12	57.45	57.70	-11.75	2.26	2.26	-0.32	
4352	7	8	32	4,350.93	60.93	61.17	-11.21	5.08	5.00	-8.13	
4384	10	7	32	4,382.59	65.52	65.75	-10.61	7.50	7.50	-1.56	
4447	14	8	63	4,444.22	78.43	78.63	-8.93	7.62	7.62	0.32	
4479	17	7	32	4,475.04	86.96	87.14	-7.88	7.85	7.81	-2.81	
4510	19	6	31	4,504.53	96.48	96.63	-6.84	7.44	7.42	-1.94	
4542	21	6	32	4,534.57	107.46	107.60	-5.68	6.56	6.56	0.00	
4700	34	9	158	4,674.38	179.83	179.78	4.54	8.10	8.04	2.15	
4732	36	10	32	4,700.62	197.94	197.83	7.61	6.31	6.25	1.58	
4795	39	8	63	4,750.60	235.94	235.71	13.52	5.43	5.08	-3.17	
4859	45	8	64	4,798.03	278.56	278.22	19.50	9.53	9.53	0.31	
4954	50	8	95	4,862.25	348.01	347.48	29.42	4.74	4.74	0.11	
5080	48	7	126	4,945.33	442.15	441.39	41.80	1.72	-1.51	-1.11	
5143	50	6	63	4,986.91	489.29	488.44	46.95	3.14	2.86	-1.75	
5175	53	5	32	5,006.85	514.24	513.35	49.34	11.60	11.56	-1.25	
5237	62	5	62	5,040.18	566.35	565.37	53.83	13.42	13.39	-1.13	
5270	66	4	33	5,054.64	595.96	594.94	55.92	14.85	14.55	-3.33	
5302	71	3	32	5,066.26	625.75	624.71	57.53	14.56	14.38	-2.50	
5333	75	2	31	5,075.45	655.34	654.28	58.82	11.36	11.29	-1.29	
5365	77	3	32	5,083.27	686.36	685.28	60.12	8.46	8.44	0.63	
5397	80	2	32	5,089.71	717.70	716.60	61.27	7.89	7.50	-2.50	
5428	82	1	31	5,094.64	748.30	747.19	62.02	8.29	8.06	-1.94	
5460	84	1	32	5,098.42	780.08	778.96	62.46	7.12	6.88	-1.88	
5557	88	1	97	5,105.02	876.83	875.71	63.90	3.78	3.71	0.72	
5589	89	2	32	5,105.77	908.82	907.69	64.68	4.85	4.69	1.25	
5621	91	2	32	5,105.75	940.82	939.68	65.57	4.06	4.06	0.00	
5716	91	2	95	5,104.25	1,035.81	1,034.63	68.31	0.43	0.42	0.11	
5811	91	1	95	5,102.18	1,130.78	1,129.59	70.13	1.30	0.32	-1.26	
5906	91	359	95	5,100.44	1,225.72	1,224.56	69.30	2.23	-0.74	376.84	
6001	91	358	95	5,098.87	1,320.60	1,319.51	66.73	0.54	0.53	-0.11	
6096	91	358	95	5,097.29	1,415.45	1,414.45	63.58	0.82	-0.53	-0.63	
6190	91	357	94	5,095.73	1,509.24	1,508.34	59.48	0.83	0.53	-0.64	
6285	91	356	95	5,094.07	1,603.90	1,603.14	53.52	1.74	-0.42	-1.68	
6412	94	357	127	5,089.09	1,730.33	1,729.77	45.44	2.57	2.28	1.18	
6480	91	354	68	5,086.30	1,797.94	1,797.49	40.17	6.04	-3.97	-4.56	
6570	92	353	90	5,084.02	1,887.05	1,886.83	29.59	1.94	1.00	-1.67	
6665	92	353	95	5,081.04	1,980.99	1,981.04	17.69	0.67	-0.21	0.63	
6760	92	355	95	5,077.97	2,075.19	2,075.46	7.77	1.92	0.32	1.89	
6855	91	355	95	5,075.32	2,169.62	2,170.08	-0.35	0.94	-0.84	0.42	
6950	90	356	95	5,073.99	2,264.19	2,264.81	-7.38	1.27	-0.84	0.95	
7045	92	358	95	5,072.17	2,358.90	2,359.64	-12.60	2.01	1.47	1.37	







Section 22  
31S 20W

Section 23  
31S 20W

330' FNL      660' FEL

BHL: 9405'  
-99.474695 37.322346

Bottom Perf: 8937'  
-99.47463 37.321093

Top Perf: 7912'  
-99.474749 37.318256

Section 27  
31S 20W

Section 26  
31S 20W

Miss Entry: 5229'  
-99.474353 37.311067

TEAL 1-27H




Section 34  
31S 20W

Section 35  
31S 20W



Actual Bottom-Hole Location of Teal 1-27H  
Comanche County, Kansas  
T&R: 31S 20W  
Section: 27, 330' FNL & 660' FEL  
Long: -99.474695 37.322346

1 in = 667 ft



- Actual BH Location
- SandRidge Wells
- Perf
- Sections

Draftsman: Aaron Birk      Draft Date: 8/28/2012

Drawing Name/Number:  
Addendum\_Teal\_1-27H .mxd

Coordinate System:  
NAD 1927 State Plane  
Kansas South FIPS: 1502