

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1090903

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280			API No. 15 - 15-031-232/1-00-00
Name: Birk, Brian L. dba Bir	k Petroleum		Spot Description:
Address 1: 874 12TH RD SW			NE_NE_NW_NW Sec. 28 Twp. 22 S. R. 17 F East West
Address 2:			5115 Feet from ☐ North / ✓ South Line of Section
City: BURLINGTON Sta	ite: KS Zip:	66839 + 9255	Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Brian L Birk			Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-5875			□NE □NW ☑SE □SW
CONTRACTOR: License # 31280	<b>J</b>		County: Coffey
Name: Birk, Brian L. dba Birk F			Lease Name: Mannschreck Well #: 13
Wellsite Geologist: None			Field Name: Parmely
Purchaser: Coffeyville Resource			Producing Formation: Squirrel
Designate Type of Completion:			Elevation: Ground: 1072 Kelly Bushing: 1072
√ New Well  Re-6	Entry (	Workover	Total Depth: 1006 Plug Back Total Depth: 1003
Oil WSW Gas D&A OG CM (Coal Bed Methane)	☐ SWD ☑ ENHR ☐ GSW	SIOW SIGW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: 42 Feet  Multiple Stage Cementing Collar Used? Yes No  If yes, show depth set: Feet  If Alternate II completion, cement circulated from: 993
☐ Cathodic ☐ Other (Core, If Workover/Re-entry: Old Well Info			feet depth to: 0 w/ 120 sx cmt.
Operator:			
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Re-perf.	_	NHR Conv. to SWD	Chloride content: 0 ppm Fluid volume: 0 bbls  Dewatering method used: Evaporated
Plug Back:	Plug	Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Dual Completion			Operator Name:
SWD		- · · · · - · · · · · · · · · · · ·	Lease Name: License #:
ENHR			QuarterSecTwpS. R East West
☐ GSW	Permit #:		County: Permit #:
05/31/2012 06/01/20	)12	06/01/2012	
Spud Date or Date Read Recompletion Date		Completion Date or Recompletion Date	

## AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☐ Wireline Log Received
Geologist Report Received
<b>☑</b> UIC Distribution
ALT I II III Approved by: Desirison Date: 08/22/2012

Side Two



Operator Name: Birk,	Brian L. dba Bir	k Petroleum	Lease	Name: 🚅	Mannschreck		Well #: <u>13</u>		
Sec. 28 Twp. 22	s. <sub>R.</sub> <u>17</u>	✓ East   West	County	: Coffe	<u>y</u>				
INSTRUCTIONS: Shootime tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shut if gas to surface te	t-in pressures, whether st, along with final chart	shut-in pres	sure read	ched static level,	hydrostatic pr	essures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional St	neets)	☐ Yes 📝 No		□ La		n (Top), Depth	and Datum		Sample
Samples Sent to Geological Survey Yes  Cores Taken Yes		☐ Yes					Тор 997		Datum 75
Electric Log Run Electric Log Submitted (If no, Submit Copy)	Yes No								
List All E. Logs Run:									
		24200	2 250000	<u> </u>		•	<del></del>		
		CASING Report all strings set	3 RECORD -conductor, s		_	on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Wei Lbs.		Setting Depth	Type of Cement	# Sacks Used		and Percent dditives
Surface Casing	9.875	7.0	17		42	Portland	12	Calciur	n
Long String	6.125	2.875	6.5		993	Portland	120	ļ	
									<del></del>
Purpose:	Depth Top Bottom	ADDITIONAL CEMENTING / SQ Type of Cement # Sacks Used			Type and Percent Additives				
Protect Casing Plug Back TD	-								
Plug Off Zone	-								
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Po				cture, Shot, Cen mount and Kind o	nent Squeeze Recor f Material Used)	rd	Depth
0	Open Hole 993-10	006							
			· <del>-</del> ·						
TUBING RECORD:	Size:	Set At:	Packer A	At:	Liner Run:	Yes	No		
Date of First, Resumed P	Production, SWD or EN	HR. Producing Me	ethod:	ng 🗌	Gas Lift ☐ C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio		Gravity
DISDOSITION	N OF CAR.	1	METHOD O	F 0014011	ETION:		DDODUCT	ON INTER	
DISPOSITIO	N OF GAS:	Open Hole	METHOD OI	☐ Dually	Comp. Cor	nmingled	PRODUÇTI	ON INTER	VAL:
(If vented, Subn		Other (Speciful		(Submit	4CO-5) (Sub	mit ACO-4)			

BIRK PETROLE 874 12 <sup>TH</sup> RD SW BURLINGTON, I 620-364-1311 - OI CHARGE TO	WELL CEMENTING	DATE: (16/01/12 CITY
QUANTITY	MATERIAL USED	SERV. CHG
120 SX	Hortland Cement	
	BULK CHARGE	
	BULK TRK. MILES	
	PUMP TRK. MILES	
	PLUGS	
	TOTAL	
T.D. 1006	CSG. SET AT 993 '	VOLUME
SIZE HOLE 6	//2" TBG SET AT	VOLUME
MAX. PRESS	SIZE PIPE 278" COSION	}
PLUG DEPTH		.UG USED
TIME FINISHED:		
REMARKS: (6)	phect to pipe. Pump Cement in	o well. Good Circ.
NAME		
	Jan 1's	

OWNER'S REP

CEMENTER OR TREATER

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



900 S. FOURTH ST.

58 W TO WAYSIDE N I MI PAST

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION
	944			* CAL	JE	* AIR	
02:23:16p	WELL	12,00 yd	12,00 yd	0.00	38	0.00	COFCO
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
THE WAY	To Date	1	12.00 yd				
06-01-12	Today	1	12.00 yd	20763	G/yd 0.0	4.00 in	31710
	THE RESIDENCE OF STREET			Evanskin Water in Date mountain to Consents Davisons			rate Darlarmanaa

WARNING
IRRITATING TO THE SKIN AND EYES
POrtland Climant, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
BURNS. Avoid Contact Wint Eyes and Prolonged Contact With Skin. In Case of
With Skin or Eyes, Frush Thoroughly With Water, it Immalion Persists, Glet Medical
KEEP CHILDREN AWAY.

The undersigned promises to pay all costs, including resconable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

H<sub>2</sub>0 Added By Request/Authorized By

Excess need that need for a	E-MONTHING.		//			
QUANTITY	CODE	DESCRIPTION			UNITARICE	EXTENDED PRICE
12.00	WELL	- WELL (10	SACKS PER UNIT)	12.00	51,00	612.00
12.00	MIX8HAUL	MIXING &	HAULING 1	12.00	25,00	300.00
2,50	TRUCKING	TRUCKING	CHARGE	2.50	50.00	125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED			
		2 SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION			ax % 6.300	1037.00		
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHE 5. ADDED WATER		TIME DUE	otal 4	1102.33	
240	1405					ADDITIONAL CHARGE 1	1102.33	
TOTAL ROUND TRIP	FOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2		
						GRAND TOTAL		