

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1090931

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 15-031-23290-00-00
Name: Birk, Brian L. dba Birk Petroleum	Spot Description:
Address 1: 874 12TH RD SW	NW_SW_NE_NW Sec. 28 Twp. 22 S. R. 17 FEast West
Address 2:	4455 Feet from North / South Line of Section
City: BURLINGTON State: KS Zip: 66839 + 9255	3795 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-5875	□ NE □ NW Øse □sw
CONTRACTOR: License # 31280	County: Coffey
Name: Birk, Brian L. dba Birk Petroleum	Lease Name: Mannschreck Well #; 18
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1057 Kelly Bushing: 1057
▼ New Well Re-Entry Workover	Total Depth: 988 Plug Back Total Depth: 988
✓ Oil □ wsw □ swp □ siow	Amount of Surface Pipe Set and Cemented at: 42 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 972
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	sx cmi.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: 0 ppm Fluid volume: 0 bbls
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
ENHR Permit #:	Quarter Sec TwpS. R
GSW Permit #:	County: Permit #:
06/09/2012 06/11/2012 06/11/2012	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Confidential Release Date:				
Geologist Report Received UIC Distribution				
ALT I I II Approved by: Deems Garrison Date: 08/22/2012				

Side Two



Operator Name: Birk,	Brian L. dba Bi	rk Petroleum	Lease	Name: _	viannschreck		. Well #: <u>18</u>		
Sec. 28 Twp. 22	s. R. <u>17</u>	🗸 East 🗌 West	County	: Coffe	y				
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rate: line Logs surveyed. At	sed, flowing and shu s if gas to surface te	t-in pressures, whethe st, along with final cha	er shut-in pres	sure rea	ched static level,	hydrostatic press	ures, bottom h	nole temp	erature, fluid
Drill Stern Tests Taken (Attach Additional S	heets)	∐ Yes 📝 No		Dr	og Formatio	n (Top), Depth an	d Datum	7	Sample
Samples Sent to Geolo	ogical Survey	Yes No		Nam	e el Sand		Тор 976		Datum 81
Cores Taken Ye Electric Log Run Ye		Yes No Yes No Yes No		Oquin	or Gard		370	•	
List All E. Logs Run:									
		CASII Report all strings s	NG RECORD set-conductor. s	☐ Ne urface, inte	_	on. etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Wei	ight	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface Casing	9.875	7.0	17		42	Portland	12	Calcium	
Long String	6.125	2.875	6.5		972	Portland	120	<u> </u>	
							<u> </u>	<u> </u>	
f	<u> </u>	ADDITION	NAL CEMENTI	NG / SQL	JEEZE RECORD				
Purpose: —— Perforate	Depth Top Bottom	Type of Cement	# Sacks	# Sacks Used Type and Percent Additives			i .		
Protect Casing Plug Back TD	-		-						
Plug Off Zone	-								
Shots Per Foot		ON RECORD - Bridge F Footage of Each Interval				cture, Shot, Cement mount and Kind of Ma		rd	Depth
0 Open hole 972-988				Frac w/42 sx sand 972			972-988		
				-	<u></u>				
TUBING RECORD:	Size:	Set At:	Packer A	At:	Liner Run:	Yes No			
Date of First, Resumed f	Production, SWD or EN	IHR. Producing N	_	ng 🗌	Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio		Gravity
DISPOSITIO	N OF GAS:		METHOD OI	F COMPLI	ETION:		PRODUCTI	ON INTER	IVAL:
Vented Sold	Used on Lease	Open Hole	Perf.	Oually (Submit		nmingled mit ACO-4)			

BIRK PETROLE 874 12 TH RD SW	WELL CEMENTING	E TICKET
BURLINGTON, 620-364-1311 - O	KS 66839 OFFICE, 620-364-6646 - CELL COUNTY CITY	<u>06/11/12</u>
CHARGE TO	NOW MANUSCHIED CONTRACTOR AMOUNT HOW	OIS NEW
QUANTITY	MATERIAL USED	SERV. CHG
120 SX	Portland Cement	
	DIE V CHAPCE	
	BULK CHARGE BULK TRK. MILES	
	PUMP TRK. MILES	
	TOTAL MADE	
	PLUGS	
	TOTAL	
T.D. 988	CSG. SET AT 972' VOLUME	<u> </u>
SIZE HOLE	78" TBG SET AT VOLUME	<u> </u>
MAX. PRESS	SIZE PIPE 278" CASING	
PLUG DEPTH	PKER DEPTH PLUG USED	<u> </u>
TIME FINISHED		
REMARKS: (onnect to pipe. Pump Cement into Well	1. Good Circ.
NAME		
		$\frac{1}{2}$
CEMENTER C	OR TREATER OWNER'S REP.	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
					Det .		
	FELL	12.00 yd	12.00 yd		34		COFCO
DATE		LOAD#	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
BERTHAM A	o Date		84.00 yd				The second
	Today		12.00 yd		B/yd 8.0		31788

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Ston. In Case of
Contact With Sish or Eyes. Flush Thoroughly With Water, If Irritation Persists. Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IN A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys fees, incurred in collecting any sultral overed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per acrount. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Lines of the Cash Discount will be collected on all Returned Chacks.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

Commence of the Commence of th					
QUANTITY	CODE	DESCRIPTION	A STATE OF THE STA	UNIT PRICE	EXTENDED PRICE
		MIXING &			

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	bTotal \$ 1037.00	
			1. JOB NOT READY 8. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		Tax 2 6.300 65.33	
LEFT PLANT	ARRIVED JOB	START UNLOADING	4 CONTRACTOR BROKE DOWN 9 OTHER 5. AODED WATER	TIME DUE	Total # 1102.33	
2:20	2:53	I KATA			ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2		
					GRAND TOTAL	