

12-6

1070623

To: STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

API NUMBER 15-135-23,308-0000

S/2 SE SW, SEC. 8, T 18 S, R 24 W/E

330 feet from S section line  
3300 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 8541

Lease Name Sutton Well # 1

Operator: Petex, Inc.  
Name & Address: 1111 South Glenstone, Suite 1-104  
Springfield, MO 65804

County Ness 141.08  
Well Total Depth 4341 feet  
Conductor Pipe: Size \_\_\_\_\_ feet  
Surface Casing: Size 8 5/8 feet 220

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D&A X

Other well as hereinafter indicated \_\_\_\_\_

Plugging Contractor Blue Goose Drilling Company License Number 5104

Address Box 1413, Great Bend, KS 67530

Company to plug at: Hour: 10 a.m. Day: 6 Month: 12 Year: 19 88

Plugging proposal received from George Miller

(company name) Blue Goose Drilling Company (phone) 316-792-5633

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1589-1625' Elevation 2300' GL

1st plug at 1620' with 50 sx cement, 2nd plug at 900' with 80 sx cement,  
3rd plug at 240' with 40 sx cement, 4th plug at 40' with 10 sx cement,  
5th plug to circulate rathole with 15 sx cement.

Plugging Proposal Received by Richard Lacey (TECHNICIAN)

Plugging Operations attended by Agent?: All X Part \_\_\_\_\_ None \_\_\_\_\_

Operations Completed: Hour: 11:45 a.m. Day: 6 Month: 12 Year: 19 88

ACTUAL PLUGGING REPORT 1st plug at 1620' with 50 sx cement,  
2nd plug at 900' with 80 sx cement,  
3rd plug at 240' with 40 sx cement,  
4th plug at 40' with 10 sx cement,  
5th plug to circulate rathole with 15 sx cement.

RECEIVED  
STATE CORPORATION COMMISSION  
DEC 9 1988  
CONSERVATION DIVISION  
Wichita, Kansas

Remarks: Used 60/40 Pozmix 6% gel by Allied.  
(If additional description is necessary, use BACK of this form.)

INVOICED

DATE 12-12-88

INV. NO. 23323

observe this plugging.

Signed Dan Goodson (TECHNICIAN)

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Expected Spud Date: November 20, 1988

API Number 15-135-23,308-0000

OPERATOR: License # 8541
Name: Petex, Inc.
Address: 1111 S. Glenstone, #1-104
City/State/Zip: Springfield, MO 65804
Contact Person: Larry Childress
Phone: (417) 862-2177

S/2SE SW Sec. 8 Twp. 18 S, Rg. 24
330 Ft. from South Line of Section
3300 Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

Nearest lease or unit boundary line 330 feet
County: Ness

CONTRACTOR: License # 5104
Name: Blue Goose Drilling
City/State: Great Bend, KS

Lease Name: Sutton Well #1
Ground surface elevation 2300 feet MSL

Well Drilled For: Oil, Gas, OWWO
Well Class: Storage, Inj, Expl
Type Equipment: Mud Rotary, Air Rotary, Wildcat, Cable

Domestic well within 330 feet: yes X no
Municipal well within one mile: yes X no

Depth to bottom of fresh water 150'
Depth to bottom of usable water 850'

If OWWO: old well info as follows:
Operator
Well Name
Comp Date Old Total Depth

Surface pipe by Alternate: 1 2 X
Surface pipe planned to be set 200'

Conductor pipe required
Projected Total Depth 4500' feet

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.
Date 11/12/88 Signature of Operator or Agent: Larry Childress Title: President

For KCC Use:
Conductor Pipe Required: 200 feet per Alt. X 2
This Authorization Expires: 5-14-89 Approved By: LJM 11-14-88

EFFECTIVE DATE: 11-19-88

Notes in 11-28-88 set 200' of 60/40

RECEIVED STATE CORPORATION COMMISSION
JUL 9 1988
CONSERVATION DIVISION
Wichita, Kansas

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays)

1st plug @ ft. deep. top of Anhydrite formation with 20 feet of 60/40 pozmix 6% gel
2nd plug @ ft. deep. bottom of Dakota formation with 100 feet of " "
3rd plug @ ft. deep. 250 or formation with 40 feet of " "
4th plug @ ft. deep. build solid bridge to 40! 10 feet of " "
5th plug @ ft. deep. or formation with feet of " "
(2) Rathole to surface minus 5 feet (b) Mousehole to surface minus 5 feet

PUSHER: Martin Miller
TD: FORMATION
SURFACE PIPE: 8 5/8 @ 217
ANHYDRITE: 1589-1625 ELEVATION
STARTING TIME & DATE
COMPLETION TIME & DATE
1st PLUG @ 1620 FT. W/ 50 SX
2nd PLUG @ 900 FT. W/ 80 SX
3rd PLUG @ 240 FT. W/ 40 SX
4th PLUG @ 40 FT. W/ 10 SX
RAT HOLE CIRCULATED W/ 15 SX
MOUSE HOLE CIRCULATED W/ SX
WATER WELL PLUGGED W/ SX
CEMENT COMPANY
TECHNICIAN: R.L.
60/40 6% gel
Sent to how 9 AM 12-6-88 DR