

TWO-WARREN PLACE, SUITE 1500 / TULSA, OK 74136-4224



RECEIVED

AUG 30 2012

KCC WICHITA

August 28, 2012

Mr. Jim Hemmen  
Kansas Corporation Commission  
Oil & Gas Conservation Division  
130 S. Market - Room 2078  
Wichita, KS 67202

Re: **G2 for 2011**  
**HAGER #1-18**  
**Sec.18-34S-27W**  
**Meade County, KS**

Dear Mr. Hemmen:

Enclosed is a 2011 shut-in pressure G-2 for the referenced well. If you need any additional information, please email [rhonda.prill@apachecorp.com](mailto:rhonda.prill@apachecorp.com) or call me at (918) 491-4983.

Sincerely,

A handwritten signature in cursive script that reads "Rhonda Prill".

Rhonda Prill  
Engineering Tech.

Enclosures

cc: OCC File  
Well File

# KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

RECEIVED  
AUG 30 2012  
KCC WICHITA

Type Test:

- Open Flow  
 Deliverability

(See Instructions on Reverse Side)

Test Date: 8/26/2011

API No. 15  
15-119-21264-00-00

Company <b>APACHE CORPORATION</b>		Lease <b>HAGER</b>		Well Number <b>1-18</b>	
County <b>MEADE</b>	Location <b>NW-SW</b>	Section <b>18</b>	TWP <b>34S</b>	RNG (E/W) <b>27W</b>	Acres Attributed <b>80</b>
Field <b>UNNAMED</b>		Reservoir <b>CHEROKEE</b>		Gas Gathering Connection <b>DCP</b>	
Completion Date <b>10/19/10</b>		Plug Back Total Depth <b>6100</b>		Packer Set at <b>N/A</b>	
Casing Size <b>5.5</b>	Weight <b>17</b>	Internal Diameter <b>4.89</b>	Set at <b>6100</b>	Perforations <b>5923</b>	To <b>5930</b>
Tubing Size <b>2.875</b>	Weight <b>6.5</b>	Internal Diameter <b>2.441</b>	Set at <b>5985</b>	Perforations	To
Type Completion (Describe) <b>SINGLE</b>		Type Fluid Production <b>Saltwater</b>		Pump Unit or Traveling Plunger? Yes / <b>(No)</b>	
Producing Thru (Annulus / Tubing) <b>TUBING</b>		% Carbon Dioxide		% Nitrogen	
Vertical Depth(H)		Pressure Taps		(Meter Run) (Prover) Size	

Pressure Buildup: Shut in 8/26 20 11 at 8 (AM) (PM) Taken 8/27 20 11 at 8 (AM) (PM)

Well on Line: Started 8/27 20 11 at 9 (AM) (PM) Taken 8/28 20 11 at 9 (AM) (PM)

### OBSERVED SURFACE DATA

Duration of Shut-in 24 Hours

Static / Dynamic Property	Orifice Size (inches)	Circle one: Meter Prover Pressure psig (Pm)	Pressure Differential in Inches H <sub>2</sub> O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-In						630		630		24	
Flow											

### FLOW STREAM ATTRIBUTES

Plate Coefficient (F <sub>p</sub> ) (F <sub>p</sub> ) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension $\sqrt{P_m \times h}$	Gravity Factor F <sub>g</sub>	Flowing Temperature Factor F <sub>tt</sub>	Deviation Factor F <sub>pv</sub>	Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G <sub>m</sub>

### (OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P<sub>c</sub>)<sup>2</sup> = \_\_\_\_\_ : (P<sub>w</sub>)<sup>2</sup> = \_\_\_\_\_ : P<sub>d</sub> = \_\_\_\_\_ % (P<sub>c</sub> - 14.4) + 14.4 = \_\_\_\_\_ : (P<sub>a</sub>)<sup>2</sup> = 0.207 : (P<sub>d</sub>)<sup>2</sup> = \_\_\_\_\_

(P <sub>c</sub> ) <sup>2</sup> - (P <sub>a</sub> ) <sup>2</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>d</sub> ) <sup>2</sup>	(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	Choose formula 1 or 2: 1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	LOG of formula 1, or 2, and divide by: $\frac{P_c^2 - P_w^2}{P_c^2 - P_a^2}$	Backpressure Curve Slope = "n" Assigned Standard Slope	n x LOG [ ]	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)

Open Flow Mcfd @ 14.65 psia      Deliverability Mcfd @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 28th day of August, 20 12.

\_\_\_\_\_  
Witness (if any)

\_\_\_\_\_  
Apache Corporation  
For Company  
Rhonda Pull  
Checked by

\_\_\_\_\_  
For Commission

RECEIVED

Form G-2  
(Rev. 7/03)

AUG 30 2012

KCC WICHITA

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Apache Corporation and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.

I hereby request a one-year exemption from open flow testing for the Hager #1-18 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. \_\_\_\_\_
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: 8/28/12

Signature: Rhonda Puel  
Title: Engineering Tech

**Instructions:** If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.