KCC WICHITA

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test: | | | | (8 | ee Instructions | on Reverse Side |) | | | | | |
|--------------------------|-----------------|-----------------------------------|----------------------|------------------|------------------|--------------------|--------------|----------------|-----------------|------------------|------------------|--|
| Open Flo | ow | | | | | | | | | | | |
| Delivera | bility | | | Test Date: | | | | A | PI No. 15 | | | |
| | • | | | 5/22/20 | 12 | | | | | 1187-00-6 | 56 | |
| Company | | | | | | Lease | | • | | | | lumber |
| Samson F | Resources | s Company | | | | Theis W | | | | | : | 3-5 |
| County | | Location | n | Section | | TWP | | | RNG (E/W) | | | Attributed |
| Clarke | | C SW | | 5 | | 35S | | | 25W | | | |
| Field | | | | Reservoir | | | | G | as Gatherin | g Connection | | |
| McKinney | • | | | Chester | | | | 0 | CP Mid | stream | | |
| Completion Da | ate | • | | Plug Back Tota | l Depth | - | | , P. | acker Set at | | | |
| 12/21/19 | 99 | | | 6089 | | | | | | | | |
| Casing Size | | Welght | | Internat Diamet | ter | Set at | | - | Perfo | rations | To | |
| 4.5 | | 11.6 | _ | 4.000 | | 6130 | | | | 5922 | _ 5973 | |
| Tubing Size | | Weight | | Internal Diamet | - | Set at | | | Perfo | rations | То | |
| 2.375 | | 4.7 | | 1.995 | | 5917 | | | | | | |
| Type Completi | ion (Describe |)) | | Type Fluid Proc | | | | Р | ump Unit or | Traveling Plunge | er? Yes/ | No |
| Single | /A 1 ·- 1 | | | Oil-Wat | | | | | | , | | es |
| Producing The | u (Annulus / | i ubing) | | % Carbon Diox | ide | | | % Nitroge | ın | • | | ravity - Gg |
| Casing Vertical Depth | 701 | | | | Pressure Taps | | | | | 1 | | .65 |
| • | (17) | | | | | | | | | (Meter I | Run) (Prover) Si | 2 0 |
| 6130 | 4 | Chiati- Mai | . 20 | 40 . | Pipe | - | | • • • | | | 3.068 | |
| Pressure Build | aup: | Shut-in May Started | y-22 20 | 12 at | | _(AM/PM) Taken | | May-2 | | 20 12 at 1 | | (AM/PM) |
| Well on Line: | | Started | 20 | at | | (AM/PM) Taker | <u> </u> | | - | 20 at | . — | (AM/PM) |
| | | | | OBSI | ERVED SURF | ACE DATA | | | Dura | ion of Shut-in | Hours | |
| | | Circle one: | Pressure | | | | sing | T T | | ubing | | T |
| Static / Dynamic | Orifice Size | Meter or Prover Pressure | Differential | Flowing | Well Head | Wellhead | | | | ad Pressure | Duration | quid Produ |
| Property | inches | psig | in (h) Inches H2O | Temperature t | Temperature t | (Pw) or (I psig | | c) sia | | (Pt) or (Pc) | (hours) | (Barrels) |
| Shut-in | 11101100 | Po,g | 1101001120 | ` - | | 190 | ` | 4.4 | psig | psia | | |
| Flow | | - | | | 1 | 150 | 20 | "." | | | 24 | |
| HOW | | | | | L OTREAM | TYPIN PEO | | | | i . | | <u> </u> |
| Plate | T | Circle one: | , | FLU | N STREAM A | Flowing | | r | | <u>.</u> | | T 6 |
| Coeffiecie | ent | Meter or | Press | | Gravity | Temperati | ine . | Deviat | ion | Metered Flow | GOR | Flowing Fluid |
| (Fb)(Fp | | rover-Pressure | Extensio | n | Factor | Factor | | Fact | | R | (Gubic Feet/ | Gravity |
| Mcfd | | psia | (Pm x Hw |)^2 | Fg. | Ft. | | Fpv | , [| (Mcfd) | Barrel) | Gm |
| | | | | 1 | | [| | | | | | |
| | | | | OPEN FLOW |) (DELIVERA | ABILITY) CAL | CULAT | TONS | • | | | |
| | | | | | | • | | | | | (Pa)2= 0.207 | |
| (Pc)241.7 | 779 | (Pw)2= | | Pd = | | % (Pc-14. | 4)+14.4: | = | | | (Pd)2= | |
| | | | | | | - | | | | | | |
| (Pc)2 - (P | on I | (Pc)2 - (Pw)2 | Pc2 - Pa | ا ר _ە | - ¬ | Backpressure | | | г э | 4151100 | | |
| or | °′ | (1-0)2 - (1-W)2 | Pc2 - Pd | | | Slope= "I | | n x LOG | | ANTILOG | | Flow rability |
| (Pc)2 - (Pc | d)2 | | Pc2 - Pw | | | Assigned | | | 1 1 | | | x Antilog |
| | | _ | L | | | Standard S | | | | | - Mc | - |
| | | | | | | | | | : | | | |
| | | _ | | | | 0.700 | | | | <u> </u> | | |
| | | | | | | <u></u> | | A | | | | |
| Open Flow | | | Mcfd @ 14.6 | 5 nsia | | Deliverbility | | | | | Mefd @ 14 | 65 acia |
| | | · · · · · · · · · · · · · · · · · | | | | Denverbing | | | | | Mcfd @ 14. | oo psia |
| The un | ndersigned a | authority, on ber | nalt of the Con | npany, states | that he is dur | v authorized to | make | the abov | e report a | nd that he has | | |
| | | stated therein, a | | | | • | | | | | | |
| | | | | 5 - | | m | , | | | | 1 - | |
| Execut | ted this the | | .3/ | | day of | | 11 | | | 20 | 12 | |
| | | | | | • | | 1 | 4 | [] / | | | |
| | | | | | | AY | aL. | | | | N RESOURCES C | ONDANY |
| | , | Witness (if any) | | | | <u> </u> | 9/ | -7/1 | <i></i> | or Company | - | JMFART |
| | | , | | | | | | | | -or company | | |
| | | | | | | | | | Ω- | moutes | | |
| | 1 | For Commission | | | | | | | Co | Checked by | 05- | |
| | • | | | | | | | | | Checked by | KECEIV | /FD |
| ח ח | | 0700 | | יכו כ | | 3 D.C | | | | | RECEIV JUN 04 | |
| 1/0 | 1/0- | 0780 - | 000/ | -373 | 51-08 | 579 | | | | | JUN n 4 | 2012 |
| • | • | - | | _ | | , | | | | | • • • | LUIL |

| | lare under penalty or perjury ur tatus under Rule K.A.R. 82-3-3 | nder the laws of the state of Kansas that 304 on behalf of the operator | l am authorized to request Samson Resources Company | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| and that the foregoing information and statements contained on this application form are true and correct to | | | | | | | | | |
| | | sed upon gas production records and rec | ords of equipment installa- | | | | | | |
| | or type completion or upon use | | | | | | | | |
| | eby request a permanent exem on the grounds that said well: | Theis W 3-5 | | | | | | | |
| gas well | on the grounds that said well. | | | | | | | | |
| (Che | ck one) | | | | | | | | |
| is a coalbed methane producer | | | | | | | | | |
| is cycled on plunger lift due to water | | | | | | | | | |
| is a source of natural gas for injection into an oil reservoir undergoing ER | | | | | | | | | |
| is on vacuum at the present time; KCC approval Docket No. | | | | | | | | | |
| X is incapable of producing at a daily rate in excess of 250 mcf/D | | | | | | | | | |
| | | | | | | | | | |
| • | | | | | | | | | |
| | | | | | | | | | |
| Date: _ | 5/31/2012 | | | | | | | | |
| | | | | | | | | | |
| | • | | | | | | | | |
| | | | | | | | | | |
| | | Signature: | 1,1 | | | | | | |
| | | Signature: | M | | | | | | |
| | | Title: Stas //Le | as Spec. | | | | | | |
| | | | V | | | | | | |
| | | | | | | | | | |

Instruction All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.