

STATE OF KANSAS  
STATE CORPORATION COMMISSION


Form CP-4

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 No. Market  
Wichita, Kansas 67202

WELL PLUGGING RECORD

Ness County, Sec. 29 Twp. 18 Rge. (E) 26 (W)

Location as "NE/CNW/SE/SW" or footage from lines NE NW 1/4E  
Lease Owner R. P. Nixon Operations, Inc.  
Lease Name Reeves "A" Well No. 1  
Office Address Box 589, Russell, Kansas 67665  
Character of Well (completed as Oil, Gas or Dry Hole) oil  
Date well completed \_\_\_\_\_ 19\_\_\_\_  
Application for plugging filed November 11 1970  
Application for plugging approved \_\_\_\_\_ 19\_\_\_\_  
Plugging commenced November 14 1970  
Plugging completed November 18 1970  
Reason for abandonment of well or producing formation depleted



Locate well correctly on above  
Section Plat

If a producing well is abandoned, date of last production \_\_\_\_\_ 19\_\_\_\_  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Leo Massey  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 4571 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| FORMATION | CONTENT | FROM | TO    | SIZE   | PUT IN | PULLED OUT |
|-----------|---------|------|-------|--------|--------|------------|
|           |         | 0    | 315'  | 8 5/8" | 315'   | none       |
|           |         | 0    | 4568' | 5 1/2" | 4568'  | 2748.75    |
|           |         |      |       |        |        |            |
|           |         |      |       |        |        |            |
|           |         |      |       |        |        |            |
|           |         |      |       |        |        |            |
|           |         |      |       |        |        |            |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Sanded back to 4550' and dumped 5 sacks of cement.  
Pumped in 120 sacks of cement, 30 sacks of mud and 3 sacks of hulls.

RECEIVED  
STATE CORPORATION COMMISSION  
DEC 1 - 1970  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor PIPE PULLERS, INC.  
Address Box 486, Ellinwood, Kansas

STATE OF KANSAS, COUNTY OF BARTON, ss.  
Evelyn Roth (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Evelyn Roth  
Ellinwood, Kansas (Address)

SUBSCRIBED AND SWORN TO before me this 25th day of November 19 70

George A. Meyer  
Notary Public.

My commission expires Feb. 10, 1971


15-135-20275-0000  
**Shields**

Russell, Kansas  
 A.M. K.C.C.

WELL LOG

Operator: R. P. Nixon & Associates  
 Well: Reeves "A" # 1  
 Commenced: August 5, 1969  
 Completed: August 18, 1969  
 Contractor: Shields Drilling Co., Inc.

Well Description: NE NW ~~NW~~  
 Sec. 29-18s-26w  
 Ness County, Kansas



| CASING RECORD |        |                 |
|---------------|--------|-----------------|
| Size          | Run    | Pulled          |
| 8 5/8"        | 315'   | Cmtd w/ 175 sax |
| 5 1/2"        | 4,568' | Cmtd w/ 100 sax |

Elevation:  
 Treatment:  
 Production:

Tops:

RECEIVED  
 STATE CORPORATION COMMISSION  
 NOV 13 1970  
 CONSERVATION DIVISION  
 Wichita, Kansas

..... Figures Indicate Bottom of Formations .....

|                |        |       |
|----------------|--------|-------|
| Shale          | 325'   |       |
| Shale & shells | 695'   |       |
| Shale & sand   | 1,200' |       |
| Redbed         | 1,325' |       |
| Redbed & shale | 1,700' |       |
| Shale          | 1,825' |       |
| Shale & redbed | 1,956' |       |
| Anhydrite      | 1,991' |       |
| Shale          | 2,045' |       |
| Shale & shells | 2,200' |       |
| Shale & lime   | 3,505' |       |
| Lime           | 3,610' |       |
| Lime & shale   | 3,975' |       |
| Lime & chert   | 4,271' |       |
| Lime           | 4,545' |       |
| Lime & sand    | 4,560' |       |
| Sand           | 4,571' | R T D |