#### For KCC Use: 11-14-2012 Effective Date: District #

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed

## NOTICE OF INTENT TO DRILL

Second Surface   11   30   2012   13   34781   15   347	Must be approved by KCC five Form KSONA-1, Certification of Compliance with the Kansas S	(5) days prior to commencing well Surface Owner Notification Act, MUST be submitted with this form.
SE_SE_NW_Soc_98_TVp_11_S_R_22	Evenerated Struck Date: 11 30 2012	Snot Description:
APPRIADOR   Lorenset   34781	Expected Spud Date.	
2,000   feet from   2   2,000   feet from   2   2   2   2   2   2   2   2   2	34781	(0,0,0,0)
Address 2: 7.000 Confederate Park Rd. Suits 102    Section   State   X   Zip. 76108	OPERATOR: License#	ICCC II OIII     O Elific Oi Occolori
Address 2: Copy. Fore. Well State . TX		is SECTION: Popular Throught?
County. TRESO Co		is SECTION. Mikegulai i illinegulai?
Contract Person: Jayme Workson Processor: Jayme Workson Processor: Jayme Workson Processor: Jayme Workson CONTRACTOR: Licenses 90006 Contractor: \$\frac{1}{2}\$ of Holds: Contractor: \frac{1}{2}\$ of Holds: \frac{1}{2}		
East Name Shaw Creek Southeast   Shaw Creek S		County: TREGO
CONTRACTOR: Licenses 300006  Variet Multin Drilling Co., inc.  Well Orlied For Well Class: Type Equipment:  Soli Striang School Est. Should Rotary Midicat School Est. Should Rotary Midicat School Est. Should Rotary School Est.	Phone: 817-744-8506	Lease Name: LTND FAMILY TRUST Well #: 30-1
Marin Drilling Co.   Inc.   Well Class:   Type Equipment   Well Class   Wide Rotary   Wide well with none-quater mile.   Yes   No.		
Meil Drilled For   Weil Class:   Type Equipment   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   Mearest Lease or unit boundary line (in footage)   340   Service   340   S	Nome: Murfin Drilling Co. Inc.	
Soil	Name:	
Selsmin: # of Holes   Other   Original Total Depth   Other   Operator:   For Office   Other   Other   Operator:   For Office   Other   Operator:   Operator:   Operator:   Operator:   Operator:   Original Total Depth   Operator:   Op	Well Drilled For: Well Class: Type Equipment:	
Seismin   # of Holes   Other	XOil Enh Rec Infield XMud Rotary	
Depth to bottom of fresh water: 150'   Depth to bottom of fresh water: 150'   Depth to bottom of usable water: 150'   Depth		
Depth to bottom of usable water: 10007  Surface Pipe by Alternate:	DisposalWildcat Cable	
FOWNO: old well information as follows:   Length of Surface Pipe by Alternate:   Sull Length of Surface Pipe Planned to be set: 350   RECEIVED		
Length of Surface Pipe Planned to be set350	Other:	· · · · · · · · · · · · · · · · · · ·
Length of Conductor Pipe (if any):   Not 0 9 2	If OWWO: old well information as follows:	
Nell Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Control Completion Date: Original Completion Original Completion Date: Original		
Original Completion Date: Original Total Depth: ARBUCKLE  Water Source for Drillips Operations: KCC WICHITA  If Yes, true vertical depth: Grow or Completed or Horizontal wellbore?  Water Source for Drillips Operations: KCC WICHITA  If Yes, true vertical depth: Grow or Completed Within 20 per Permit with DWR Will Cores be taken?  If Yes proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plus length and placement is necessary prior to plugging;  5. The appropriate district office where the operator and the district office on pure usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent: The authorization void # drilling not started within 12 months of approved date.  Spud date: Agent: Agent: Agent: The authorization void # drilling not started within 12 months of approved date.  Spud date: Agent: Every Agent: Submit Naging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  File acreage attribution plate according to field proration	Operator:	
Directional, Deviated or Horizontal wellbore?    No   Water Source for Diffligo Operations:   Well   Agent:   Water Source for Diffligo Operations:   Well   Agent:   Ag		
If Yes, true vertical depth: Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be onliftled before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Por KCC Use ONLY  API #15	Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE
If Yes, true vertical depth: Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be onliftled before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Por KCC Use ONLY  API #15	Directional Devicted on Harimontal wallboard	Water Source for Drilling Operations:
Bottom Hole Location: (Note: Apply for Permit with DWR   Yes   No   If Yes   The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  For KCC Use ONLY  API # 15 - 195 - 22834-0000  feet per ALT		Well A Farm Pond Other:
Will Cores be taken?	·	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 195 - 22834-0000 feet  Minimum surface pipe required feet  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreag		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "9" - Eastern Kanasas surface casing order #133.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 19 - 2013  This authorization expires: 11 - 9 - 2013  This authorization expires: 11 - 9 - 2013  This authorization expires: 11 - 9 - 2013  This authorization ovoid if drilling not started within 12 months of approval date.)  Spud date: Agent: 4FI Month and expired (See: authorized expiration date) please check the box bedown and return to the address below.  Well will not be drilled or Permit Expired Date: 5 included or Perm		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15		II tes, proposed zone.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 195 - 22834-0000  Feet prior to plugged. In all cases surface within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If well will not be drilled or Permit Expired Date:  Signature of Operator or Agent:  Well will not be drilled or Permit Expired Date:  Signature of Operator or Agent:		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior</i> to <i>plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE il COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 6. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate Il cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15	The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 195 - 2334 - 0000 feet per ALT.	It is agreed that the following minimum requirements will be met:	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent: VP of Operations  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACD-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well will not be drilled or Permit Expired Date:  Signature of Operator or Agent:	2. A copy of the approved notice of intent to drill shall be posted on each	
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent: Title: VP of Operations  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well will not be drilled or Permit Expired Date:  Well will not be drilled or Permit Expired Date:		
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent: Title: VP of Operations  Remember to:  For KCC Use ONLY API #15 - 195 - 22834-0000 feet Minimum surface pipe required feet Minimum surface pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent: Wallson Title: VP of Operations  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File accreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or Permit Expired Date:  Well will not be drilled or Permit Expired Date:  Signature of Operator or Agent:		
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 11/06/2012 Signature of Operator or Agent: Walker Title: VP of Operations    For KCC Use ONLY		
Signature of Operator or Agent:   VP of Operations   Title:   VP of Operations   VP of Operator or Agent:   VP of Op		
Signature of Operator or Agent:   VP of Operations   Title:   VP of Operations   VP of Operator or Agent:   VP of Op	hereby certify that the statements made herein are true and to the best of m	v knowledge and belief.
For KCC Use ONLY API # 15		1.70
For KCC Use ONLY API # 15	Date: 11/06/2012 Signature of Operator or Agent:	M Walkson Title: VP of Operations
For KCC Use ONLY  API # 15		Remember to:
Conductor pipe required	For KCC Use ONLY	
Conductor pipe required	API#15. 195-22834-0000	Act (KSONA-1) with Intent to Drill:
Minimum surface pipe required	None	
Approved by: Line 11-9-2013  This authorization expires: 11-9-2013  (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	Contractor pipe required	- File Completion Form ACO-1 within 120 days of soud date:
This authorization expires:	_	- File acreage attribution plat according to field proration orders;
This authorization expires:	Approved by: 1-9-2012	
(This authorization void if drilling not started within 12 months of approval date.)  Spud date:  Agent:  Well will not be drilled or permit bas expired (See: authorized expiration date) please check the box below and return to the address below.  Well will not be drilled or Permit Expired Date:  Signature of Operator or Agent:	. 0 2012	- Submit plugging report (CP-4) after plugging is completed (within 60 days);
Spud date: Agent: please check the box below and return to the address below m  Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:		Obtain written approval before disposing or injecting salt water.
Spud date: Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:		, , , , , , , , , , , , , , , , , , , ,
Signature of Operator or Agent:	Spud date: Agent:	The state of the s
Mail to: KCC - Conservation Division,  Signature of Operator or Agent:		· · · · · · · · · · · · · · · · · · ·
	Mail to: KCC - Conservation Division,	Signature of Operator or Agent:

130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED NOV 0 9 2012 KCC WICHITA

For KCC Use ONLY
API # 15 - 195-22834-00-00

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

	Circle Star (		orp			····	L	ocation of	Well: Cou	unty: TREG	0			
	'ND FAMIL'	TRUST						2,270			feet from	X N	/∏s L	ne of Sectio
	ber: <u>36-1</u>					·		2,300			feet from	E	- Spinster	ne of Section
eld: Sha	w Creek S	outheast		<del></del>			s	ec. <u>36</u>	Twp.	11	_S. R.2	2		⊠w
umber o	f Acres attr	ibutable t	well:						<b>53</b>	-				
	/QTR/QTR			- SE	- SE	- NW	—- is	Section:	X Reg	gular or [	Irregi	ular		
			WO						is Irregula ner used:		vell from		sw	undary.
	SI lease roa	now locati ds, tank t	on of the v	vell. Show ipelines an	d electric	al lines, as	s required	by the Kar	nsas Surfa	o. Show the	predicte Notice A	ed location	ns of e Bill 2032).	
			2300	FWL	You n	nay attach	a separat	e plat if de	esired.					
		:	:			:	:	:						
			:	<u> </u>							LE	GEND		
										_	1 10/0	U 14:		
			:	11								II Location		
		:	:	10		:	:	:	1	<u> </u>		eline Lo	y Location	
		:	:			;	:				•			
⊀ana (	,	:	:										e Location d Location	
2270 ENL		:	:	:		:	:	:			Lca	ise Road	Location	
, .,			:	نائن ا	340	NLL.	:	:						
					, F	NLL.				EXAMP	E	:	:	7
			<del></del>	<del>: 3</del>	<b>6</b>	:	:	:	-					
			:	:	1		•				•••••		· · · · · · · · · · · · · · · · · · ·	
		: 	· ·····	:		:		:			:	:	:	
			:	:	ļ	:	:	:			:	:	:	
				:		:	:	:			•		`	
		• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •		•	•	•					•	1980' FSL
	1 .					:	:	:			: Y-			1900 F3L
			:				-	-				<u> </u>		
						:	:	•			••• ••••	<b>il</b>		1
		•••••				:	·	:	-		: -			1
		••••••		•••••		: :	i	:	-					

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent)	3-1 (Cathodic Protection Borehole Intent)
OPERATOR: License # 34781	Well Location:
Name: Circle Star Operating Corp	NE SE SE NW Sec. 36 Twp. 11 S. R. 22 Eas West
OPERATOR: License # 34781  Name: Circle Star Operating Corp  Address 1: 7065 Confederate Park Rd.  Address 2: Suite 102	County: TREGO
Address 2: Suite 102	Lease Name: LYND FAMILY TRUST Well #: 36-1
City: Fort Worth State: TX Zip: 76108 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Jayme Wollison	the lease below:
	_
Phone: ( 817 ) 744-8506 Fax: ( )  Email Address: jwollison@circlestarenergy.com	<del>_</del>
Surface Owner Information:  Name: Delmer & Dorothy Lynd  Address 1: 34011 F Road RR3# Box 36A  Address 2:  City: Ellis State: KS Zip: 67637 +	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads,	athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will t	ce Act (House Bill 2032), I have provided the following to the surface one located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form rm being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address.
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the e owner(s). To mitigate the additional cost of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 hands form and the associated Form C-1, Form CB-1, Form T-1, or Form	ling fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.
I hereby certify that the statements made herein are true and correct	, G
Date: 11/06/2012 Signature of Operator or Agent:	Title: VP of Operations
	RECEIVED

KCC WICHITA

NOV 0 9 2012

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Circle Star Operating	Corp	License Number: 34781						
Operator Address: 7065 Confedera	ate Park Rd.	Port Worth TX 76108						
Contact Person: Jayme Wollison			Phone Number: 817-744-8506					
Lease Name & Well No.: LYND FAMIL	YTRUST 36-	-1	Pit Location (QQQQ):					
Type of Pit:	Pit is:		NW - SE - SE - NW					
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 36 <sub>Twp.</sub> 11 <sub>R.</sub> 22  ☐ East 🔀 West					
Settling Pit X Drilling Pit	If Existing, date co	nstructed:	Feet from X North / South Line of Section					
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 4,000	(bbls)	Feet from East / _ West Line of Section TREGOCounty					
Is the pit located in a Sensitive Ground Water A	Area? Yes X	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)						
Is the bottom below ground level?  X Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Native clay & soil					
Pit dimensions (all but working pits):	00 Length (fe	et) 100	Width (feet) N/A: Steel Pits					
Depth fro	om ground level to dee	epest point:	5 (feet) No Pit					
If the pit is lined give a brief description of the li material, thickness and installation procedure.	iner		edures for periodic maintenance and determining nocluding any special monitoring.					
			NOV 0 9 2012					
			KCC WICHITA					
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water 42 feet. Source of information:						
feet Depth of water well	feet	measured	well owner electric log X KDWR					
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	cover and Haul-Off Pits ONLY:					
Producing Formation:		Il utilized in drilling/workover: Drig mud						
Number of producing wells on lease:		king pits to be utilized:						
Barrels of fluid produced daily: Abando			procedure: Allow to dry, then backfill					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must			procedure: Allow to dry, then backfill objections of spud date.					
I hereby certify that the above staten	nents are true and cor	rect to the best of						
11-6-2012 Date		ayne si	Wellise  gnature of Applicant or Agent					
	(/(							
	KCC	OFFICE USE O	NLY    Liner   Steel Pit   RFAC   RFAS					