



CONFIDENTIAL

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form Must Be Typed
Form must be Signed
All blanks must be Filled

OPERATOR: License # 34192
Name: SandRidge Exploration and Production LLC
Address 1: 123 ROBERT S. KERR AVE
Address 2: _____
City: OKLAHOMA CITY State: OK Zip: 73102 + 6406
Contact Person: Tiffany Golay
Phone: (405) 429-6543
CONTRACTOR: License # 34464
Name: Lariat Services, Inc.
Wellsite Geologist: Kathy Gentry
Purchaser: DCP Midstream, LP (gas) NCRA (oil)

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SLOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____
5/23/2012 6/15/2012 6/18/2012
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 15-033-21636-01-00
Spot Description: _____
SE SE SW SE Sec. 26 Twp. 31 S. R. 20 East West
300 Feet from North / South Line of Section
1635 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Comanche
Lease Name: Harold Well #: 1-26H
Field Name: _____
Producing Formation: Mississippian
Elevation: Ground: 1998 Kelly Bushing: 2018
Total Depth: 9389 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: 942 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: _____
feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: 10000 ppm Fluid volume: 3160 bbls
Dewatering method used: Hauled to Disposal
Location of fluid disposal if hauled offsite:
Operator Name: LoJo Disposal
Lease Name: Pit #1 License #: 99999
Quarter SW Sec. 10 Twp. 26 S. R. 15 East West
County: Woods, OK Permit #: 563714

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Letter of Confidentiality Received
Date: 09/19/2012
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: NAOMI JAMES Date: 09/19/2012

DIRECTIONAL SURVEY CALCULATION

MINIMUM CURVATURE METHOD

Well Name		Target Direction		Slot	N / S	E / W	Hole Size	Calculation by		Date
Harold 3120 1-26H		0.90		Coordinate						9/7/12
Job Number		Type of Survey		Tie-in Point				Directional Co.		
0										
Measured Depth	Hole Angle	Hole Direction	Course Length	True Vertical Depth	Vertical Section	Total Coordinate		Dogleg Severity	Build Up °/100 ft	Walk/ °/100 ft
						N + / S -	E + / W -			
0	0	0	0	0.00	0.00					
0	0	0		0.00	0.00	0.00	0.00			<< TIE-IN POINT >>
1161	1	6	1161	1,160.93	11.10	11.09	1.13	0.09	0.09	0.50
1628	1	357	467	1,627.82	21.26	21.24	1.27	0.08	0.06	75.18
2102	1	356	474	2,101.73	30.33	30.33	0.71	0.13	-0.13	-0.25
2578	1	356	476	2,577.69	36.54	36.54	0.28	0.02	-0.02	0.15
3053	1	10	475	3,052.65	42.71	42.70	0.68	0.04	0.02	-72.91
3528	1	163	475	3,527.63	44.01	43.98	1.86	0.27	-0.06	32.23
4003	0	129	475	4,002.62	41.26	41.21	3.42	0.06	-0.04	-7.16
4173	1	99	170	4,172.61	40.74	40.66	5.52	0.56	0.53	-17.94
4194	1	100	21	4,193.60	40.68	40.59	5.94	0.49	-0.48	6.19
4226	1	73	32	4,225.60	40.72	40.62	6.51	1.57	-0.31	-84.69
4257	2	31	31	4,256.59	41.18	41.07	6.99	3.48	1.94	-134.19
4289	4	17	32	4,288.56	42.50	42.39	7.50	6.23	5.94	-45.94
4321	6	10	32	4,320.44	45.12	45.00	8.09	8.27	8.13	-19.38
4352	8	10	31	4,351.21	48.87	48.74	8.77	6.13	6.13	-0.32
4384	10	10	32	4,382.81	53.84	53.69	9.67	6.56	6.56	-0.31
4416	12	12	32	4,414.21	59.90	59.74	10.84	6.31	6.25	4.38
4447	16	14	31	4,444.29	67.18	66.99	12.54	11.81	11.61	9.03
4479	18	17	32	4,474.94	76.07	75.84	15.02	6.61	6.25	7.50
4511	19	17	32	4,505.33	85.70	85.43	17.92	3.44	3.44	0.00
4542	20	17	31	4,534.59	95.56	95.25	20.87	3.23	3.23	-0.32
4574	21	17	32	4,564.62	106.19	105.82	24.06	2.51	2.50	0.62
4606	22	16	32	4,594.41	117.43	117.01	27.41	5.03	5.00	-1.56
4637	24	16	31	4,622.92	129.17	128.70	30.84	6.13	6.13	-0.32
4669	26	15	32	4,651.93	142.23	141.70	34.46	5.62	5.31	-4.38
4700	27	13	31	4,679.66	155.72	155.15	37.82	5.42	4.84	-5.48
4732	29	12	32	4,707.90	170.45	169.83	41.11	4.96	4.69	-3.44
4763	31	12	31	4,734.81	185.56	184.88	44.27	6.18	6.13	-1.61
4795	33	10	32	4,762.01	202.16	201.44	47.45	7.25	6.88	-4.38
4827	35	8	32	4,788.57	219.82	219.05	50.31	7.07	6.25	-5.94
4858	37	7	31	4,813.66	237.89	237.09	52.70	7.35	6.77	-4.84
4890	40	7	32	4,838.74	257.66	256.83	55.05	8.75	8.75	0.00
4922	43	7	32	4,862.74	278.71	277.84	57.56	10.00	10.00	0.00
4953	46	7	31	4,884.87	300.31	299.40	60.09	9.37	9.35	-0.65
4985	49	6	32	4,906.55	323.74	322.80	62.60	9.30	9.06	-2.81
5048	53	5	63	4,946.23	372.52	371.51	66.98	6.96	6.83	-1.75
5080	53	5	32	4,965.37	398.10	397.07	69.06	0.97	0.94	0.31
5112	53	5	32	4,984.50	423.71	422.64	71.12	0.80	-0.62	-0.63
5143	53	4	31	5,003.07	448.48	447.39	73.02	0.52	0.00	-0.65
5175	53	4	32	5,022.28	474.03	472.91	74.92	0.67	-0.63	-0.31
5198	53	4	23	5,036.09	492.39	491.26	76.26	0.87	0.87	0.00
5207	53	4	9	5,041.48	499.59	498.44	76.78	1.78	0.00	-2.22
5238	53	4	31	5,060.01	524.41	523.24	78.47	0.83	0.65	-0.65
5270	56	3	32	5,078.47	550.51	549.32	80.09	8.53	8.44	-1.56
5302	60	3	32	5,095.52	577.57	576.36	81.45	10.83	10.63	-2.50
5334	63	2	32	5,110.94	605.60	604.37	82.60	10.66	10.63	-0.94
5365	67	3	31	5,124.09	633.65	632.42	83.80	12.99	12.90	1.61
5429	74	0	64	5,145.49	693.92	692.66	85.41	11.60	11.09	-3.59
5492	82	358	63	5,158.64	755.44	754.21	84.42	13.17	12.54	567.30
5520	86	358	28	5,161.71	783.23	782.01	83.28	12.90	12.86	-1.07
5619	91	357	99	5,164.38	881.94	880.82	78.44	5.99	5.96	-0.61
5713	92	357	94	5,161.27	975.66	974.63	73.45	1.07	1.06	0.11
5808	94	357	95	5,155.80	1,070.29	1,069.35	68.65	1.91	1.89	0.21
5903	94	357	95	5,148.84	1,164.83	1,163.97	63.94	0.10	0.00	-0.11
5998	94	357	95	5,141.88	1,259.37	1,258.60	59.14	0.00	0.00	0.00
6093	94	357	95	5,134.84	1,353.88	1,353.20	54.02	0.43	0.11	-0.42
6188	95	358	95	5,127.06	1,448.35	1,447.76	49.31	1.27	0.84	0.95

Section 23
31S 20W

Section 24
31S 20W

BHL: 9389'
-99.460075 37.322315

398' FNL

Bottom Perf: 8953'
-99.460018 37.321172

1650' FEL

Section 26
31S 20W

Section 25
31S 20W

Top Perf: 5570'
-99.459519 37.311814

Miss Entry: 5040'
-99.459523 37.310697

HAROLD 1-26H



KERSTETTER 1-25H



Section 35
31S 20W

Section 36
31S 20W



Actual Bottom-Hole Location of Harold 1-26H
Comanche County, Kansas
T&R: 31S 20W
Section: 26, 398' FNL & 1650' FEL
Long: -99.460075 37.322315

1 in = 667 ft




● Actual BH Location

* SandRidge Wells

--- Perf

□ Sections



Draftsman:

Aaron Birk

Draft Date: 9/12/2012

Drawing Name/Number:

Addendum_Harold_1-26H.mxd

Coordinate System:

NAD 1927 State Plane
Kansas South FIPS: 1502