AUG 2 7 2012

Kansas Corporation Commission KCC WICHITA One Point Stabilized Open Flow or Deliverability Test

À -

Form G-2 (Rev. 7/03)

Type Test:					(Se	e Instruc	tions	on Reverse	Side)							
	Flow erability			Test Date:		06	6/09/2	2012			API No.		151	2921	1230	000
Company OXY USA	Inc					Leas DRE								٧	Vell N	umber
County Morton	. 66	Loca O FNL &		_	ection 1		TW 32	/P 2S			€ (E/V) 0W			Α		Attributed 40
Field KINSLER,I	EAST				eservoir I orrow						Gathering Y USA	Connect	ion			
Completion 07/28/1992					ug Back 5,958'	Total Dep	oth	_		Pacl	ker Set at					
Casing Size Weight 5 1/2" 15.5#			In	Internal Diameter 4.950"			Set at 6,000'			Perforations 5,425'		To 5,440'				
Tubing Size Weight 2 3/8" 4.7#			Internal Diameter 1.995"			Set at 5,810'		Perforations		s	То					
Type Completion (Describe) SINGLE-GAS				Type Fluid Production WATER					Pump Unit or Traveling Plunger? Yes / N Yes - Beam Pump				Yes / No			
Producing Thru (Annulus / Tubing) Annulus				% Carbon Dioxide 0.698%					% Nitrogen 0.496%			Gas Gravity - Gg 1.628				
ertical Dep 5,433							sure 1						(M		un) (F 3.06	Prover) Size
Pressure Bu	ildup:	Shut in	06/0	8 2	0 12	at 9:0	0		Taken		06/09	20 1	2	at :	9:00	
Nell on Line	: :	Shut in _		2	۰	at	_		Taken			20		at _		
·						OBSER	VED	SURFACE	DATA		[Duration			24	Hours
Static /	Orifice Size	Orifice Meter Differe		Pressure Differential in	· I					Tubing Wellhead Pre		Pressure			on	Liquid Produced
Property	(inches)		(Pm)	Inches H₂C		t t psig		psig	psia	psig		psia	osia (Hours)		s)	(Barrels)
Shut-In		7			<u> </u>	 		11.0	25.4	-			+	24		
Flow		<u> </u>			<u>. </u>			<u> </u>		L	i		Ш.			,
						FLOW S	STREA	AM ATTRIE	BUTES							
Plate Coefficient (F _b) (F _p) Pr Mcfd		Circle one: Press Meter or Extension over Pressure psia P _m x h		nsion	Gravity Factor F _g	Ten	Flowing nperatu Factor F _{ft}	re Devi	Deviation Factor F _{pv}		Metered Flow R (Mcfd)		GOR (Cubic Feet/Barrel)			Flowing Fluid Gravity G _m
(P _c) ² =	:	(P _w) ²	= 0.0	-	P _d =	.OW) (DE	LIVE	RABILITY) (P _c - 14	CALCU 4.4) + 14			:			P _a) ² = P _d) ² =	
$(P_e)^2 - (P_n)^2$ or $(P_e)^2 - (P_d)^2$		Choose Formula 1 or: 1. Pc² - Pa² 2. Pc² - Pa² divided by: Pc² - Pw²		P _a ²	LOG of formula 1. or 2. and divide by:	P _c ² - P _w ²		Backpressure Curve Slope = "n"Or Assigned Standard Slope		n x LOG			Antilog		E	Open Flow Deliverability Equals R x Antilog (Mcfd)
															+	
Open Flow		0	Mcf	d @ 14.65	psia		Deli	iverability	\			Mcfd	@ 14.6	35 psia		
he facts stated t						iny, states the		duly authorize	d to make t	the ab		that he has	knowle	edge of		2012
		· · · · · · · · · · · · · · · · · · ·	vitness					_				OXY US		<u>;. </u>		
		·									David (SA I	nc /	(,,)
		For C	ommission							v		94011		C), II	(

KCC WICHITA

K.A.R. 82 contained and lease	eclare under penalty of perjury under the laws of the st 2-3-304 on behalf of the operator OXY US d on this application form are true and correct to the be records of equipment installation and/or upon type of thereby request a one-year exemption from open flow	A Inc. and that the forego st of my knowledge and belief bas completion or upon use being made	ing pressure information and statements ed upon available production summaries
said well:			
(Check o	one)		
	is a coalbed methane producer		
	is cycled on plunger lift due to water		
	is a source of natural gas for injection into an oil rese	ervoir undergoing ER	
	is on a vacuum at the present time; KCC approval D	ocket No.	
\boxtimes	is not capable of producing at a daily rate in excess	of 250 mcf/D	
I furth	er agree to supply to the best of my ability any and all	supporting documents deemed by	Commission staff as necessary to
	ite this claim for exemption from testing.	supporting documents decined by	Commission stail as necessary to
			and the second second second second
Date:	August 16, 2012		
	•	Signatu	Dayrid Ogden re: OXY USA Inc
		Oignata	
	·	Tit	tle: Gas Business Coordinator

Instructions: If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.