CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License #	API No. 15 - 15-091-23845-00-00
Name: Kansas Resource Exploration & Development, LLC	Spot Description:
Address 1:9393 W 110TH ST, STE 500	SW_NE_SW_SE_Sec10_Twp14_S. R22_
Address 2:	
City: OVERLAND PARK State: KS Zip: 66210 +	Feet from North / South Line of Section  1969 Feet from Feet from East / West Line of Section
Contact Person: Bradley Kramer	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 913 ) 669-2253	□NE □NW ☑SE □SW
CONTRACTOR: License #_34223	County: Johnson
Name: Utah Oil LLC	Lease Name: Knabe A Well #:
Wellsite Geologist: N/A	Field Name: Gardner
Purchaser: Coffeyville Resources	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 1024 Kelly Bushing: 0000
✓ New Well Re-Entry Workover	Total Depth: 900 Plug Back Total Depth: 871
✓ Oil         □ WSW         □ SWD         □ SIOW           □ Gas         □ D&A         □ ENHR         □ SIGW           □ OG         □ GSW         □ Temp. Abd.	Amount of Surface Pipe Set and Cemented at:   Multiple Stage Cementing Collar Used?   Yes No  If yes, show depth set:   Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 875
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 127 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	SX CITIL
Operator:	Dellin Finish
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Chloride content: 0 ppm Fluid volume: 0000 bbls  Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
07/19/2012 07/20/2012 08/31/2012	
pud Date or Date Reached TD Completion Date or Recompletion Date	

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY			
Letter of Confidentiality Received  Date:			
Confidential Release Date:			
☐ Geologist Report Received ☐ UIC Distribution ALT ☐ I ☑ II ☐ III Approved by: Deanna Garrisor Date: 10/05/2012			

## 

		pration & Development, I			· · · · · · · · · · · · · · · · · · ·	Well #:KF	R-12
		✓ East	County:				
time tool open and cl recovery, and flow ra	losed, flowing and sh	and base of formations p out-in pressures, whethe dest, along with final cha al well site report.	r shut-in pressur	e reached static leve	el, hydrostatic pre	ssures, bottom i	nole temperature, flui
Drill Stem Tests Taken			✓ Log Formation (Top), Depth		and Datum	☐ Sample	
(Attach Additional Sheets)  Samples Sent to Geological Survey		□ Voc. ☑ No.		Name		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop	ed Electronically	Yes ✓ No Yes ✓ No Yes No Yes No Yes No	В	artlesville		844'	180
ist All E. Logs Run:							•
Gamma Ray Neutron CCL							
			<del>-</del>	New Used			
Purpose of String	Size Hole	Size Casing	Weight	e, intermediate, produ Setting	Ction, etc.	# Sacks	Type and Percent
Surface	Drilled 9.875	Set (In O.D.)	Lbs. / Ft.	Depth 22	Portland	Used 5	Additives
Production	5.625	2.857	6.5	875	50/50 Poz	127	
		ADDITION	AL CEMENTING	/ SQUEEZE RECOR			
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Use				
	-					787-847-318-318-318-318-318-318-318-318-318-318	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth			
2	844.0' - 851.0' 15 Perfs			2" DML RTG 844.0' - 851.			
4					· · · · · · · · · · · · · · · · · · ·		
TUBING RECORD:	Size:	Set At: 855	Packer At:	Liner Run:	Yes 📝 No	<b>D</b>	
Date of First, Resumed	Production, SWD or Ef	NHR. Producing Me	ethod:	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF GAS:		METHOD OF CO	MPLETION:		PRODUCTIO	ON INTERVAL:
Vented Solo	d Used on Lease	Open Hole			ommingled bmit ACO-4)		

## **Summary of Changes**

Lease Name and Number: Knabe A KR-12

API/Permit #: 15-091-23845-00-00

Doc ID: 1095940

**Correction Number: 1** 

Approved By: Deanna Garrison

Field Name	Previous Value	New Value
Approved By	NAOMI JAMES	Deanna Garrison
Approved Date	10/04/2012	10/05/2012
CasingSizeHoleDrilledP DF_1	12.25	9.875
Fluid Mngmt - Fluid Volume	150	0000
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 95673	//kcc/detail/operatorE ditDetail.cfm?docID=10 95940