

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1092977

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	34574		API No. 15 - 15-077-21806-00-00
Name: Shell Gulf			Spot Description:
Address 1: 150 N DA	IRY-ASHFORD (77079)		SW NE NW NW Sec. 11 Twp. 32 S. R. 7 East West
Address 2: PO BOX 5	576 (77001-0576)		
		ip: 77001 _{+ 0576}	965 Feet from East / West Line of Section
Contact Person: DaM Phone: (832) 33	lonica Pierson 37-2172		Footages Calculated from Nearest Outside Section Corner:
CONTRACTOR: Licens			County: Harper
Name: Nabors Drilli			Lease Name: PARSONS TRUST 3207 Well #: 11-1
Wellsite Geologist: Ear	f Manning		Field Name:
Purchaser: CONDUC	TOR ONLY		Producing Formation: CONDUCTOR ONLY
Designate Type of Com	pletion:		Elevation: Ground: 1425 Kelly Bushing: 1337
New Well	Re-Entry	Workover	Total Depth: 60 Plug Back Total Depth:
Gas 1 GG CM (Coal Bod Me	NSW SWD D&A ENHR GSW eithane) Other (Core, Expl., etc.):	SIOW SIGW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: 0 Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from:
If Workover/Re-entry: (feet depth to: sx cmt.
Operator:			
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
,		Total Depth: o ENHR	Chloride content: 0 ppm Fluid volume: 0 bbls Dewatering method used: Hauled to Disposal
Plug Back:	PI	ug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:		Operator Name: Plumb Thicket Landfill
Dual Completio			Lease Name: N/A License #: 99999
SWD			Quarter SW Sec. 4 Twp. 31 S. R. 6 East West
☐ ENHR			County: Harper Permit #: KDHE Permit No. 0842
☐ GSW	Permit #: 4/17/2012	4/17/2012	
4/16/2012 Spud Date or	Date Reached TD	Completion Date or	
Recompletion Date	Oale Meached 10	Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY	
Letter of Confidentiality Received Date:	
Confidential Release Date:	
☐ Wireline Log Received	
Geologist Report Received	
✓ UIC Distribution	
ALT I II III Approved by: NAOMI JAMES Date: 09/10/2012	

Side Two



1092977

Operator Name: Shell	Gulf of Mexico I	nc.		_ Lease I	Name: _F	ARSONS TI	RUST 3207	Well #:11	-1	
Sec. 11 Twp.32	s. R. <u>7</u>	East	✓ West	County	: <u>Нагре</u>	er		.		
INSTRUCTIONS: Show time tool open and close recovery, and flow rates line Logs surveyed. Att	ed, flowing and shut if gas to surface tes	in pressur t, along w	es, whether shith final chart(s	nut-in pres	sure reac	hed static level,	hydrostatic press	sures, bottom i	nole tempe	rature, fluid
Drill Stem Tests Taken (Attach Additional Sh	neels)	Ye	s 📝 No		□L ₀	g Formatio	n (Top), Depth ar	d Datum	□ s	ample
Samples Sent to Geolo	gical Survey	☐ Ye	s 🗹 No		Name	UCTOR ONLY		Тор	D	atum
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)			Yes No Yes No							
List All E. Logs Run:										
				RECORD	✓ Ne				<u></u>	
Purpose of String	Size Hole Drilled	Size	rt all strings set-o e Casing (In O.D.)	we	urrace, inte ight / Ft.	rmediate, product Setting Depth	Type of Cement	# Sacks Used		and Percent
CONDUCTOR	N. 6 a. 6		18 47			60	1/2 Portland Cmn		15% Fly Ash	
						14				
acaman are			ADDITIONAL	CEMENT	ING LSOI	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement		s Used	LEZE NECOND		Percent Additive	s	
Perforate Protect Casing Plug Back TD Plug Off Zone										
Shots Per Foot	PERFORATI Specify) 	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				Depth		
								212712		
										
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes D	0		
Date of First, Resumed	Production, SWD or EN	IHR.	Producing Met	thod:	ing [Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oll	Bbls.	Gas	Mcf	Wa	ter	Bbls.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		SHARL'	METHOD (OF COMPL	ETION:		PRODUC	TION INTER	IVAL:
Vented Sold	Used on Lease		Open Hole [Perf.			ommingled bmit ACO-4)			<u> </u>
(If vented, Sut	bmit ACO-18.)		Other (Specify) _							

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner

September 07, 2012

DaMonica Pierson Shell Gulf of Mexico Inc. 150 N DAIRY-ASHFORD (77079) PO BOX 576 (77001-0576) HOUSTON, TX 77001-0576

Re: ACO1

API 15-077-21806-00-00 PARSONS TRUST 3207 11-1 NW/4 Sec.11-32S-07W Harper County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, DaMonica Pierson

	PARSONS 3509						
	SWD conductor	SWD Mouse Hole	1-H Conductor	1-H Mouse Hole	2-H conductor	2-H mouse Hole	
Call in DATE OF SPUD 100	4/13/2012		26/17/2012		4/18/2012	2 2 E S	
T.D date	4/17/2012	4/20/2012	4/18/2012	4/21/2012	4/1912	4/22/2012	
Size Hole Drilled	26*	20	26	20"	26°	20"	
Size Caseing Set (in O.D.)	18"	14"	18"	14"	18*	14"	
conductor wall thickness	250	188	.250	.188	.250	.188	
Weight Lbs./Pt.	47,44ppf	27.76	47,44ppf	27.76	47.76ppf	27.76	
Setting Depth	59'	78°	59"	78'	23,	78'	
Type of Cement		type1/2porti and cement	type1/2portl and cement	type1/2 portland cement	type1/2 portland cement	type1/2 portland cement	
Cubic yards of cement	9су.	Scy.	7cy 4/18/12 2cy 4/19/12	5су	8cy	Scy	
2500 PSI Grout Mix	yes	yes	yes	yes	yes	yes	
Type and Percent of Additives	15%fly ash	15%fly ash	15%fly ash	15%fly ash	15%fly ash	15% fly ash	
Comments	0-3dirt9- 6clay8to40cl ay40/54sand 54to59clay water@23*	0-3dirt3- 40clay40'- 58'sand58'62'- 'grayclay62'- 78'redclay vvater25'		0-3' dirt 3'- 40' clay 40'- 56' sand 56'- 52' gray clay 62'-78' red clay nater@25'	0-3' dirt 3'- 40' clay 40'- 59 sand water@25'	0-3' dirt 3'- 40' red clay 40'-56'sand 56'-62' gray clay 62'-78' red clay water@25'	

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichito, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner

Sam Brownback, Governor

September 10, 2012

DaMonica Pierson Shell Gulf of Mexico Inc. 150 N DAIRY-ASHFORD (77079) PO BOX 576 (77001-0576) HOUSTON, TX 77001-0576

Re: ACO-1 API 15-077-21806-00-00 PARSONS TRUST 3207 11-1 NW/4 Sec.11-32S-07W Harper County, Kansas

Dear DaMonica Pierson:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 4/16/2012 and the ACO-1 was received on September 07, 2012 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department