

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1092987

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	34374		API No. 15 - 15-077-21625-01-00
Name: Shell Gulf of	Mexico Inc.		Spot Description:
Address 1: 150 N DAIRY	'-ASHFORD (77079)		S2_NE_NW_NW_Sec11_Twp32_SR7East West
Address 2: PO BOX 576	(77001-0576)		
City: HOUSTON	State: TX Zìp	77001 + 0576	990 Feet from East / West Line of Section
Contact Person:DaMoni	ca Pierson		Footages Calculated from Nearest Outside Section Corner:
Phone: (832) 337-	2172		□NE ØNW □SE □SW
CONTRACTOR: License #	34718		County: Harper
Name: Nabors Drilling			Lease Name: PARSONS TRUST 3207 Well #: 11-2H
Wellsite Geologist: Earl M	anning	_	Field Name:
Purchaser:			Producing Formation: CONDUCTOR ONLY
Designate Type of Comple			Elevation: Ground: 1425 Kelly Bushing: 1297
		Workover	Total Depth: 60 Plug Back Total Depth:
☑		□ siow	Amount of Surface Pipe Set and Cemented at: 0 Feet
Gas D&		☐ sigw	Multiple Stage Cementing Collar Used? Yes No
	☐ GSW	Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Metha		ц. тетр. два.	
	•		If Alternate II completion, cement circulated from:
			feet depth to: sx cmt.
If Workover/Re-entry: Old			
Operator:			Drilling Fluid Management Plan
Well Name:			(Data must be collected from the Reserve Pit)
Original Comp. Date:	Original To	otal Depth:	Chloride content: 0 ppm Fluid volume: 0 bbls
Deepening	Re-perf. Conv. to	ENHR Conv. to SWD	Dewatering method used: Hauled to Disposal
	Conv. to	GSW	,
Plug Back:	Plu	g Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:		Operator Name: Plumb Thicket Landfill
Dual Completion	Permit #:		Lease Name: N/A License #: 99999
SWD	Permit #:		1
ENHR	Permit #:		Quarter SW Sec. 4 Twp. 31 S. R. 6 East 7 West
☐ GSW	Permit #:		County: Harper Permit #: KDHE Permit No. 0842
4/19/2012	4/19/2012	4/19/2012	
Spud Date or E	Date Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY	
Letter of Confidentiality Received Date: 09/07/2012	
Confidential Release Date:	
Wireline Log Received	
Geologist Report Received	
UIC Distribution	
ALT I II III Approved by: NAOMI JAMES Date: 09/10/2012	

Side Two

Operator Name: Shell	Gulf of Mexico Ir	IC.		_ Lease	Name:	ARSONS TE	RUST 3207	. Well #:11-	-2H		
Sec. 11 Twp.32	S. R. <u>7</u> [East [✓ West	County	. <u>Harpe</u>	er					
NSTRUCTIONS: Show time tool open and close recovery, and flow rates tine Logs surveyed. Att	ed, flowing and shut-i i if gas to surface test	n pressure , along wit	es, whether sh h final chart(s	nut-in pres	sure reac	hed static level,	hydrostatic press	ures, bottom h	nole tempe	rature, fluid	
Orill Stern Tests Taken (Attach Additional Sh	r oo ls)	☐ Yes	✓No			g Formation	n (Top), Depth ar	d Datum	<u></u> s	ample	
Samples Sent to Geolo	gical Survey	Yes	✓ No		Name	LICTOR ONLY		Тор	D	atum	
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	Electronically	Yes Yes	✓ No ✓ No		COND	OCTOR ONET					
List All E. Logs Run:											
		Report		RECORD	✓ Ne	w Used	ion, etc.				
Purpose of String	Size Hole Drilled	Size	Casing In O.D.)	We	ight / Ft.	Setting Depth	Type of Cement	# Sacks Used		Type and Percent Additives	
CONDUCTOR		18		47.76		60	1/2 Portland Cmr	36	15% Fly Ash		
	-								ļ		
			ADDITIONAL	CEMENIT	ING / SOL	JEEZE RECORD		<u> </u>			
Purpose:	Depth Top Bottom	Depth Type of Cement			# Sacks Used Type and Percent Additive				s		
Perforate Protect Casing Plug Back TD Plug Off Zone	-										
Shots Per Foot	PERFORATIO Specify Fo	N RECORE) - Bridge Plug ach Interval Per	gs Set/Type forated)		ncture, Shot, Ceme mount and Kind of M		ord	Dopth	
	AND THE STATE OF T					1					
			 	<u>,</u>	-						
TURNO PERCOPA	Pinn	SalAtı		Dacker	A1-	Liner Run:			<u>-</u>		
TUBING RECORD:	Size:	Set At:		Packer	~	Linde Fulls	Yes N	0			
Date of First, Resumed	Production, SWD or ENI	⊣R.	Producing Met Flowing	thod:	ing	Gas Lift	Other (Explain)				
Estimated Production Per 24 Hours	Oil E	Bbis.	Gas	Mcf	Wa	er	3bls.	Gas-Oil Ratio		Gravity	
DISPOSITIO				METHOD (Duall	y Comp. 🔲 Co	ommingled bmit ACO-4)	PRODUCT	TION INTER	VAL:	

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichito, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Sam Brownback, Governor

September 07, 2012

DaMonica Pierson Shell Gulf of Mexico Inc. 150 N DAIRY-ASHFORD (77079) PO BOX 576 (77001-0576) HOUSTON, TX 77001-0576

Re: ACO1

API 15-077-21825-01-00 PARSONS TRUST 3207 11-2H NW/4 Sec.11-32S-07W Harper County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, DaMonica Pierson

	PARSONS 3509							
	SWD conductor	SWD Mouse Hole	1+H Conductor	1-H Mouse Hole	2-H conductor	2-H mouse Hole		
Call in DATE OF SPUD \$44.55	4/13/2012		£/17/2012		4/18/2012			
T.D date	4/17/2012	4/20/2012	4/18/2012	4/21/2012	4/19 12	4/22/2012		
Size Hole Orilled	26"	20"	26"	20*	26"	20"		
Size Caseing Set (in O.D.)	18*	14"	18"	14"	18*	24"		
conductor wall thickness	250	.188	.250	.188	.250	_188		
Weight Lbs./Pt.	47.44ppf	27.76	47,44ppf	27.76	47.76ppf	27.76		
Setting Depth	59'	78"	59'	78'	23.	78'		
Type of Corport	type1\2porti and cement		typeI/2porti and cement	type1/2 portland cement	type1/2 portland cement	type1/2 portland cement		
Cubic yards of cement	9cy.	5cy.	7cy 4/18/12 2cy 4/19/12	5сү	8cy	Scy		
2500 PSI Grout Mix	yes	yes	yes	yes	yes	yes		
Type and Percent of Additives	15%fly ash	15%fly ash	15%fly ash	15%fly ash	15%fly ash	15% fly ash		
Comments	0-3dirt3- 6clay8to40cl ay40/54sand 54to59clay water@23*	0-3dirt9- 40clay40'- 58'sand58'62 'grayclay62'- 78'redclay v/ater25'	5	40' clay 40'-	0-3' dirt 3'- 40' clay 40'- 59 sand water@25'	0-3' dirt 5'- 40' red clay 40'-56'sand 56'-62'-gray clay 62'-78' red clay water@25'		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202:3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner

September 10, 2012

DaMonica Pierson Shell Gulf of Mexico Inc. 150 N DAIRY-ASHFORD (77079) PO BOX 576 (77001-0576) HOUSTON, TX 77001-0576

Re: ACO-1 API 15-077-21825-01-00 PARSONS TRUST 3207 11-2H NW/4 Sec.11-32S-07W Harper County, Kansas

Dear DaMonica Pierson:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 4/19/2012 and the ACO-1 was received on September 07, 2012 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department