

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1092569

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 372	8		API No. 15 - 15-001-30407-00-00
Name: Kent, Roger dba			Spot Description:
Address 1: 22082 NE Neosh	o Rd		SW_NE_SE_SE_Sec. 3 Twp. 24 S. R. 21 V East West
Address 2:			931 Feet from North / South Line of Section
City: GARNETT	State: KS Zip:	66032 + 1918	390 Feet from 🗹 East / 🗋 West Line of Section
Contact Person: Roger Kent			Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 448-6998	5		□NE □NW ☑ SE □SW
CONTRACTOR: License #37	′28		County: Allen
Name: Kent, Roger dba R			Lease Name: NORMAN UNIT Well #: 2-I
Wellsite Geologist: n/a			Field Name: Davis-Bronson
Purchaser: n/a			Producing Formation: Bartlesville
Designate Type of Completion:			Elevation: Ground: 1013 Kelly Bushing: 1013
✓ New Well	Re-Entry	Workover	Total Depth: 703 Plug Back Total Depth: 697
☐ oil ☐ wsw	□ swp	_ □ siow	Amount of Surface Pipe Set and Cemented at: 20 Feet
☐ Gas ☐ D&A	✓ ENHR	☐ sigw	Multiple Stage Cementing Collar Used? Yes No
□ og	GSW	Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)			If Alternate II completion, cement circulated from: 697
☐ Cathodic ☐ Other (C	ore, Expl., etc.):		feet depth to: 0 w/ 66 sx cmt.
If Workover/Re-entry: Old Well	Info as follows:		leet depth to sx cmt
Operator:			
Well Name:			Drilling Fluid Management Ptan (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original Tota	al Depth:	
Deepening Re-p	_	NHR Conv. to SWD	Chloride content: 0 ppm Fluid volume: 0 bbls
	Conv. to G	SSW	Dewatering method used: Evaporated
Plug Back:	Plug	Back Total Depth	Location of fluid disposal if hauled offsite:
☐ Commingled	Permit #:		Operator Name:
Dual Completion	Permit #:		Lease Name: License #:
☐ SWD	Permit #:		
ENHR	Permit #:		QuarterSecTwpS. R East West
☐ GSW	Permit #:	<del></del>	County: Permit #:
	6/2012	07/06/2012	
Spud Date or Date F Recompletion Date		Completion Date or Recompletion Date	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY	
Letter of Confidentiality Received	
Date:	_
Confidential Release Date:	_
<b>✓</b> Wireline Log Received	
Geologist Report Received	
☑ UIC Distribution	
ALT I I III Approved by: Ocanna Garritor Date: 09/12/201	2

Side Two



Operator Name: Ken	<u>t, Roger dba R J</u>	Enterprises	Lease N	Name: _	NORMAN UN	<u> </u>	_ Well #: <del>2-I</del> _		
Sec. 3 Twp.24	s. R. <u>21</u>	✓ East	County:	Allen	·		<del></del>	<del></del> -	
time tool open and clos	sed, flowing and shu is if gas to surface te	d base of formations per t-in pressures, whether s st, along with final chart well site report.	shut-in press	sure read	ched static level,	hydrostatic pres	sures, bottom he	ole tempe	rature, fluid
Drill Stem Tests Taken (Attach Additional S	iheets)	Yes No		<b>⊘</b> L	og Formation	n (Top), Depth a	nd Datum	□ sa	ample
Samples Sent to Geold Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	l Electronically	Yes No Yes No Yes No Yes No		Nam oil san dk san shale	nd		Top 669 671 703	D.	atum
List All E. Logs Run:									
Gamma Ray/Neutron/CCL Drillers log									
			RECORD	✓ Ne	<del></del>				<del></del>
Purpose of String	Size Hole Drilled	Report all strings set- Size Casing Set (In O.D.)	-conductor, su Weig Lbs. /	ght	Setting Depth	on, etc. Type of Cement	# Sacks Used		nd Percent ditives
surface	9.875	7	10		20	Portland	66		
production	5.625	2.875	10		697		66		
	<u> </u>	ADDITIONA	L CEMENTIN	NG / SQL	JEEZE RECORD	<u> </u>		L	
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks	Used		Type and	Percent Additives		
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Pe				cture, Shot, Cemer		1	Depth
20	655.0 - 669.0								
									***************************************
TUBING RECORD:	Size:	Set At:	Packer A	t:	Liner Run:	Yes No	0		
Date of First, Resumed	Production, SWD or EN	HR. Producing Me	thod:	g 🗌	Gas Lift C	other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er 8	bls.	Gas-Oll Ratio		Gravity
DISPOSITIO	_		METHOD OF	_	_	- minals d	PRODUCTIO	ON INTERV	AL:
Vented Sold	_	Other (Specify)	Perf.	Dually (Submit)		nmingled mit ACO-4)			

### R.J. Enterprise 22082 NE Neosho RD Garnett, KS 66032

#### Norman 2-I

			Start 7-5-2012
1	soil	1	Finish 7-6-2012
3	sand/stone	4	
122	lime	126	
157	shale	283	
26	lime	309	
72	shale	381	
29	lime	410	
41	shale	451	set 20' 7"
19	lime	470	ran 696.7' 2 7/8
8	shale	478	cemented to surface 66 sxs
5	lime	483	
96	shale	579	
3	lime	582	
61	shale	643	
6	sandy shale	649	odor
4	sandy shale	653	good show
6	Bkn sand	659	good show
10	oil sand	669	good show
2	Dk sand	671	good show
32	shale	703	T.D.

	GARNETT TRUE VALUE HOMECE 410 N Maple Germett, KB 56032 (785) 448-7106 FAX (785) 448-7135 Page: 1			5	Involce: 1	0186985 0186985 01:00:14 08/22/12	1
	BONTON ROGER			ACCEMPANDS	Due Date		
	SECUL N	E NEOBKO RD IT, KO 66612		NOT FOR HOUSE	USE		ļ
	Charleman A. 0000	<u> </u>	(785) 443-8955 Outland FO:	Osfet	-		4
						-	7.71
5.00	BHP L UM	1 ITEM# 1486087	DESCRIPTION  ME40' 16/3 Out EXT Cord		Price/Jorn 12.0000 sa	PRICE 12,8900	EXTENSION 122
			; ; ; ; ;	:	i		
	•	i	•		_	•	
		i	•	•	•		
		-	•				
_		FELED BY	CHECKED BY DATE BAPTED	DALVER	<u> </u>	Balon Istal	812.60
		BHP VA	Customer Pick up		]		
		× Ja	Town Comments with a conscious control	Tonable Hop-Lindte	18.99 0.00	Raise tex	1,05
-			1 - Merchant Co	Wetstic 3 8	. [	TOTAL	814.07

# GARNETT TRUE VALUE HOMECENTER 410 N Maple Gamett, K8 68032 (785) 448-7106 PAX (785) 448-7135

Merchant Copy INVOICE

\$8524.32

TOTAL

Page: 1		Invoice: 101	87099
Special 1		Time:	18:48:53
intentes :		يخفت وندو	06/25/18
1		torcine Cale:	
Blade staph on TARICES	And mp code:	Orine Despit	07/08/1E
THE THE RECORD SET NAME OF THE NAME OF THE PARTY.	RIGHTS ROCKEN KENT (780) 448-6866 NOT FOR HOU		
QAPRIETT, ICS 65033	(728) 444-4996		
Outstand to 0000387	Customer PCs	Dester Byt	

EXTENSION Alt Price/Uom SHP LLUM | ITEM! DESCRIPTION ORDER 18.00 P PL CPMP 640.00 F BAG GPPC MONARCH PALLET PORTLAND CEMENT-040 15.0000 n 15,0000 270.00 18.00 8.9900 4554.60 8.8900 No. \$5124.60 PALAD BY CHECKED BY DATE SHIPPED DRIVEN Sules total BRIP WA ANDERSON COUNTY \$124.50 0.00 HOTTORICO COOR IS DISH STEEL HOOD CONSTRUK Taxable Non-taxable Tax # 899.72

1 - Merchant Copy

i**ni nini ni mbai mbai mbai mbai mbai mb**ai mbai dani