KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

| Type Test | | | | | €. | See instruct | tions on Rev | erse Side | " | | | | | |
|---|-------------------|-------------|--|--|---|----------------------------|---|-----------------------|--|--------------------------------|------------------------------|---|---|--|
| | en Flo liverab | | | | Test Date: 8/22/12 | | | | | API No. 15 075-20730 - OO O | | | | |
| Company Chesar | | e Op | perating, In | ıc. | | | Lease Gould | | | | | Well Nur | uper | |
| County Location | | | | | | | TWP RNG (| | W) | | Acres Al | tributed | | |
| Hamilton NE SW SW | | | <u>′</u> | 02 | | | 22S 41W | | hering Connection | | RE | CENTE | | |
| Field Bradshaw | | | | | Reservoir Winfield | | | ·-·· - · | OneOk | Energy Ser | | SEE | CEIVE | |
| Completion Date 9/22/00 | | | | Plug Back Total Depth 2792 | | | | Packer Set at None | | | | | | |
| Casing S 4.5 | | | Weight 10.5 | Internal Diame 4.052 | | Diameter | r Set at 2810 | | Perforations 2747 | | то ў 2757 | | | |
| Tubing Size 2.375 | | | Weight 4.7 | | Internal E 1.995 | Internal Diameter 1.995 | | Set at 2770 | | Perforations | | То | | |
| Type Completion (Describe) Single Gas | | | | | Type Flui Water | n | Pump Unit or Travelin Pump Unit | | | g Plunger? Yes / No | | | | |
| Producing Thru (Annulus / Tubing) Annulus | | | |) | % Carbon Dioxide | | | | % Nitrogen Gas | | | s Gravity - G | | |
| Vertical E | | | | | Pressure Taps | | | | | | | Run) (Pr | over) Size | |
| 2810 | | | _ | | | Flan | ge | | | | 2.067 | 7" | | |
| Pressure Buildup: Shut in 8/22 | | | 2 2 | 20 12 at 7:00 | | (AM) (PM) Taken 8/ | | 23 | 20 | 12 at 7:00 | (/ | AM) (PM) | | |
| Well on L | .ine: | | Started | 2 | 0 at | | (AM) (PM) | Taken | | 20 | at | (/ | AM) (PM) | |
| | | | | | , | OBSERVE | D SURFACE | DATA | | | Duration of Shut | -in_24 | Hours | |
| Static / Dynamic Property | Dynamic Size | | Circle one: Meter Prover Pressur | | ferential Flowing Well I Temperature Tempe | | rature Wellhead Pressure | | Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) | | Duration (Hours) | 1 7 | Liquid Produced (Barrala) | |
| Shut-In | hut-In | | psig (Pm) | Inches H ₂ 0 | | | psig 28 | 42.4 | psig 27 | 41.4 | 24 | | | |
| Flow | | | | | | | | | | | | | | |
| | | | | | | FLOW STF | REAM ATTR | BUTES | | | | | | |
| Plate Coefflecient (F _b) (F _p) Mcfd | | Pro | Grole one: Meter or over Pressure psia | Press Extension Pmxh | Extension Fac | | Flowing Temperature Factor F _{II} | | riation actor | Metered Flo R (Mcfd) | W GOR (Cubic Fo Barrol | eet/ | Flowing Fluid Gravity G _m | |
| | | | <u>.</u> | | | | · | <u> </u> | | | <u></u> | | | |
| (P _c)² = | | : | (P _w)² = | : | • | | 'ERABILITY) % (P | | .ATIONS - 14.4 = | : | - |) ² = 0.20) ² = | | |
| | P_)² | | P _e) ² - (P _e) ² | 1. P _c ² - P _e ² 2. P _c ² - P _e ² strikted by: P _c ² - P _e ² | LOG of formula | | Backpressure Cur Slope = "n" | | n x i | .og [] | Antilog | Deli Equals | Open Flow Deliverability Equals R x Antilog (Mctd) | |
| | | | | , c · w | | | | | | | | ļ | | |
| | | <u></u> | | | | • | <u> </u> | | | | | | | |
| Open Flo | w | | | Mcfd @ 14. | 65 psia | | Deliverab | ility | | | Mcfd @ 14.65 ps | sia | | |
| | | | | | | | | | | | ort and that he h | | edge of 20 12 | |
| | | | Witness (if | any) | | | - | | | For | Company | | - | |
| | | - | For Commi | ssion | | | - | | | Che | cked by | | | |

SEP 0 7 2012

| | KCC WICHITA |
|---|---|
| | er penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator Chesapeake Operating, Inc. |
| and that the forego correct to the best of equipment instal I hereby reque | oing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records llation and/or upon type of completion or upon use being made of the gas well herein named. st a one-year exemption from open flow testing for the Gould A 4-2 bunds that said well: |
| • | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing. |
| Date: <u>9/6/12</u> | Signature: Attha Dubre |
| | Title: Aletha Dewbre, Regulatory Specialist I |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.