

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1094283

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #314	86		API No. 15 - 15-125-32203-00-00
Name: Horton, Jack			Spot Description:
Address 1: PO BOX 97			SW_SW_SE_NE_Sec. 2 Twp. 34 S. R. 14 F East West
Address 2:			2560 Feet from V North / South Line of Section
		67361	Feet from ☑ East / ☐ West Line of Section
Contact Person:Jack Hortor	1	<u> </u>	Footages Calculated from Nearest Outside Section Corner:
Phone: (620 ) 249-447			V NE □NW □SE □SW
CONTRACTOR: License #_3			County: Montgomery
Name: Horton, Jack			Lease Name: Melander Well #: 25
Wellsite Geologist: Fred Jones	<u> </u>		Field Name:
Purchaser:			Producing Formation: Wayside
Designate Type of Completion:			Elevation: Ground: 882 Kelly Bushing: 886
		Workover	Total Depth: 700 Plug Back Total Depth:
	□swp	_	Amount of Surface Pipe Set and Cemented at: 20 Feet
Gas D&A	☐ ENHR	☐ sigw	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
□ og	GSW	Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)		ш .	If Alternate II completion, cement circulated from: 689
Cathodic Other (C	Core, Expl., etc.):		feet depth to: 0 w/ 80 sx cmt
If Workover/Re-entry: Old Well	tnfo as follows:		W SX GIII
Operator:			
Well Name:			Drilling Fluid Management Plan   (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original Total	al Depth:	Chloride content: 0 ppm Fluid volume: 300 bbls
☐ Deepening ☐ Re-p	erf. 🔲 Conv. to E	NHR Conv. to SWD	Dewatering method used: Evaporated
	Conv. to 0	<b>GSW</b>	Dewatering method used.
Plug Back:	Plug	Back Total Depth	Location of fluid disposal if hauled offsite:
☐ Commingled			Operator Name:
Dual Completion	Permit #:		Lease Name: License #:
SWD	Permit #:		1
ENHR	Permit #:	<del></del>	Quarter Sec. Twp. S. R. East West
☐ GSW	Permit #:		County: Permit #:
8/8/2012 8/13	/2012	9/19/2012	
Spud Date or Date I	Reached TD	Completion Date or	

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
₩ Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I I II Approved by: Deanne German Date: 09/21/2012				

\$Ide Two



Operator Name: HOF	ton, Jack		Lease N	lame: _	vielander		_Well #:25		
Sec. 2 Twp.34	s. R. <u>14</u>	✓ East  West	County:	<u>Mont</u>	gomery				
time tool open and clo	sed, flowing and shu es if gas to surface te	d base of formations pe t-in pressures, whether st, along with final chart well site report.	shut-in press	ure read	ched static level,	hydrostatic pres	sures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S		☐ Yes 🗸 No		<b></b> ✓L	og Formation	n (Top), Depth ar	nd Datum		Sample
Samples Sent to Geol	ogical Survey	☐ Yes 🗸 No		Nam Waysi			Top 647		Datum 35
Cores Taken  Electric Log Run  Electric Log Submitted Electronically  (If no, Submit Copy)			viayo.			•			
List All E. Logs Run:									
Gamma Ray Neutro	n								
	· · ·	CASING	RECORD	. □ N€	w 🗸 Used				***********
	<del></del>	Report all strings set	<del></del>		· <del></del>	· · · · · · · · · · · · · · · · · · ·	<del></del>		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	9.75	7	18		20	Portland	8		
Longstring	5.625	2.875	6.5	<del></del>	689	Portland	80		
		ADDITIONA	L CEMENTIN	IG / SQL	JEEZE RECORD		<u> </u>	<u> </u>	
Purpose: Depth Type of Cement Top Bottom		T	# Sacks Used Type and Percent Additives						
Protect Casing Plug Back TD Plug Off Zone	-								
	. ! -		<u> </u>		l				
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set Specify Footage of Each Interval Perforate					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth			Depth	
2 650-670					5000lbs sand 650-670			650-670	
:			<del></del>						
TUBING RECORD:	Size:	Set At:	Packer At	.:	Liner Run:				
1		650	abod.		<u>                                     </u>	Yes 🗸 No	· · · · · · · · · · · · · · · · · · ·	<del></del>	
Oate of First, Resumed 9/20/2012	Production, SWD or En	IHR. Producing Me	etnod:  Pumping	9 🗆	Gas Lift 🔲 C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		METHOD OF	СОМЫ	TION:		PRODUCTION	ON INTER	N/AI ·
Vented Sold	_	Open Hole	Perf.	Dually Comp. Commingled 650-670					
(Submit ACO-5) (Submit ACO-4)									

## STATEMENT

**ELMORE'S INC.** 

Box 87 - 776 HWY99 Sedan, KS 67361

Cell: (820) 249-2519 Eve: (620) 725-5538

D.me				_
8-	13	- /	2.	

State	Zip	
Description	Price	Amount
Sks Cement	10,00	400,0
hr Comput Pams	110,00	330,0
hr Water Truck		255.0
Plug Container	50,00	<b>50,0</b>
Dye	5.00	5,0
Baulk Tank	85,00	85.0
	25,00	25,0
	40,00	40.0
_		1590, 0
Melander 25	Tax	131. 9
		1721.9
700' With 60 SKS 28		
	1	ll
	Description  Sks Cement  hr Cement Pams  hr Water Truck  Plug Container  Dye  Baulk Tank  2/2 Rubber Plug  Sk Calcium Chloride  Melancher 25  Crimented Longstring  700' With 60 Sks 27  t 20 Sks Neet With 1	Sks Cement 10,00 hr Cement fam) 110,00 hr Water Truck 85.00 Plug Container 50,00 Dye 5,00 Baulk Tank 45,00 2/2 Rubber Plug 25,00 Sk Calcium Chloride 40,00 Melancher 25

Rec'd.	by	
--------	----	--

TERMS: Account due upon receipt of services. A 195% Service Charge, which is an annual percentage rate of 18% will be charged to accounts after 30 days.