

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1093994

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _	32710		API No. 15 - 15-207-28255-00-00
Name: Laymon Oil	II, LLC		Spot Description:
Address 1: 1998 SQUIF	RREL RD		NW Sec. 10 Twp. 25 S. R. 16 V East West
Address 2:			3960 Feet from ☐ North / ☑ South Line of Section
		ip: 66758 + 7124	3960 Feet from 🗹 East / 🗋 West Line of Section
Contact Person: Michael			Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963	-2495		□NE □NW Øse □sw
CONTRACTOR: License	#_32710		County: Woodson
Name: Laymon Oil II,			Lease Name: Laymon Quarter Well #: 1-12
Wellsite Geologist: None			Field Name:
Purchaser:			Producing Formation: Squirrel
Designate Type of Comple	etion:		Elevation: Ground: 1018 Kelly Bushing: 1023
New Well	Re-Entry	Workover	Total Depth: 1080 Plug Back Total Depth:
✓ Oil WS Gas D8 OG CM (Coal Bed Meth	SW SWD AA ENHR GSW	☐ SIOW☐ SIGW☐ Temp. Abd.	Amount of Surface Pipe Set and Cemented at: 40 Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: 0
If Workover/Re-entry: Old			feet depth to: 40 w/ 10 sx cmt.
Operator:			
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
	_ `	otal Depth:	Chloride content: 0 ppm Fluid volume: 100 bbls Dewatering method used: Evaporated
Plug Back:	Plu		Location of fluid disposal if hauled offsite:
Commingled			0
Dual Completion	Permit #:	· · · · · · · · · · · · · · · · · · ·	Operator Name:
SWD	Permit #:		Lease Name: License #:
ENHR	Permit #:		Quarter Sec. Twp. S. R. East West
☐ GSW	Permit #:		County: Permit #:
08/13/2012	08/16/2012	08/17/2012	
Spud Date or I Recompletion Date	Date Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Letter of Confidentiality Received								
Date:								
Confidential Release Date:								
Wireline Log Received								
Geologist Report Received								
UIC Distribution								
ALT I I II Approved by: Oceans Geriso: Date: 09/21/2012								

Side Two



1093994

Operator Name: <u>Layr</u>	non Oil II, LLC		<u>.</u>	Lease	Name: _	Layinon Quai	lei	Well #: 1-1		
Sec. 10 Twp.25	s. _{R.} 16	✓ East		Count	y: Woo	dson				
NSTRUCTIONS: Sho ime tool open and clos ecovery, and flow rate ine Logs surveyed. At	sed, flowing and shu s if gas to surface to	ut-in pressi est, along v	ures, whether s with final chart(shut-in pres	sure rea	ched static level,	hydrostatic pre	essures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S	heets)	Y	es 📝 No	,		og Formatio	n (Top), Depth	and Datum		Sample
Samples Sent to Geolo	ogical Survey		es 🗸 No		Nam			Top		Datum ttached
Cores Taken Electric Log Run Electric Log Submitted (Il no, Submit Copy)	Electronically	Y	es No		Attach	ea		Attached	Al	мастео
List All E. Logs Run:										
Gamma Ray Neutro	n									
		Repo		RECORD	✓ Ne	ew Used	on, etc.	·····		
Purpose of String	Size Hole Drilled		te Casing t (In O.D.)		ight . / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface	10.2500	8.6250		24		40	portland	10		
Production	6.1250	2.8750		7		1060	common	160		
			ADDITIONAL	L CEMENT	ING / SQL	JEEZE RECORD			L	
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Туре	of Cement	# Sack	s Used		Type ar	d Percent Additives		
rag on zone	-			<u> </u>				*****************		
Shots Per Foot			RD - Bridge Plug Each Interval Per				cture, Shot, Cerr mount and Kind o	ent Squeeze Record Material Used)	d	Depth
				<u></u>			· · · • • • · · · · · · · · · · · · · ·			
					_					
TUBING RECORD:	Size:	Set At:	;	Packer /	At:	Liner Run:	Yes 🔲	No.		
Date of First, Resumed f	Production, SWD or Ef	NHR.	Producing Met	hod:	ng	<u> </u>	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mef	Wat		bls.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		I I	METHOD O	☐ Dually	Comp. Cor	nmingled	PRODUCTIO	ON INTER	VAL:
(If vented, Sub-	mit ACO-18.)		Other (Specify) _		(Submit	ACO-5) (Subi	mit ACO-4)			

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Laymon Quarter 1-12
Doc ID	1093994

Tops

soil	0	6
Shale	6	120
Lime	120	200
Shale	200	260
Lime	260	340
Shale & Lime	340	550
Big Shale	550	710
Shale & Lime	710	840
Black Shale	840	842
Lime	842	848
Shale	848	862
Lime	862	884
Black Shale	884	886
5' Lime	886	888
Black Shale	888	890
Upper Squirrel Sand	890	900
Shale	900	926
Cap Rock	926	927
Shale	927	940
Lime	940	942
Squirrel Sand	942	975
Shale	975	1080

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON

LEAVING the PLANT ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable afformays' less, incured in collecting any sums owed. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annurs. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

Payless Concrete Products, Inc.

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalds, roadways, direways, buldings, trees, shrubbery etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength lest when water is added at customer's request.
NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	Y COL	DRIVER/TRUCK	2 018	PLANT/TRANSACTION #
[1:08:15a	WELL'S A	8.00 yd	16.00 yd		35		400C0 V
DATE	To Date	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
08-17-12	Today		8.00 yd	21786	6/yd 0.0		38394
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY			PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Deer Customer. The driver of this truck in presenting this RELEASE to you fix your signature is of the cointion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you deare it. It is loar wish to jetly you in every way that was can, but in order to do this the other if requesting that you sign these RELEASE revering him and		Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By GAL X		
CAUSE BURNS, Avoid Contact With Eyes and Protonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Pensists, Get Medical Attention, KEEP CHILDREN AWAY.		WEIGHMASTER					

to the premises and/or adjacent property, buildings, stidewelds, driveways, curbs, stc., by the delivery of this material, and that you also agree to help him remove much from the wheels of his vehicle so

that he will not littler the public sheet. Further, is additional consideration, the undersigned agrees to incernify and hold harmless the driver of his truck and this supplier for any and all damage to the premises anci

arisin out of delivery of this order. SIGNED

QUANTITY	CODE	DESCRIPTION		UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL 110 SACKS	8.00	51.00	408.00
8.00	MIXAHAUL	MIXING & HAULT	8.00	25.00	200.00
2.00	TRUCKING	TRUCKING CHARGE	2.00	50.00	108.00

RETURNED TO PLANT	LEFT JOB"	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	SubTotal #	
			1. JOB NOT READY 3 2. SLOW POUR OR PUMP	6. TRUCK BROKE DOWN 7. ACCIDENT		Tetal 5	
LEFT PLANT	ARRIVED JOB	START UNLOADING	3. TRUCK AHEAD ON JOB 8 CITATION 4. CONTRACTOR BROKE DOWN 9 OTHER 5. ADDED WATER		der 1		
11:26	11:57					ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
1/2/3/3/						GRAND TOTAL	

ordr

255131

THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201

CUSTOMER NO. JOB NO. PURCHASE O	RDER NO.	REFERENCE			TERMS		CLERK	DATE	П
3447			HET	18TH	OF MONTH	B		4/24/12	4:56
S D LAYMON DIL II D 1996 SQUIRREL RD	S H I P			DEL.	DATE:	4/24/12	TER NII 551	000# 25 ********* * 080ER	55131 (****
NEOSHO FALLS KS 66758	T O) Tax		001 IOLAL		*******	

EXTENSION UNITS PRICE/PER SHIPPED ORDERED UM SKU DESCRIPTION LOCATION 200 EA PC PORTLAND CEMENT 9.45 /EA 1,899.00 human Duarter 1-12-10 pts mu Jones 1-12 10 0/2 Kecke 19-12 10 060. Mocke 171-12 15 0/2 15 10 packs 10 Day 10 95-12 10 Dacker

ORDER ## ORDER ## ORDER ## ORDER ## ORDER # TAXABLE 1899.99 ** DEPOSIT AMOUNT ** 8.99 NON-TAXABLE 6.69 ** BALANCE DUE ** 2,651.68 SUBTOTAL 1898.00 RECEIVED BY ** PAYMENT RECEIVED ** 0.00 TAX AMOUNT 161.69 TOTAL AMOUNT 2051.68

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction. under trücks own power. Due to delivery at owner's or intermodating direction, seller assumes no responsibility to damages in any manner to sildewarks, roadways, driveways, buildings, trees, shrubbary, etc., which are et clustomer's risk. The maximum allotted time for unloading flucks its 3 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength lest when water is added at customer's request.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	× col	DRIVER/TRUCK	× OTR	PLANT/TRANSACTION #
11:13:18a	VELL	8,00 yd	16100 yd	0.00	35		WOOCE
DATE	To Date	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
08-17-12	Today	8	16.00 yd		6/yd 0.0		32395

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porlland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY.
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, It Irritation Persists, Get Medical Attention KEEP CHILDREN AWAY

CONCRETE IN a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' less, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality, No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to Dear Customes The diver of the truck in preterring this INLEXASE, to you for your signature or the opinion that the size and weight of his truck may possibly cause idamage to the premises and/or adjacent properly if it places the traderial in this bod where you deter all, it is not wish to help you in every way flast we can, but in other to do the the driver is requesting that you sign this RELEASE reliesing time, and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalls, driveways, ourbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNIN NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSE WHEN DELIVERING INSIDE CURB LINE.

Excess Delay Time Charged @ \$50/HR. EXTENDED PRICE UNIT PRICE DESCRIPTION QUANTITY CODE

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	inDotal 5	508.00
			JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION		Tax % 7.300			
LEFT PLANT	ANT ARRIVED JOB START UNLOADING 4 CONTRACTOR BROKE DOWN 9 OTHER 5 ADDED WATER	9 OTHER	TIME DUE	Irder 1					
1111						ADDITIONAL CHARGE 1 _			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2			
						GRAND TOTAL			